Journal of the American College of Cardiology
© 2002 by the American College of Cardiology Foundation
Published by Elsevier Science Inc.

Vol. 40, No. 12, 2002
ISSN 0735-1097/02/$22.00
PII S0735-1097(02)02719-5

Author Index: Volume 40

Abbasi F, 937
Abdul-Karim A, 464
Abelli P, 1259
Abinader EG, 837
Abolmaali K, 410
ACC–NCDR Registry, 394
Adams KF Jr, 836
Aengevaeren WRM, 766
Ahn S. 1596
Aihara N, 330, 1841
Aizawa Y, 555
Akao M, 803
Akar JG, 1831
Akinboboye OO, 703
Alaimo A, 1305
Alber HF, 1825
Albiero R, 403
Alexopoulos D, 62
Almany S, 1882
Alonso C, 111
Alpert NM, 1051
Al-Saady NM, 926
Alves-Rodriguea A, 835
Ambrose JA, 1375
Ammash NM, 285
Amouyel P, 43
Amsterdam EA, 251
Anagnostopoulos PC, 1487
Anand I, 1414
Anderson JL, 1777
Anderson M, 2165
Andreassi MG, 862
Andriani A, 1615
Angina With Extremely Serious Operative Mortality Evaluation (AWESOME), 1555
Ankri A, 1943
Anselme F, 1645
Antakli T, 1555
Antman EA, 71
Antman EM, 238
Apostolopoulos D, 62
Applegate RJ, 78
Appleton CP, 1636
Arai M, 1347
Arbogast PG, 1589
Arditti A, 2195
Armoundas AA, 207
Armstrong WF, 685
Aronow HD, 1573
Arora R, 1809
Asakura M, 162, 991, 998
Asanuma H, 162, 991, 998
Attie F, 205
Auer J, 574
Auger W, 318
Auricchio A, 536
Autore C, 1864
Autschbach R, 475
Avierinos J-F, 84
Ayala DE, 710
Azeka E, 2034

Baba A, 1153
Babuty D, 1645, 2022
Baehner F, 1668
Bagattin A, 341
Bahlmann E, 1067
Baig W, 1801
Bailey JJ, 1466
Bailey KR, 84, 789, 976, 1636
Bailey S, 1882
Bailleul C, 111
Baim DS, 1928, 2082
Bair TL, 1777
Bairey-Merz CN, 567
Baker JL, 1475
Bakker HD, 2117
Balaban K, 464
Baldin S, 1259
Baldini U, 1305
Baldo V, 1305
Bando K, 428
Barbiere C, 1555
Barlera S, 970
Barnes ME, 1636
Barter PJ, 228
Bartunek J, 1097
Bash D, 464
Bassan M, 205
Basso C, 341
Bates ER, 1034, 1389
Batin PD, 1801
Bauce B, 341
Bauer F, 1320
Bauer WR, 1695
Bauersachs J, 1695
Bauters C, 43, 410
Bax JJ, 2182
Beanlands RSB, 1735
Beauchesne LM, 285
Beck M, 1668
Becker LC, 1290
Beckerman B, 917
Bedaux WLF, 1848
Beer M, 1267
Beilby JP, 835
Beisiegel U, 1356
Belgian RALES Investigators, 1596
Bell MR, 387, 1567
Bellamy MF, 1723
Beller GA, 1551, 1687, 1895
Belohlavek M, 1487
BeLue R, 1589
Bencini F, 1283
Beniaminovitz A, 1602
Benjamin EJ, 1298
Benson LN, 796
Benza RL, 970
Beran G, 1225
Berdan LG, 1085
Berent R, 574
Berger PB, 1567
Bergmann SR, 703, 1092
Berman DS, 1744
Bernabò P, 1864
Bernard-Chabert B, 1660
Bernstein V, 693
Berti S, 862
Bertocco S, 1059
Bertrand ME, 410
Best L, 1984
Betocchi S, 278
Bettis R, 2125
Beyerbacht HP, 2182
Beygui F, 877
Beyne P, 1794
Bezzina CR, 350
Bhatt DL, 669
Biagini A, 862
Biffi A, 446
Bild DE, 529
Bilianou HI, 1375
Billinger M, 1545
Bin J-P, 167
Bing RJ, 578
Birjiniuk V, 1555
Birnbaum Y, 575
Bittar N, 2006
Blackstone EH, 1106
Blake GJ, 49
Blanchard DG, 318
Blann AD, 484
Block P, 394
Blom HJ, 766
Bocchi EA, 2034
Bode F, 731
Boden WE, 1915, 2205
Boers GHJ, 766
Bokhari S, 1092
Bonanno E, 1579
Bonetti L, 505
Bonetti PO, 546
Bonfiglio G, 1864
Bonizzoni E, 403
Bonow RO, 2156
Bonz AW, 662
Boonstra PW, 1955
Booth D, 1555
Booth KL, 1681
Bosch J, 693
Bossone E, 685
Botto N, 862
Bourgeois B, 2110
Bouvier E, 1794
Boven van AJ, 1955
Boyd A, 1630
Braden GA, 78
Bradham WS Jr, 2165
Bradley WA, 2092
Braune D, 410
Braunschweig F, 111
Braunwald E, 71, 238, 1044, 1366, 1761
Breithardt G, 350
Breithardt OA, 536
Brener SJ, 1961
Brennan C, 917
Brenner H, 34
Brighetti G, 304
Brignole M, 2053
Briguori C, 298, 403
Brindis RG, 394, 1895
Bristow MR, 1248
Brodde O-E, 1459
Bronzwaer JGF, 1848
Brown BW Jr, 937
Bruck H, 1459
Bruining N, 2139
Brunner D, 529
Bruzzi P, 1864
Bryant MB, 754
Bucknall CA, 869
Budas GR, 367
Buettner HJ, 245
Bui AB, 904
Bultas J, 917
Burger KN, 1623
Burnett JC Jr, 976, 1186
Burns RJ, 1735
Bursi F, 505
Buse JB, 1877
Buser P, 245
Butler J, 1589
Buzin CH, 1120

Cadeddu M, 896
Caiati C, 896
Califf RM, 1034, 1895
Callahan TS, 1801
Calvo C, 710
Cameron JD, 773
Camici PG, 1216
Camm AJ, 926
Campia U, 754
Cannon CP, 238, 1044, 1761
Canos D, 904
Cape EG, 1479
CAPE II Trial Investigators, 917
Capomolla S, 1259
Caporotondi A, 1259
Carabello BA, 149
Cardillo C, 754
Cardon LA, 1320
Cariou A, 2110
Carli P, 2110
Carlquist JF, 1777
Carrozza JP, 2082
Carson JL, 418
Cas LD, 1248
Caselli S, 446
Casserly IP, 1573
Casset-Senon D, 2022
Castagna MT, 904
Cavallini MC, 1283
Cazeau S, 111
Cequier A, 257
Ceresa M, 1259
Chai I-H, 1976
Chan AW, 669
Chandrasekaran K, 789
Chang M-S, 746
Charles CJ, 1495
Chauhan MS, 2082
Chaumuleau SAJ, 573
Chavelas C, 1794
Chayama K, 2039
Chen AY, 418
Chen HH, 1186
Chen HJ, 1991
Chen L, 896
Chen S-A, 575, 746
Chen X, 1347
Chen Y-C, 575
Chen Y-J, 575
Cheng J-J, 1383
Cheng TO, 838
Chew DP, 669
Chiang Y-T, 970
Chiariello L, 1935
Chiariello M, 278
Chiche J-D, 2110
Chieffo A, 403
Chin BSP, 484
Chinushi M, 555
Chinushi Y, 555
Chmaït A, 410
Cho E, 954
Choi K-J, 2013
Choi KM, 2156
Choi Y-S, 1976
Chou R-L, 703
Choucair WK, 754
Choudhury L, 2156
Chouraqui P, 2195
Choussat R, 1943
Christiansen JP, 811
Chronos NAF, 1199
Chubuchny V, 1305
Chugh A, 100
Chung I-M, 2072
Chung W-Y, 1976
Ciampi Q, 278
Cicoira M, 304, 1425
Ciechanover A, 1919
Cleeman JI, 567
Clementy J, 2013
Clerico A, 862
Clulow J, 1290
Coates G, 1735
Cobelli F, 1259
Coen MM, 1079
Coffin LE-K, 325
Cohen DJ, 2082
Cohen SA, 71
Cohn JN, 970, 1414
Cole C, 464
Cole JH, 1968
Colhoun HM, 944
Coller BS, 360
Collet JP, 1943
Collins P, 521
Colombo A, 298, 403, 1021
Colombo MG, 862
Colonna P, 896
Colucci WS, 1114
Comini L, 155
Connolly HM, 285, 1328
Connolly SJ, 142
Conte MR, 1864
Cooke JP, 1051
Cooper JV, 685
Cooper RS, 311
Coppi F, 505
Correia LCL, 1290
Corvaja N, 403
Cosnay P, 2022
Coste J, 1645
Cowden EA, 1748
Cox JL, 1748
Craven T, 78
Craver JM, 1968
Crawford RM, 367
Crea F, 1579, 1935
Creager MA, 1051
Crepaldi G, 1059
Criger DA, 1034
Crijns HJGM, 1401
Croci F, 2053
Cuocolo A, 278
Curello S, 155
Cutler SS, 71
Cutlip DE, 2082

Dae MW, 1928
Dagenais G, 693
Daliento L, 341
D'Aloia A, 1248
Danieli GA, 341
Danielson GK, 285
DAPPAF Investigators, 1140
Darioli R, 676
Dart AM, 773
Daubert J-C, 111
Daugherty J, 1589
Davidson MH, 2125
Davies AM, 367
Dávila-Román VG, 271
Davlouros PA, 2044
Dawson P, 961
De Alfieri W, 1283
De Freitas G, 149
de Jong PE, 1401
de Jongh S, 2117
de las Fuentes L, 271
de Lemos JA, 238
De Nes M, 1305
de Nigris F, 1515
de Roos A, 2182
Deanfield JE, 917
Deeb SS, 1059
Deharo J-C, 111
deKemp RA, 1735
del Nido PJ, 1681
deLemos JA, 71
DeMaio SJ, 2062
DeMaria AN, 182, 318, 565, 1017, 1364, 1701, 2060
Demopoulos LA, 1044, 1761
Denk S, 1225
Detry J-M, 917
Devereux RB, 1283, 1395
DeVoe MC, 1375
Dhainaut J-F, 2110
Dhein S, 1459
Di Bari M, 1283
Di Carli MF, 1744
Di Mario C, 403
DiBattiste PM, 1044, 1761
Dibs S, 1133
Dick SE, 231
Diercks DB, 251
Diercks GFH, 1401
Ding Y-A, 746
Dirschinger J, 854, 882
Dixon L, 820
Dixon SR, 1928
Donateo P, 2053
Dorfman DM, 1475
Dotzer F, 882
Douglas JS Jr, 1968
Drazen JM, 1114
Drazner MH, 311
Drenth DJ, 1955
Dresing T, 464
Dries DL, 311
Drobinski G, 1943
Duboc D, 1645
Dunn KL, 1475
Duprez D, 1596
Dvir I, 2195
Džavík V, 1041

Eagle KA, 685
Early Retavase-Thrombolysis In Myocardial Infarction (ER-TIMI) 19 Investigators, 71
Eber B, 574
Eberli FR, 1545
Eckardt L, 350
Eckberg DL, 1801
Edmunds LH Jr, 1160
Edvardsson N, 926
Edwards WD, 1328, 1919
Egeblad H, 723
Eguchi K, 133
Elami A, 2063
Elhendy A, 1623
Elia PP, 298
Ellahham S, 1232
Ellestad MH, 2204
Elli SG, 1961
Elliott MD, 2156
Elliott PM, 1431, 1445
Ellis SG, 669
Emanuelli C, 1305
Emori T, 1437
Ennezat P-V, 1794
Enriquez-Sarano M, 84, 789, 1328, 1425, 1723
Eriksson MJ, 838
Ertl G, 662, 1695
Escande D, 350
Esperer HD, 207
Espiner EA, 1495
Esplugas E, 257
Esposito R, 1555, 1951
ESPRIT Investigators, 1085
Euler DE, 335
Evans JC, 1298, 1408
Everett TH IV, 1831
Every NR, 1389
Ezetimibe Study Group, 2125

Fabricius A, 475
Fabsitz RR, 1395
Fagerberg B, 491
Faggin E, 1059
Fakiolas CN, 1375
Fallen E, 1735
Fallon JT, 360
Fanelli R, 464
Fang JC, 1114
Fasseas P, 1567
Fath-Ordoubadi F, 1216
Fauchier JP, 2022
Fauchier L, 2022
Faxon D, 2090
Faxon DP, 1199
Febo O, 1259
Fedele S, 2102
Feigin PD, 2195
Felker GM, 206
Feng J, 1120
Fernandes LS, 1085
Fernández JR, 710
Fernández-Nofrerias E, 257
Fernando F, 446
Ferrari M, 1259
Ferrari R, 155
Ferrero V, 1935
Finizio F, 278
Firoozi S, 1431, 1445
Firstenberg MS, 1320
Fischman AJ, 1051
Fisher M, 142
Fisher NG, 811
Fisher S, 1495
FIsman EZ, 205
Fitts S, 1140
Fitzgerald M, 111
Fitzpatrick P, 1475
Flammer Y, 1769
Fleg JL, 1290
Fletcher G, 579
Flevari P, 499
Floras JS, 2000
Foale R, 1216
Fodstad H, 511
Fonarow GC, 2204
Fong KM, 1275
Fonseca L, 1305
Forgione MA, 1051
Fournier M, 1660
Foussas SG, 1375
Fox KAA, 961, 1801
Fraccarollo D, 1695
Frampton CM, 1495
Franceschini L, 304
Francis GS, 1106, 2065
Francis JM, 2044
Franke A, 536
Franke C, 1067
Franz MR, 731
Freda BJ, 2065
Freed LA, 1298
Freeman M, 1735
Frenneaux M, 142
Frick M, 1825
Friedman P, 1140
Friedman PA, 105
FRISC-II Investigators, 1902
Fröhlich M, 34
Frye RL, 84, 946
Fujiï K, 1755
Fujii T, 220
Fujimoto Y, 1437
Fujino N, 1816
Fujio H, 1437
Fujiwara H, 1347
Fujiwara T, 1347
Fukami K, 220
Fukatani M, 1437
Fuller DL, 1298
Funaya H, 162
Fye WB, 384, 832, 1192

Gaenzer H, 2189
Gaita F, 481
Gal A, 1668
Galanti L, 1596
Gallagher MM, 926
Gallois V, 1943
Galloway JM, 1395
Galuppo P, 1695
García del Blanco B, 257
Garcia G, 780
Gardin JM, 529
Gardner MJ, 1748
Garrigue S, 111
Garson A Jr, 1895
Gaspardone A, 1935
Gatzoulis MA, 2044
Gellerich FN, 2174
GEM III AT Worldwide Investigators, 1653
Genda S, 1339
GENERATION Study Group, 1375
George B, 2062
George J, 1333, 1882
Gersh BJ, 105, 1636
Gerstenblith G, 1290
Gewirtz H, 1051
Ghai A, 1675
Ghali JK, 2204
Ghazzal Z, 1968
Ghini AS, 1935
Giaid A, 1356
Giardina E-GV, 1991
Gibbons R, 1531
Gibbons RJ, 1199, 1895, 1928
Gibson CM, 238, 1761
Gibson MF, 1172
Gibson TM, 1172
Gidding SS, 529
Giessler C, 1459
Gilburd B, 1333
Gillis AM, 1653
Gilon D, 685, 1479
Gimeno JR, 1445
Gioffrè PA, 1935
Giugliano RP, 71
Givertz MM, 1114
Glasser S, 2006
Glogar D, 1225
Glover DK, 1687
Gnemmi M, 1259
Goethals M, 1097
Gokce N, 761
Gold HK, 2072
Gold J, 418
Goldhaber SZ, 1475
Goldstein JA, 841
Goldstein S, 491
Golia B, 298
Golia G, 304, 1425
Gómez-Hospital JA, 257
Good TH, 1079
Goodman NC, 167
Goormastic M, 1573
Goraya TY, 946
Gordon RE, 360
Gori T, 2000
Gorman JH III, 1160
Gorman RC, 1160
Goto C, 2039
Goto K, 175
Gottlieb SO, 970, 1414
Grabarczyk MA, 78
Graf J, 718
Graham LN, 126
Grandjean JG, 1955
Granger CB, 1034
Greenberg BH, 1422
Greenleaf JF, 1487
Greenstein R, 100
Gregoratos G, 1703
Griffin MR, 1589
Griffith J, 27
Grigioni F, 84
Grobbee DE, 1401
Gropler RJ, 271
Grover F, 1555, 1951
Grover FL, 1786
Grube E, 1928
Grundy SM, 567
Grunwald GK, 1786
Guazzotti G, 1259
Guida P, 1615
Gunasinghe H, 2165
Gupta D, 1809
Gurbel PA, 1199
Gurné O, 1596
Guy TS, 1160
Guyton RA, 1968
Haase A, 1695
Hachamovitch R, 1744
Hahalis G, 62
Hahn D, 1267
Haider AW, 1408
Haines DE, 1831
Haissaguerre M, 2013
Halcox JPJ, 1232
HALT-MI Investigators, 1199
Hamawaki M, 149
Hamid MS, 1445
Hamilton MA, 2204
Hammill SC, 105
Handschumacher MD, 1479
Hanrath P, 718
Hanratty CG, 911
Hansen PS, 911
Hansky B, 2144
Hara K, 2039
Haraoka K, 1437
Harats D, 1333
Hare JM, 1114
Harre K, 662, 1267
Harris L, 1675
Hart CM, 926
Hashimoto K, 1347
Hassan S, 100
Hassankhani A, 318
Hausleiter J, 882
Haverkamp W, 350
Hayes DL, 105
Hayward CS, 521
Hearne MA, 2092
Heintze J, 2144
Heintzen MP, 291
Heitzer T, 1356
Helbecque N, 43
Held S, 662
Helft G, 877
Hellstrom HR, 573
Henderson W, 1555
Henderson WG, 1951
Hendry P, 1735
Hennessy BJ, 926
Hermant X, 43
Hermida RC, 710
Herrero P, 271
Herrmann J, 1919
Hertting K, 1067
Hervé P, 780
Hess OM, 1769
Hettleman BD, 2092
Higashi Y, 2039
Hillege HL, 1401
Hiller K-H, 1695
Hina K, 1437
Hindricks G, 475
Hirai N, 266
Hiraishi S, 1816
Hiramori K, 220
Hirota H, 1816
Hisamatsu K, 1437
Hishida H, 220
Hjalmarson A, 491
Ho KKL, 2082
Ho W-Y, 1451
Hochberg I, 1984
Hochman JS, 1085
Hocini M, 2013
Hodge DO, 105
Hodgson JMB, 245
Hoffmann E, 1305
Hoffmann MM, 34
Hoffmeister A, 34

Hofman MBM, 1848
Hohnloser SH, 1653
Holbrook M, 761
Holder JR, 2165
Holle H, 854
Holman WL, 375
Holmes DR, 1567
Holmes DR Jr, 387, 424, 546, 1919
Holt P, 457
Holtz J, 2174
Honda T, 220
Hongo RH, 231
HOPE Investigators, 693
Hori M, 162, 826, 991, 998
Horiguchi Y, 1816
Hornberger LK, 796
Horne BD, 1777
Hornung TS, 2044
Horstkotte D, 2144
Horwich TB, 2204
Hosaka Y, 555
Hoshida S, 826
Hoshide S, 133
Hoshide Y, 133
Hösl K, 854
Howard BV, 1395, 1984
Hoyt RH, 93
Hsieh M-H, 746
Hu FB, 954
Hu K, 1695
Huang J, 375
Huang J-L, 746
Huikuri HV, 511
Humbert M, 780
Hummel JD, 1140
Hung J, 835
Hunter LM, 761
Husted S, 1902
Huvelle E, 536

Iacoviello M, 1615
Ichikawa Y, 1339, 1523
ICONS Investigators, 1748
Ideker RE, 375
Ignarro LJ, 1515
Ikari Y, 2072
Ikushima M, 1755
Iliceto S, 896
Imaizumi T, 220
Imanaka H, 428
Inagaki M, 330
Intermountain Heart Collaborative Study, 1777
International Registry of Acute Aortic Dissection (IRAD) Investigators, 685
Investigators of the Department of Veterans Affairs Cooperative Study #385, 1555
Investigators of the Department of Veterans Affairs Cooperative Study #385, the Angina With Extremely Serious Operative Mortality Evaluation (AWESOME), 1951
Iràculis E, 257
Irvine T, 1179
Isselbacher EM, 685
Ito H, 1755
Iwakura K, 1755
Iwanochko RM, 1735
Iwasaki K, 576

Jablonski K, 1984
Jackson BM, 1160
Jacobsen SJ, 946, 976
Jagathesan R, 1216
Jahangir A, 105
Jain MK, 1589
Jais P, 2013
James S, 457
Janssens U, 718
Jara F, 257
Jax T, 291
Jenkins JS, 1928
Jensen HK, 723
Jernberg T, 437
Jewel AF Worldwide Investigators, 335
Johnson E, 1140
Johnson W, 1114
Joly L-M, 2110
Jomini V, 676
Jones EL, 1968
Jones M, 1179, 1320
Jones SP, 1172
Jordaens LJ, 2139
Jordan RE, 360
Joseph D, 1085
Josephson ME, 1125
Jotterand V, 676
Jovanović A, 367
Judd RM, 2156
Jurva J, 1214

Kahl FR, 78
Kamakura S, 330, 1841
Kamath S, 484
Kampmann C, 1668
Karasik P, 731
Kario K, 133
Kasai H, 555
Kastelein JJP, 2117
Kastrati A, 854, 882
Kastrati D, 854
Katus HA, 731
Kaul S, 167, 811
Kavaney DJ, 1653
Kawano H, 266
Kawano S, 1755
Keaney JF Jr, 761
Kearney MT, 1801
Keck A, 1067
Kellett MA Jr, 2092
Kelly DP, 271
Kelm M, 291
Kennedy HL, 19, 453
Kent KM, 904
Kesäniemi YA, 511
Ketelslegers J-M, 1596
Khandheria BK, 1623
Khorsand A, 1225
Khot UN, 218
Khoury V, 1311
Khuseyinova N, 34
Kiesz S, 1555
Kilaru R, 1085
Killian JM, 946
Killip D, 2165
Kilner PJ, 2044
Kim J, 162, 991
Kim RJ, 2156
Kim WY, 723
Kim YJ, 1320, 1976
Kimman G-JP, 2139
Kimura M, 2039
Kindermann W, 1856
King DL, 325
King MEE, 1479
Kingwell BA, 773
Kirisits C, 1225
Kirk JD, 251
Kirkpatrick CMJ, 1495
Kita T, 1437
Kitabatake A, 220
Kitakaze M, 162, 991, 998
Kitamura S, 428
Kitzing R, 1067
Kjekshus J, 491
Kjell N, 575
Klarich KW, 1723
Kleemann TD, 970
Kleiman NS, 1044, 1085
Klein LW, 394
Klibanov A, 811
Klocke FJ, 2156
Kloos P, 1545
Klootwijk PJ, 2139
Knaapen MWM, 1097
Knight BP, 100
Knight R, 155
Knuuti J, 1241
Kobayashi J, 330, 428
Kobayashi M, 1437
Kochsiek N, 662
Kockx MM, 1097
Koenig W, 34
Koerfer R, 2144
Kok L-C, 1831
Kokkonen JO, 119
Komjáti K, 1006
Kontny F, 1902
Kontula K, 511
Kontush A, 1356
Kooner JS, 1216
Kornowski R, 1075
Kors JA, 1401
Kosakai Y, 330
Koshman M-L, 142
Kostelka M, 1459
Köstler H, 1267
Kostner K, 119
Kostuk W, 1735
Kottkamp H, 475
Kovanen PT, 119
Koyama Y, 911
Kraidly M, 521
Kramann B, 1856
Kramer AP, 536
Krater L, 2144
Krauss B, 475
Kremastinos DT, 499
Kristensen BO, 723
Krohn BG, 836
Krucoff M, 1555
Krüger S, 718
Kuan P, 1383
Küchler R, 1067
Kuck KH, 1067
Kugiyama K, 266
Kühl U, 515
Kumar M, 1809
Kuno A, 1523
Kuntz KM, 49
Kuntz RE, 1882, 1928, 2082
Kunz D, 718
Kuoppala A, 119
Kurita T, 330, 1841
Kusano-Fukushima K, 1437
Kusawchi S, 576
Kutcher MA, 78

La Rovere MT, 1259
Laakso J, 1241
Laaksonen R, 1241
Lablanche J-M, 43, 410
Lagerqvist B, 1902
Lai G, 896
Lai SWK, 100
Lainchbury JG, 1186, 1495
Laine H, 1241
Laird JR Jr, 904
Laitinen PJ, 511
Lakatta EG, 1290
Lakkis N, 1044
LaManca J, 1602
Lamb HJ, 2182
Lamblin N, 43
Lamendola C, 937
Lamp B, 2144
Lamy A, 1735
Landschütz W, 1267
Lang CC, 1602
Lang I, 1225
Larkin S, 2006
Larson MG, 1298, 1408
Latchman DS, 155
Latini R, 970, 1414
Lau C-P, 1451, 2150
Lauer MS, 563, 1106
Lauer T, 291
Laurent I, 2110
Laussen PC, 1681
Lavall D, 1356
Lavergne T, 111
Lavie CJ, 1609
Lazarus A, 1645
Le DE, 167
Le Feuvre C, 877
LeBeaut AP, 2125
Leclercq C, 111
Lee AJ, 1801
Lee ET, 1395, 1984
Lee MA, 142
Lee P-C, 746
Lefer DJ, 1172
Lehman B, 1298
Leibson C, 1636
Leibson CL, 946
Leineweber K, 1459
Leisner B, 1067
LeMarec H, 350
Lenfant C, 567
Lengenfelder B, 662
Lennon R, 1567
Lennon RJ, 387
Lenta F, 1259
Lepore S, 298
Lerman A, 546, 1919
Lerman BB, 335
Lerman LO, 546, 1515, 1919
Leujes F, 2182
Leung DYC, 1630
Leung Y-L, 1451
Levett K, 1630
Levey AS, 27
Levine RA, 1298, 1479
Levy AP, 1984
Levy D, 1298, 1408
Lewis D, 1555
Lewis WR, 251
Ley J, 231
Li L, 1275
Li Q, 1777
Li W, 2044
Li X-N, 1179
Liao Y, 991, 998
Liaudet L, 1006
Librera M, 298
Lichtlen PR, 917
Liesmaa I, 119
Ligthart J, 2139
Liistro F, 403
Lilien MR, 2117
Lin C-I, 575
Lin Y-K, 746
Lindahl B, 437
Linde C, 111
Linden J, 1687
Lindner JR, 811
Lindsay S, 1801
Lindstedt KA, 119
Ling LH, 84
Lip GYH, 484
Lipka LJ, 2125
Lipke C, 1267
Little WC, 78
Livanis EG, 499
Lloyd MA, 105
Logeart D, 1794
Lolli G, 2053
Lombardi R, 278
Lonn E, 693
López JE, 710
Lorenz TJ, 1085
Lorin JD, 1555
Loscalzo J, 1051, 1515
Losi MA, 278
Lu C, 1347
Lucas C, 1114
Lucke JC, 1555
Ludlam CA, 961
Luzzi G, 1615
Lytle BW, 1961

Mabley JG, 1006
Macdonald TL, 1687
Mackintosh AF, 126
Macle L, 2013
MacLellan WR, 2204
MacLeod B, 27
Madan M, 1085
Maehara A, 904
Maestri R, 1259
Magalski A, 1079
Maggioni AP, 1414
Mahmud E, 318
Mahon NG, 1106
Mahoney DW, 976, 1623
Mahoney EM, 737
Mahrholdt H, 2156
Main ML, 1079
Makhlouf FT, 1466
Mal H, 1660
Malenka DJ, 2092
Malouf JF, 789
Mancini DM, 1602
Manfredi S, 862
Manganelli F, 278, 298
Manjunath G, 27
Mann T, 1085
Manning WJ, 1889

Manolis AS, 62
Manousakis SJ, 1375
Marbán E, 803
Marber MS, 869
Marchionni N, 1283
Maresh KJ, 1085
Mariani MA, 1955
Mariano E, 1205
Marie O, 2022
Marino P, 304
Marklund SL, 1356
Markowitz SM, 335
Maron BJ, 446, 1431
Marrash-Chahla R, 1660
Marrouche NF, 464, 1133
Marschang P, 2189
Marshall SM, 56
Marso SP, 652
Martin C, 1668
Marwick TH, 1311
Mary DASG, 126
März W, 34
Marzilli M, 2102
Masetti S, 862
Masotti G, 1283
Massari F, 1615
Massaro AF, 1114
Massimo S, 1653
Mastropasqua F, 1615
Masuyama T, 1755
Mathew V, 424
Mathey DG, 890
Matsubara H, 1437
Matsumori A, 1506
Matsumoto T, 1523
Matsuzaki M, 220
Maunoury C, 877
Maurer MS, 325
Mauri J, 257
Mauriello A, 1579
Maycock CAA, 1777
Maynard C, 1786
Mäyränpää M, 119
Mazzu A, 2006
McCabe CH, 71, 238, 1761
McCallister BD, 394
McComb JM, 56
McFadden EP, 410
McGarry T, 2125
McGrath LT, 820
McGrath PD, 2092
McKay CR, 394
McKenna W, 111
McKenna WJ, 1431, 1445
McLaughlin T, 937
McQuillan BM, 835
McVeigh GE, 820
Mediratta S, 1555
Medley TL, 773
Meesmann M, 662
Mehilli J, 854, 882
Mehra MR, 1609
Mehra R, 335, 1140
Mehta RH, 685, 1034
Meier B, 1545
Meinertz T, 1356
Melani L, 2125
Melby S, 1567
Menozzi C, 2053
Merin G, 2063
MERIT-HF Study Group, 491
Merry H, 1748
Merz CNB, 1877
Mesiskli T, 499
Messerli FH, 2201
Metra M, 1248
Metzger JP, 877
Meurice T, 410
Meyer D, 2165
Michelson EL, 1408
Mickleborough L, 1735
Micks M, 693
Miki T, 1339, 1523
Milani RV, 1609
Miller JM, 1
Miller LW, 1555
Milliez P, 1125
Minami K, 2144
Minamino T, 991
Minatoguchi S, 1347
Mincemoyer R, 1232
Mintz GS, 904
Miracapillo G, 1305
Mirza I, 457
Mitsuhashi T, 133
Mittal S, 335
Miura T, 1339, 1523
Miyauchi T, 175
Moainie SL, 1160
Moak JP, 1466
Modena MG, 505
Mohan JC, 1809
Mohr F-W, 475, 1459
Molenaar P, 1275
Moliterno DJ, 669
Moller-Bertram T, 1356
Mollnau H, 1356
Monchi M, 2110
Montalescot G, 1943
Montgomery SC, 1636
Montisci R, 896
Montorfano M, 403
Moon JCC, 2044
Moorman JR, 1831
Mooser V, 676
Morady F, 100
Morgan DR, 820
Mori H, 998
Mori Y, 1179
Morita H, 1437
Morita ST, 1437
Morris BA, 1079
Morris DC, 1968
Morrison DA, 1555, 1951
Morrow DA, 71, 238, 1761
Mortensen PT, 723
Moses JW, 1021
Motoyama T, 266
Motro M, 205
Mueller C, 245
Muhlestein JB, 1777
Muldowney JAS III, 967
Mullany CJ, 789
Mullen JBM, 796
Multani M, 2165
MUltisite STimulation In Cardiomyopathies (MUSTIC) Study Group, 111
Muneretto C, 1248
Munger TM, 105
Munzel T, 1356
Murphy E, 1555
Murphy S, 1044
Murphy SA, 238, 1761
Murphy W, 142
Musley SK, 93
Myers RP, 1660
Myrmel T, 685

Nagase S, 1437
Nahmias C, 1735
Nahrendorf M, 1695
Nakada MT, 360
Nakagawa K, 2039
Nakahata Y, 1816
Nakamura K, 1437
Nakatani T, 428
Napoli C, 1515
Narayan P, 2006
Narula J, 1160
Narula N, 1160
Nash S, 2006
Näslund U, 1902
Natale A, 464
Nava A, 341
Nedelman MA, 360
Neilson JMM, 1801
Nelson GIC, 911
Nemoto S, 149
Neubauer S, 1267
Neumann F-J, 245, 854
Neumayr G, 2189
Newby DE, 961
Neyses L, 662
Nguyen GC, 1114
Nguyen TT, 1928
Nichol G, 1735
Nicholls MG, 1495
Nicod P, 676
Nidorf M, 835
Nield LE, 796
Nienaber CA, 685
Nishio R, 1506
Niskasaari E, 511
Nissen SE, 218, 1573
Niwaya K, 428
Noda T, 1841
Nodari S, 1248
Node K, 162, 991, 998
Nolan J, 1801
Noma K, 2039
Nomura M, 220
Norman M, 1445
Northern New England Cardiovascular Disease Study Group, 2092
Nour KRA, 1232
Nowak B, 2031
Nunes H, 780

Obel OA, 926
Obioha-Ngwu O, 1125
O'Connor CM, 206
O'Connor FC, 1290
O'Connor GT, 2092
Oddone D, 2053
O'Donnell CJ, 1408
Ogai A, 991
O'Gara PT, 685
Ogawa H, 220, 266
Ogawa N, 1816
Ogawa S, 1153
Ogihara T, 1755
Ogita H, 162, 991, 998
Oh JK, 789, 1636
Oh S, 1976
Ohe T, 1437
Ohnuma Y, 1523
Okin PM, 1395
Olshansky B, 934
Olympios CD, 1375
O'Neill WW, 1928, 2062
Ono T, 428
Oppliger-Pasquali S, 676
op't Roodt J, 2117
Oral H, 100
Orford JL, 1567
O'Rourke DJ, 2092
O'Shea JC, 1085
Oshima T, 2039
Otsu K, 826
Otterness MF, 1653
Özaydın M, 100
Ozcan C, 105

Paccaud F, 676
Pacchiana C, 1085
Pache J, 854, 882
Pacher P, 1006
Pachinger O, 1825
Packer DL, 105
Pagnotta P, 403
Päivä H, 1241
Palmerini T, 360
Palmieri C, 862
Palmieri G, 1579
Palmisano J, 761
Palumbo PJ, 946
Pandian NG, 1809
Pandya UH, 1328
Panza JA, 754
Papadaki OA, 1375
Papageorgiou P, 1125
Pape LA, 685
Paramesh V, 1555
Parent F, 780
Parikh SR, 1870
Park MH, 1609
Park Y-B, 1976
Parker JD, 2000
PARR Investigators, 1735
Parsons L, 1389
Partenzi A, 1579
Pasini E, 155
Passey R, 1809
Pasternak RC, 567
Patel AR, 1809
Paterick TE, 1623
PATH-CHF Study Group, 536
Patsch J, 2189
Pauletti M, 1305
Pauletto P, 1059
Pavia SV, 464
Peacock WF, 2065
Pearce NJ, 1748
Pearlman AS, 1731
Pearson RR, 1777
Pedersen AK, 723
Pelberg RA, 167
Pelliccia A, 446
Pellikka PA, 789, 1328, 1623, 1723
Pelosi F Jr, 100
Pennell DJ, 2044
Périé M, 410
Perin EC, 2062
Perings C, 291
Perings SM, 291
Perruchoud AP, 245
Perry SB, 1681
Perticucci R, 1305
Pessina AC, 1059
Peterson ED, 418, 1786, 1895
Pett S, 1555
Pezzella E, 278
Pfeifer EA, 946
Picano E, 1305
Piccininno M, 1864
Pichard AD, 904
Pick JJ, 573
Pieper KK, 1034
Pietilä E, 511
Pin R, 1769
Pini R, 1283
Pinna GD, 1259
Piper WD, 2092
Pirisi R, 896
Pisano E, 464
Pislaru C, 1487
Pissimissis EG, 1375
Pitzalis MV, 1615
Pizzuto F, 1205
Plomondon ME, 1786
Plonska E, 1305
Plumb VJ, 1140
Pokrajac B, 1225
Pomerantz K, 2006
Poole-Wilson PA, 1104
Popma JJ, 1573, 1882, 1928, 2082
Popovich J, 1573
Potter R, 1225
Prakash A, 1140
Prescott RJ, 1801
Probst V, 350
Probstfield J, 693
Proietti I, 1935
Prondzinsky R, 2174
Puato M, 1059
Puddu PE, 1205
Puggioni E, 2053

Qin JX, 1320
Quinn MJ, 669
Quinton HA, 2092
Quraishi A, 1445
Qureshi E, 2195
Quyyumi AA, 1232

Rabbani LRE, 1991
Rabnott G, 1275
Raddino R, 155
Rademaker MT, 1495
Ragosta M, 1551
Rainisio M, 780
Raisinghani A, 318
Raitakari OT, 1241
Rakowski H, 838
Ramanathan KB, 1555
Ramee S, 1882
Ramires JAF, 2034
Rampazzo A, 341
Ranki HJ, 367
Rankin KM, 78
Rasmussen HH, 911
Ratcliffe MB, 1168
Ray WA, 1589
Raybaud F, 2013
Rea RF, 105
Reaven GM, 937
Redfield MM, 976
Redwood SR, 869
Reid CL, 529

Reidy MA, 2072
Remme CA, 350
Rensing B, 1064
Resnick HE, 1984
Rex S, 111
Rhihal CS, 1567
Ribichini F, 1935
Riccardi R, 481
Ricciardelli B, 298
Richards AM, 1495
Richardson AW, 1125
Ridker PM, 49
Rieger JM, 1687
Ries M, 1668
Rifai N, 238
Rihal CS, 387
Rimm EB, 954
Rimmer DM III, 1172
Rinner A, 1825
Riou LM, 1687
Ritchie D, 142
Rivera CE, 1232
Riviezzo G, 298
Rizza A, 862
Rizzon B, 1615
Rizzon P, 1615
Robb JF, 2092
Robert A, 1596
Robertson AD, 1248
Roccaforte R, 693
Rochette V, 1856
Rodeheffer RJ, 976
Roden DM, 357
Rodondi N, 676
Rodriguez-Porcel M, 546
Roelandt JRTC, 2139
Roffi M, 1769
Roger VL, 946
Rogers C, 1882
Rogers JG, 271
Rogers JM, 375
Rohrbach S, 2174
Roman MJ, 1283
Romeo F, 1205, 1935
Romito R, 1615
Rosconi F, 970
Rose S, 142
Rosen SD, 1216
Rosenberg DG, 71
Rosenson RS, 19
Roskamm H, 245
Ross DL, 1630
Rossi A, 304, 1425
Rossi R, 505
Rossum AC, 1848
Roth SJ, 1681
Rothenbacher D, 34
Rouleau J-L, 1041
Rousseau MF, 1596
Rowland E, 1445
Rozanski A, 2195
Rozenberg A, 2110
Ruddy TD, 1735
Ruilope LM, 710
Ruiz M, 1687
Rumsfeld JS, 1786
Ruscazio M, 896
Rusk RA, 1179
Russell FD, 1275
Russo P, 1935
Ruth K, 529
Rutter MK, 56
Ryan TJ Jr, 2092
Saad E, 464
Sabaté M, 257
Sabatine MS, 238, 1761
Sachdev B, 1445
Sacks FM, 2135
Sacks J, 1555, 1951
Sadeghi HM, 318
Saef J, 2195
Sagar K, 1214
Sahn DJ, 1179
Sakai S, 175
Sakamoto J, 1523
Saksena S, 1140
Sakuma I, 220
Salem D, 27
Saliba W, 464
Salo R, 536
Samady H, 1551
Sambuceti G, 2102
Sami M, 1151
Sanada S, 162, 991, 998
Sandrini R, 1425
Sandstede J, 1267
Sangiorgi G, 1579
Santini M, 446
Sarais C, 403
Sarnak MJ, 27
Sartore S, 1059
Sasaki S, 2039
Sasako Y, 428
Sasayama S, 1506
Satler LF, 904
Satomi K, 330, 1841
Saucedo J, 1555
Saudubray C, 1794
Savarimuthu SM, 1275
Savolainen M, 511
Sayah A, 71
Scarabelli TM, 155
Scarpato P, 298
Scavee C, 2013
Schaer GL, 1928
Schaff HV, 1328
Schanzenbächer P, 662
Scharf C, 100
Scharhag J, 1856
Scheinman MM, 1133
Scheubel RJ, 2174
Schiffgens B, 536
Schiller NB, 1630
Schirdewahn P, 475
Schlüter M, 890
Schmid R, 1225
Schmidinger H, 1653
Schnall RP, 2195
Schneider C, 1067
Schneider G, 1856
Schneider JP, 1961
Schneider SH, 418
Schnyder G, 1769
Schoebel FC, 291
Schoenhagen P, 1573
Schofer J, 890
Scholten MF, 2139
Scholz PM, 418
Schömig A, 854, 882
Schott JJ, 350
Schreiner PJ, 529
Schühlen H, 882
Schuhwerk KC, 71
Schuler G, 475
Schultheiss H-P, 515
Schulze-Bahr E, 350
Schwartz SM, 2072
Schwartz Y, 1067
Schwartzman D, 93
Schwarzacher SP, 1825
Schweikert R, 464
Schweizer G, 1695
Schwimmbeck PL, 515
Sciacca RR, 1991
Sclarovsky S, 575
Scott CG, 84
Scott RL, 1609
Scudder LE, 360
Sedlis S, 1951
Sedlis SP, 1555
Seeberg B, 515
Seidl K, 335, 1889
Seiler C, 1545
Sellier P, 917
Seminario NA, 1991
Sethi G, 1555, 1951
Seto TB, 1889
Seward JB, 1487, 1636
Seyfarth M, 854
Seyfarth T, 1267
Sgura F, 403
Shah AM, 1801
Shah DC, 2013
Shannon MS, 926
Sharma S, 1431
Sharp BR, 1172
Shaw LK, 206
Sheehan F, 1199
Sheffy J, 2195
Sheldon R, 142
Shell WE, 1801
Shen W-K, 105
Sherman W, 1928
Shimada K, 133
Shimamoto K, 1339, 1523
Shimizu W, 330, 1841
Shimizu Y, 1347
Shimomura M, 1347
Shinozaki Y, 998
Shiota N, 119
Shiota T, 1320
Shlipak MG, 1786
Shoenfeld Y, 1333
Shogren KL, 1919
Shroyer ALW, 1786
Shubrooks SJ Jr, 2092
Shyu K-G, 1383
Silber R-E, 1459, 2174
Silverman DI, 1889
Silverman ED, 796
Silversides C, 1675
Silvestrini G, 1283
Simm A, 2174
Simonneau G, 780
Singh M, 387
Sinha AM, 536
Siostrzonek P, 1225
SippensGroenewegen A, 1133
Sitbon O, 780
Sitges M, 1320
Siu SC, 1675
Skinner JL, 375
Skolnick DG, 1079
Sleight P, 693
Slotwiner DJ, 335
Smallhorn JF, 796
Smiseth OA, 983
Smith DE, 685
Smith GC, 2044
Smith PA, 126
Smith SC Jr, 567, 1895
Smith W, 2006
Smith WM, 375
Smits JPP, 350
Smyth S, 360
Søgaard P, 723
Sohn D-W, 1976
Solal AC, 1794
Solano A, 2053
Solheim J, 1479
Solis S, 1609
Sommer SS, 1120
Song J-K, 1479
Sotirov I, 1943
Spagnoli LG, 1579
Spataro A, 446
Spaulding C, 2110
Spencer WH III, 2165
Spinale FG, 2165
Spirito P, 1864
Spyrou N, 1216
St. John-Sutton MG, 1160
Staessen JA, 2201
Ståhle E, 1902
Stampfer MJ, 954
Stankovic G, 403, 1021
Starling RC III, 1106
Staszewsky L, 970
Stathopoulos C, 62
Stefanidis AS, 1375
Stein KM, 335
Stein RA, 2006
Steine K, 983
Stellbrink C, 536, 2031
Stephanou A, 155
Stevenson LW, 1114
Stickel T, 718
Stoker JB, 126
Stone GW, 1882, 2062
Storto G, 278
Strachan GM, 318
Strasser B, 475
Strauer BE, 291
Strickberger SA, 100
Stridsberg M, 437
Stroes ESG, 2117
Strong MH, 311
Strotmann J, 662
Stuehlinger M, 1051
Stugaard M, 983
Sturm W, 2189
Suddath WO, 904
Suhan P, 693
Sulke AN, 869
Sun S, 2125
Sundaresan P, 2006
Surawicz B, 1870
Suresh R, 2125
Suyama K, 330, 1841
Swahn E, 1902
Swan H, 511
Swerdlow C, 93
Syeda B, 1225
Szabó C, 1006
Szili-Torok T, 2139

Tack W, 1097
TACTICS-TIMI 18 Investigators, 1044
Tada H, 100
Tagawa M, 555
Taguchi A, 330, 1841
Tagusari O, 428
Tai C-T, 746
Tajik AJ, 84, 285, 789, 1636, 1723
Takashima S, 162, 991, 998
Takeda N, 1816
Takemura G, 1347
Tang WHW, 2065
Tanno M, 1523
Tat T, 2044
Tawakol A, 1051
Taylor GP, 796
Taylor RP, 811
Tcheng JE, 1085
Tchou P, 464
Tenenbaum A, 205
Teshima Y, 803
Testa R, 2102
Thabut D, 1660
Thabut G, 1660, 1794
Thadani U, 2006
Thaman R, 1445
Thaulow E, 917
Theodorakis GN, 499
Therrien J, 1675
Theuns DAMJ, 2139
Thiene G, 341
Thomas B, 835
Thomas D, 1943
Thomas JD, 1320
Thomas L, 1630
Thompson PL, 835
Thompson TD, 737
Tighiouart H, 27
Tijssen JGP, 573
Tiso N, 341
Tognoni G, 1414
Tomai F, 1935
Tomaselli GF, 207
Tonon E, 1283
Topol EJ, 669, 1034, 1961
Torre-Amione G, 2165
Tostlebe M, 2174
Tota R, 2006
Toutoutzas C, 403
Towbin JA, 1120
Townsend S, 1290
Tsang TSM, 1636
Tsang V, 1451
Tse H-F, 1451, 2150
Tsimikas S, 2122
Tsuchida A, 1523
Tsujino H, 1320
Tsutsui H, 1573
Tübler T, 890
Tuncer D, 1877
Turnipseed SD, 251
Turrini P, 341
Turschner O, 662
Tuzcu EM, 1573
Twillman GB, 1877
Twisselmann T, 1067

Uber PA, 1609
Ueno M, 175
Ulmer H, 1825
Umeda Y, 133
Uno Y, 1347
Unterberg-Buchwald C, 1653
Urhausen A, 1856

Vaccarini C, 1259
Vale WW, 1495

Val-HeFT Heart Failure Trial Investigators, 970
Val-HeFT Investigators, 1414
Vallbracht KB, 515
Valler C, 2034
Van Belle E, 410
van Boven AJ, 1401
van den Brand M, 1064
van der Laarse A, 2182
van der Wall EE, 2182
van Eck-Smit BLF, 573
van Gilst WH, 1401
Van Lente F, 2065
Van Mieghem W, 1596
VanAuker M, 1479
Vanderheyden M, 1097
Vandervoort PM, 970
Varin J, 1645
Vasilakos P, 62
Vaughan DE, 967
Vedala G, 271
Veeger NJGM, 1955
Veledar E, 737
Veltri EP, 2125
Venge P, 437
Verdile L, 446
Verdirosi S, 1259
Verheugt FWA, 766
VerLee PN, 2092
Vernon S, 1555
Versaci F, 1935
Vicaut E, 1943
Vigalok E, 761
Villari B, 298
Villarraga HR, 1305
Visser CA, 1848
Vita JA, 761
Vivekananthan K, 1609
Vliegen HW, 2182
Voci P, 1205
Voelker W, 662
Vogel W, 2189
Vogt J, 2144
Volpi A, 970
von Kienlin M, 1267
Vyt SLA, 1848

Waagstein F, 491
Wacker C, 662
Waclawiw MA, 754, 1232
Waddell TK, 773
Wagner A, 2156
Wahab NN, 1748
Wahid ST, 56
Waksman R, 904
Walker S, 111
Walkup M, 78
Wallentin L, 1902
Waller C, 662
Waller M, 71
Walls RM, 71
Walter OR, 904
Walter U, 1356
Waly HM, 266
Wang N, 1347
Wangemann T, 1459
Ward H, 1555
Ward MR, 911
Warman EN, 93
Warnes CA, 285
Warnholtz A, 1356
Washizuka T, 555
Watkins MW, 2092
Watson DD, 1687
Webb CM, 521
Webb GD, 1675
Weber M, 1067
Weber S, 2110
Weber T, 574
Wedel H, 491
Weerasooriya R, 2013
Wei K, 167
Weidinger F, 1825
Weigner MJ, 1889
Weiman D, 1555
Weiner B, 1085
Weintraub W, 394
Weintraub WS, 737, 1044, 1968
Weisbach M, 1067
Weiss G, 2189
Weissman NJ, 904
Welt F, 1555
Wennberg DE, 2092
Wessel DL, 1681
West MJ, 1275
Weston SA, 946
Wexberg P, 1225
Whitbourn RJ, 1928
White C, 1882
White WB, 577, 2201
Whybra C, 1668
Whyte G, 1431
Wiethoff CM, 1668
Wietlisbach V, 676
Wight TN, 2072
Wigle ED, 838
Wikstrand J, 491
Wilde AAM, 350
Willems FF, 766
Willett WC, 954
Williams ES, 1
Williams J, 737
Williams S, 1801
Willie G, 1232
Wilson PWF, 1408
Wilson SH, 546
Windecker S, 1545
Winter JB, 1955
Witherow FN, 961
Witztum JL, 2122
Wolf JP, 1475
Wolf PA, 1408
Wolfe K, 1653
Wolfe W, 1555
Wolk M, 394
Wong K-K, 1451
Wong M, 970
Wu AH, 1389
Wyse DG, 1140

Xie X, 529

Yacov N, 1333
Yamagishi M, 220
Yamaguchi I, 175
Yamaji H, 576
Yamamoto K, 1755
Yamashita N, 826
Yamauchi-Kohno R, 175
Yan J, 1120
Yang I, 1275
Yang Y, 1133
Yarlagadda RK, 1915
Yasue H, 266
Yee RR, 231
Yi Q, 693
Yoshikawa T, 1153
Yoshizumi M, 2039
Young JB, 1106
Young ST, 917
Yousef ZR, 869
Yu C, 1451
Yuda S, 1311
Yusuf S, 693

Zairis MN, 1375
Zalos G, 1232
Zaman AG, 1801
Zambon A, 1059
Zanker C, 1794
Zanolla L, 304, 1425
Zardini P, 304, 1425
Zarvalis E, 499
Zetts AD, 1179, 1320
Ziegler P, 1140
Zimetbaum PJ, 1125

Journal of the American College of Cardiology
© 2002 by the American College of Cardiology Foundation
Published by Elsevier Science Inc.

Vol. 40, No. 12, 2002
ISSN 0735-1097/02/$22.00
PII S0735-1097(02)02720-1

Subject Index: Volume 40

Abciximab
Effects of abciximab on the acute pathology of blood vessels after arterial stenting in nonhuman primates, 360

Ablation
See also Surgery
Circular mapping and ablation of the pulmonary vein for treatment of atrial fibrillation, 464
Lone atrial fibrillation ablation (editorial), 481
Noncontact three-dimensional mapping and ablation of upper loop re-entry originating in the right atrium, 746
Release of matrix metalloproteinases following alcohol septal ablation in hypertrophic obstructive cardiomyopathy, 2165
Sudden death after radiofrequency ablation of the atrioventricular node in patients with atrial fibrillation, 105

ACC
ACC/AHA 2002 guideline update for exercise testing: summary article, 1531
ACC/AHA 2002 guideline update for the management of patients with unstable angina and non–ST-segment elevated myocardial infarction—summary article, 1366
ACC/AHA/NASPE 2002 guidelines update for implantation of cardiac pacemakers and antiarrhythmia devices—summary article, 1703
ACC/AHA/NHLBI clinical advisory on the use and safety of statins, 567
National service appointments, 184
Newly elected members of the college, 1720
Results from late-breaking clinical trial sessions at the American College of Cardiology 51st Annual Scientific Session, 1
33rd Bethesda Conference: preventive cardiology: how can we do it better?, 580

ACC News
President's page: ACC chapters: a vital link between cardiologists and their college, 832
President's page: cardiology and technology: an enduring and energizing partnership, 1192
President's page: women cardiologists: why so few?, 384

Acetylcholine
Circadian variation of blood pressure and endothelial function in patients with essential hypertension: a comparison of dippers and non-dippers, 2039
ST-segment elevation and ventricular fibrillation without coronary spasm by intracoronary injection of acetylcholine and/or ergonovine maleate in patients with Brugada syndrome, 1841

Acetylcysteine
Acetylcysteine and contrast agent-associated nephrotoxicity, 298
Acetylcysteine protects against acute renal damage in patients with abnormal renal function undergoing a coronary procedure, 1383

Action potential
Upstream stimulation versus downstream stimulation, 731

Acute coronary syndromes
Cardioprotective effects of an early invasive strategy for non–ST-segment elevation acute coronary syndromes: are we all becoming "interventional" cardiologists (editorial), 1915
Increased ubiquitin immunoreactivity in unstable atherosclerotic plaques associated with acute coronary syndromes, 1919
Is blood glucose an independent predictor of mortality in acute myocardial infarction in the thrombolytic era?, 1748
Is CURE a cure for acute coronary syndromes? Statistical versus clinical significance, 218
Long-term perspective on the protective effects of an early invasive strategy in unstable coronary artery disease, 1902
Patient outcomes after fibrinolytic therapy for acute myocardial infarction at hospitals with and without coronary revascularization capability, 1034
Platelet GP IIb/IIIa receptor blockade and coronary resistances in unstable angina, 2102
Prognostic value of serum myoglobin in patients with non–ST-segment elevation acute coronary syndromes, 238
Prospective analysis of creatine kinase muscle-brain fraction and comparison with troponin T to predict cardiac risk and benefit of an invasive strategy in patients with non–ST-elevation acute coronary syndromes, 1044
Relationship between baseline white blood cell count and degree of coronary artery disease and mortality in patients with acute coronary syndromes, 1761
Women do have an improved long-term outcome after non–ST-segment elevation acute coronary syndromes treated very early and predominantly with percutaneous coronary intervention, 245

Acute myocardial infarction
See Myocardial infarction

Acute renal failure
Acetylcysteine and contrast agent-associated nephrotoxicity, 298

Adenosine A_{2A} receptors
Influence of propranolol, enalaprilat, verapamil, and caffeine on adenosine A_{2A}-receptor–mediated coronary vasodilation, 1356

Adenosine triphosphate
Absolute concentrations of high-energy phosphate metabolites in normal, hypertrophied, and failing human myocardium measured noninvasively with ^{31}P-SLOOP magnetic resonance spectroscopy, 1267
K_{ATP} channel opening is an endogenous mechanism of protection against the no-reflow phenomenon but its function is compromised by hypercholesterolemia, 1339
Opening of the adenosine triphosphate-sensitive potassium channel attenuates cardiac remodeling induced by long-term inhibition of nitric oxide synthesis, 991

African Americans
See also Race
Demographics and correlates of five-year change in echocardiographic left ventricular mass in young black and white adult men and women: the Coronary Artery Risk Development in Young Adults (CARDIA) study, 529
Efficacy of angiotensin-converting enzyme inhibition in reducing progression from asymptomatic left ventricular dysfunction to symptomatic heart failure in black and white patients, 311
Impact of ethnicity on outcomes following coronary artery bypass graft surgery in the Veterans Health Administration, 1786
Reduced endothelium-dependent and -independent dilation of conductance arteries in African Americans, 754

Age
See also Elderly; Pediatric cardiology
Age-dependent changes of cardiac neuronal noradrenaline reuptake transporter ($uptake_1$) in the human heart, 1459
Attenuated cardiovascular reserve during prolonged submaximal cycle exercise in healthy older subjects, 1290
Compensatory changes in atrial volumes with normal aging: is atrial enlargement inevitable?, 1630
Plasma brain natriuretic concentration: impact of age and gender, 976
Prevalence of male and female patterns of early ventricular repolarization in the normal ECG of males and females from childhood to old age, 1870
Statin therapy is associated with reduced mortality across all age groups of individuals with significant coronary disease, including very elderly patients, 1777

Akinesia
Right ventricular function in adults with repaired tetralogy of Fallot assessed with cardiovascular magnetic resonance imaging: detrimental role of right ventricular outflow aneurysms or akinesia and adverse right-to-left ventricular interaction, 2044

Allografts
Comparative beneficial effects of simvastatin and pravastatin on cardiac allograft rejection and survival, 1609

Ambulatory blood pressure monitoring
Evaluation of the extent and duration of the "ABPM effect" in hypertensive patients, 710

American College of Cardiology
See ACC

Amiodarone
Cost-effectiveness of targeting patients undergoing cardiac surgery for therapy with intravenous amiodarone to prevent atrial fibrillation, 737
Effects of acute and chronic amiodarone on activation patterns and defibrillation threshold during ventricular fibrillation in dogs, 375

Anderson-Fabry disease
Cardiac manifestations of Anderson-Fabry disease in heterozygous females, 1668

Anemia
Anemia and poor prognosis in advanced heart failure (letter), 2204
Anemia as a risk factor for cardiovascular disease in the Atherosclerosis Risk in Communities (ARIC) Study, 27

Aneurysms
Right ventricular function in adults with repaired tetralogy of Fallot assessed with cardiovascular magnetic resonance imaging: detrimental role of right ventricular outflow aneurysms or akinesia and adverse right-to-left ventricular interaction, 2044

Angina pectoris
Absence of postprandial surge in coronary blood flow distal to significant stenosis: a possible mechanism of postprandial angina, 1976
ACC/AHA 2002 guideline update for the

management of patients with unstable angina and non–ST-segment elevated myocardial infarction—summary article, 1366
Coronary microvasculature spasm in patients with vasospastic angina (letter), 573
Endothelial function fluctuates with diurnal variation in the frequency of ischemic episodes in patients with variant angina, 266
Immediate exercise testing to evaluate low-risk patients presenting to the emergency department with chest pain, 251
Percutaneous coronary intervention versus coronary artery bypass surgery for diabetic patients with unstable angina and risk factors for adverse outcomes with bypass, 1555
Platelet GP IIb/IIIa receptor blockade and coronary resistances in unstable angina, 2102
Therapeutic options for patients with chronic refractory angina pectoris (letter), 1541

Angiography
Morphologic and angiographic features of coronary plaque rupture detected by intravascular ultrasound, 904
Morphologic rather than functional or mechanical sonographic parameters of the brachial artery are related to angiographically evident coronary atherosclerosis, 1825
Relationship between baseline white blood cell count and degree of coronary artery disease and mortality in patients with acute coronary syndromes, 1761

Angioplasty
See also Balloon angioplasty; Percutaneous transluminal coronary angioplasty
Deoxyribonucleic acid damage in human lymphocytes after percutaneous transluminal coronary angioplasty, 862
Detection of coronary restenosis after coronary angioplasty by contrast-enhanced transthoracic echocardiographic Doppler assessment of coronary flow velocity reserve, 896
Effect of blockade of the CD11/CD18 integrin receptor on infarct size in patients with acute myocardial infarction treated with direct angioplasty: the results of the HALT-MI study, 1199
Feasibility and efficacy of balloon-based neuroprotection during carotid artery stenting in a single-center setting, 890
Plasma homocysteine levels and late outcome after coronary angioplasty, 1769

Angiotensin II
Beneficial neurohormonal profile of spironolactone in severe congestive heart failure, 1596

Angiotensin II receptor blockers
Angiotensin receptor blockers in heart failure: a work in progress (editorial), 1422
Angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers synergistically increase coronary blood flow in canine ischemic myocardium, 162
Effects of valsartan on morbidity and mortality in patients with heart failure not receiving angiotensin-converting enzyme inhibitors, 1414

Angiotensin-converting enzyme inhibitors
See also specific agent
Angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers synergistically increase coronary blood flow in canine ischemic myocardium, 162
Augmentation of myocardial blood flow in hypertensive heart disease by angiotensin antagonists, 703
Differential effects of the angiotensin-converting enzyme inhibitor lisinopril versus the beta-adrenergic receptor blocker atenolol on hemodynamics and left ventricular contractile function in experimental mitral regurgitation, 149
Effect of long-term therapy with ramipril in high-risk women, 693
Effects of valsartan on morbidity and mortality in patients with heart failure not receiving angiotensin-converting enzyme inhibitors, 1414
Efficacy of angiotensin-converting enzyme inhibition in reducing progression from asymptomatic left ventricular dysfunction to symptomatic heart failure in black and white patients, 311
Marked bradykinin-induced tissue plasminogen activator release in patients with heart failure maintained on long-term angiotensin-converting enzyme inhibitor therapy, 961
Physicians' interpretation of "class effects", 19

Antiarrhythmic drugs
Improved suppression of recurrent atrial fibrillation with dual-site right atrial pacing and antiarrhythmic drug therapy, 1140

Antibodies
Endocardial fibroelastosis associated with maternal anti-rho and anti-la antibodies in the absence of atrioventricular block, 796

Anticoagulation
Embolic complications of direct current cardioversion of atrial arrhythmias: association with low intensity of anticoagulation at the time of cardioversion, 926
High intensity anticoagulation for cardioversion of atrial arrhythmias? The shocking truth (editorial), 934
Vascular closure devices in patients treated with anticoagulation and IIb/IIIa receptor inhibitors during percutaneous revascularization, 78

Anti-La antibodies
Endocardial fibroelastosis associated with maternal anti-rho and anti-la antibodies in the absence of atrioventricular block, 796

Antiplatelet therapy
Effect of clopidogrel in combination with aspirin when given before coronary artery bypass grafting, 231

Anti-Rho antibodies
Endocardial fibroelastosis associated with maternal anti-rho and anti-la antibodies in the absence of atrioventricular block, 796

Aortic dissection
Acute type A aortic dissection in the elderly: clinical characteristics, management, and outcomes in the current era, 685

Aortic regurgitation
Left ventricular remodeling early after aortic valve replacement: differential effects on diastolic function in aortic valve stenosis and aortic regurgitation, 2182

Aortic stenosis
Association of cholesterol levels, hydroxymethylglutaryl coenzyme-A reductase inhibitor treatment, and progression of aortic stenosis in the community, 1723
Effect of three-dimensional valve shape on the hemodynamics of aortic stenosis: three-dimensional echocardiographic stereolithography and patient studies, 1479
Left ventricular remodeling early after aortic valve replacement: differential effects on diastolic function in aortic valve stenosis and aortic regurgitation, 2182
Medical treatment of aortic stenosis (editorial), 1731
Severe pulmonary hypertension in patients with severe aortic valve stenosis: clinical profile and prognostic implications, 789

Aortic valve
Left ventricular remodeling early after aortic valve replacement: differential effects on diastolic function in aortic valve stenosis and aortic regurgitation, 2182

Apoptosis
Antiapoptic effect of nicorandil mediated by mitochondrial ATP-sensitive potassium channels in cultured cardiac myocytes, 803
Death or repair of the myocyte in chronic heart failure (editorial), 1104
Deoxyribonucleic acid damage/repair proteins are elevated in the failing human myocardium due to idiopathic dilated cardiomyopathy, 1097

Arrhythmias
See also Atrial fibrillation; Atrial flutter; Tachycardia; Ventricular fibrillation
Atrial fibrillation and atrial vulnerability in patients with Brugada syndrome, 1437
Autoantibodies produced against sarcolemmal Na-K-ATPase: possible upstream targets of arrhythmias and sudden death in patients with dilated cardiomyopathy, 1153
Do atrial tachyarrhythmias beget ventricular tachyarrhythmias in defibrillator recipients?, 335
Electrophysiologic mechanism of ST-segment elevation in Brugada syndrome, 330
Embolic complications of direct current cardioversion of atrial arrhythmias: association with low intensity of anticoagulation at the time of cardioversion, 926
High intensity anticoagulation for cardioversion of atrial arrhythmias? The shocking truth (editorial), 934
Long-term clinical significance of frequent and complex ventricular tachyarrhythmias in trained athletes, 446
Long-term follow-up of arrhythmias in patients with myotonic dystrophy treated by pacing, 1645
Screening for ryanodine receptor type 2 mutations in families with effort-induced polymorphic ventricular arrhythmias and sudden death, 341
Thyroid hormone and arrhythmogenic activity (letter), 574
Upstream stimulation versus downstream stimulation, 731

Arrhythmogenic right ventricular cardiomyopathy/dysplasia
Prospective evaluation of relatives for familial arrhythmogenic right ventricular cardiomyopathy/dysplasia reveals a need to broaden diagnostic criteria, 1445

Arteries
See Brachial artery; Carotid artery; Coronary arteries

Arteriovenous fistulas
Incidence and clinical outcome of iatrogenic femoral arteriovenous fistulas, 291

Aspirin
Effect of additional temporary glycoprotein IIb/IIIa receptor inhibition on troponin release in elective percutaneous coronary interventions after pretreatment with aspirin and clopidogrel (TOPSTAR trial), 662
Effect of clopidogrel in combination with aspirin

when given before coronary artery bypass grafting, 231
Optimizing the diabetic formulary: beyond aspirin and insulin, 652
Prospective randomized trial of aspirin-clopidogrel combination therapy and dose-adjusted warfarin on indices of thrombogenesis and platelet activation in atrial fibrillation, 484

Asymmetric dimethylarginine
Plasma asymmetric dimethylarginine and hyperemic myocardial blood flow in young subjects with borderline hypertension or familial hypercholesterolemia, 1241

Asynchrony
Echocardiographic quantification of left ventricular asynchrony predicts an acute hemodynamic benefit of cardiac resynchronization therapy, 536

Atenolol
Differential effects of the angiotensin-converting enzyme inhibitor lisinopril versus the beta-adrenergic receptor blocker atenolol on hemodynamics and left ventricular contractile function in experimental mitral regurgitation, 149

Atheroma
Relationship between residual atheroma burden and neointimal growth in patients undergoing stenting, 1573

Atherosclerosis
See also Coronary artery disease
Anemia as a risk factor for cardiovascular disease in the Atherosclerosis Risk in Communities (ARIC) Study, 27
Coronary atherosclerosis in diabetes mellitus, 946
Haptoglobin phenotype is an independent risk factor for cardiovascular disease in individuals with diabetes: the Strong Heart study, 1984
Homocysteine impairs coronary microvascular dilation function in humans, 1051
Increased ubiquitin immunoreactivity in unstable atherosclerotic plaques associated with acute coronary syndromes, 1919
Morphologic rather than functional or mechanical sonographic parameters of the brachial artery are related to angiographically evident coronary atherosclerosis, 1825
Oral tolerance with heat shock protein 65 attenuates *Mycobacterium tuberculosis*-induced and high-fat-diet-driven atherosclerotic lesions, 1333
Polymorphisms in the promoter regions of MMP-2, MMP-3, MMP-9, and MMP-12 genes as determinants of aneurysmal coronary artery disease, 43
Projected life-expectancy gains with statin therapy for individuals with elevated C-reactive protein levels, 49
Role of lutein in the prevention of atherosclerosis (letter), 835
Shifting the diagnosis and treatment of atherosclerosis to children and young adults: a new paradigm for the 21st century (editorial), 2122

Atherosclerosis Risk in Communities Study
Anemia as a risk factor for cardiovascular disease in the Atherosclerosis Risk in Communities (ARIC) Study, 27

Athletes
Athlete's heart, 1856
Long-term clinical significance of frequent and complex ventricular tachyarrhythmias in trained athletes, 446
Physiologic limits of left ventricular hypertrophy in elite junior athletes: relevance to differential diagnosis of athlete's heart and hypertrophic cardiomyopathy, 1431
Ventricular ectopy in athletes (editorial), 453

Atria
See also Left atrium; Right atrium
Atrial fibrillation and atrial vulnerability in patients with Brugada syndrome, 1437
Compensatory changes in atrial volumes with normal aging: is atrial enlargement inevitable?, 1630
Safety and efficacy of advanced atrial pacing therapies for atrial tachyarrhythmias in patients with a new implantable dual chamber cardioverter-defibrillator, 1653
Specific linear left atrial lesions in atrial fibrillation, 475

Atrial fibrillation
Are we ready for dual-site right atrial pacing? (editorial), 1151
Atrial fibrillation and atrial vulnerability in patients with Brugada syndrome, 1437
Atrial fibrillation complicating the course of degenerative mitral regurgitation, 84
Biatrial pacing for paroxysmal atrial fibrillation, 457
Circular mapping and ablation of the pulmonary vein for treatment of atrial fibrillation, 464
Clinical significance of early recurrences of atrial fibrillation after pulmonary vein isolation, 100
Cost-effectiveness of targeting patients undergoing cardiac surgery for therapy with intravenous amiodarone to prevent atrial fibrillation, 737
Do atrial tachyarrhythmias beget ventricular tachyarrhythmias in defibrillator recipients?, 335
Early recurrence of atrial fibrillation after ambulatory shock conversion, 93
Electrophysiological actions of *dl*-sotalol in patients with persistent atrial fibrillation, 2150
Embolic complications of direct current cardioversion of atrial arrhythmias: association with low intensity of anticoagulation at the time of cardioversion, 926
High intensity anticoagulation for cardioversion of atrial arrhythmias? The shocking truth (editorial), 934
Improved suppression of recurrent atrial fibrillation with dual-site right atrial pacing and antiarrhythmic drug therapy, 1140
Left ventricular diastolic dysfunction as a predictor of the first diagnosed nonvalvular atrial fibrillation in 840 elderly men and women, 1636
Lone atrial fibrillation ablation (editorial), 481
Prospective randomized trial of aspirin-clopidogrel combination therapy and dose-adjusted warfarin on indices of thrombogenesis and platelet activation in atrial fibrillation, 484
QRST subtraction combined with a pacemap catalogue for the prediction of ectopy source by surface electrocardiogram in patients with paroxysmal atrial fibrillation, 2014
Specific linear left atrial lesions in atrial fibrillation, 475
Sudden death after radiofrequency ablation of the atrioventricular node in patients with atrial fibrillation, 105
Thyroid hormone and arrhythmogenic activity (letter), 574
Use of global atrial fibrillation organization to optimize the success of burst pace termination, 1831
Value of precardioversion transesophageal echocardiography in managing cardioversion of atrial fibrillation (letter), 1889

Atrial flutter
Noncontact three-dimensional mapping and ablation of upper loop re-entry originating in the right atrium, 746
Variable electrocardiographic characteristics of isthmus-dependent atrial flutter, 1125

Atrial tachycardia
Clinical and electrophysiologic characteristics of left septal atrial tachycardia, 1133
Do atrial tachyarrhythmias beget ventricular tachyarrhythmias in defibrillator recipients?, 335

Atrioventricular block
Endocardial fibroelastosis associated with maternal anti-rho and anti-la antibodies in the absence of atrioventricular block, 796

Atrioventricular node
Sudden death after radiofrequency ablation of the atrioventricular node in patients with atrial fibrillation, 105

Atrioventricular valve
Outcome of the unoperated adult who presents with congenitally corrected transposition of the great arteries, 285

Autoantibodies
Autoantibodies produced against sarcolemmal Na-K-ATPase: possible upstream targets of arrhythmias and sudden death in patients with dilated cardiomyopathy, 1153

Balloon angioplasty
Coronary vein balloon angioplasty for left ventricular pacemaker lead, 2144
Effects of coronary stenting on vessel patency and long-term clinical outcome after percutaneous coronary revascularization in diabetic patients, 410

Baroreflex
Effects of nitroglycerin treatment on baroreflex sensitivity and short-term heart rate variability in humans, 2000

Beta-blockers
See also specific drug
Beta-blocker therapy influences the hemodynamic response to inotropic agents in patients with heart failure, 1248
Differential effects of the angiotensin-converting enzyme inhibitor lisinopril versus the beta-adrenergic receptor blocker atenolol on hemodynamics and left ventricular contractile function in experimental mitral regurgitation, 149
Dose of metoprolol CR/XL and clinical outcomes in patients with heart failure, 491
Medical treatment of myocardial ischemia in coronary artery disease: effect of drug regime and irregular dosing in the CAPE II trial, 911
Mortality benefit of beta-blockade after successful elective percutaneous coronary intervention, 669
Outpatient adherence to beta-blocker therapy after acute myocardial infarction, 1589
Vasovagal syncope: a prospective, randomized, crossover evaluation of the effect of propranolol, nadolol and placebo on syncope recurrence and patients' well-being, 499

Beta-adrenoceptors
Conservation of the cardiostimulant effects of (−)-norepinephrine across Ser49Gly and Gly389Arg $beta_1$-adrenergic receptor polymorphisms in human right atrium in vitro, 1275

Myocardial beta-adrenoceptor density one month after acute myocardial infarction predicts left ventricular volumes at six months, 1216

Bethesda Conference 33
33rd Bethesda Conference: preventive cardiology: how can we do it better?, 580
Task force #1—Cost of prevention: can we afford it? Can we afford not to do it?, 580
Task Force #2—Magnitude of the prevention problem: opportunities and challenges, 588
Task Force #3—Getting results: who, where, and how?, 615
Task Force #4—Adherence issues and behavior changes: achieving a long-term solution, 630
Task Force #5—The role of cardiovascular specialists as leaders in prevention: from training to champion, 641

Biatrial pacing
See also Pacing
Biatrial pacing for paroxysmal atrial fibrillation, 457

Biomarkers
Plasma brain natriuretic concentration: impact of age and gender, 976

Biopsy
Endothelial dysfunction of peripheral arteries in patients with immunohistologically confirmed myocardial inflammation correlates with endothelial expression of human leukocyte antigens and adhesion molecules in myocardial biopsies, 515

Biventricular pacing
Long-term benefits of biventricular pacing in congestive heart failure: results from the MUltisite STimulation In Cardiomyopathy (MUSTIC) study, 111

Blood flow
See Coronary blood flow; Myocardial blood flow

Blood pressure
See also Hypertension
Circadian variation of blood pressure and endothelial function in patients with essential hypertension: a comparison of dippers and non-dippers, 2039
Evaluation of the extent and duration of the "ABPM effect" in hypertensive patients, 710
Hemodynamic determinants of exercise-induced abnormal blood pressure response in hypertrophic cardiomyopathy, 278
If only cardiologists did properly measure blood pressure—BP recordings in daily practice and clinical trials, 2201
Isometric arm counter-pressure maneuvers to abort impending vasovagal syncope, 2053
Simultaneous heart rate and blood pressure variability analysis: insight into mechanisms underlying neurally mediated cardiac syncope in children, 1466
U-curve relationship between orthostatic blood pressure change and silent cerebrovascular disease in elderly hypertensives, 133

Blood vessels
Effects of abciximab on the acute pathology of blood vessels after arterial stenting in nonhuman primates, 360
Effects of coronary stenting on vessel patency and long-term clinical outcome after percutaneous coronary revascularization in diabetic patients, 410

Borderline hypertension
Plasma asymmetric dimethylarginine and hyperemic myocardial blood flow in young subjects with borderline hypertension or familial hypercholesterolemia, 1241

Borderzone myocardium
Extension of borderzone myocardium in postinfarction dilated cardiomyopathy, 1160

Brachial artery
Acute effects of vasoactive drug treatment on brachial artery reactivity, 761
Morphologic rather than functional or mechanical sonographic parameters of the brachial artery are related to angiographically evident coronary atherosclerosis, 1825

Bradykinin
Marked bradykinin-induced tissue plasminogen activator release in patients with heart failure maintained on long-term angiotensin-converting enzyme inhibitor therapy, 961

Bradykinin type-2 receptors
Down-regulation of cardioprotective bradykinin type-2 receptors in the left ventricle of patients with end-stage heart failure, 119

Brain natriuretic peptide
Brain natriuretic peptide levels predict functional capacity in patients with chronic heart failure, 718
Comparative value of Doppler echocardiography and B-type natriuretic peptide assay in the etiologic diagnosis of acute dyspnea, 1794
N-terminal pro brain natriuretic peptide on admission for early risk stratification of patients with chest pain and no ST-segment elevation, 437
Plasma brain natriuretic concentration: impact of age and gender, 976

Brugada syndrome
Atrial fibrillation and atrial vulnerability in patients with Brugada syndrome, 1437
Electrophysiologic mechanism of ST-segment elevation in Brugada syndrome, 330
Genotype-phenotype relationship in Brugada syndrome: electrocardiographic features differentiate *SCN5A*-relaxed patients from non–*SCN5A*-related patients, 350
Problem, challenge and opportunity of genetic heterogeneity in monogenic diseases predisposing to sudden death (editorial), 357
ST-segment elevation and ventricular fibrillation without coronary spasm by intracoronary injection of acetylcholine and/or ergonovine maleate in patients with Brugada syndrome, 1841

Burst atrial pacing
Use of global atrial fibrillation organization to optimize the success of burst pace termination, 1831

Bypass graft surgery
See Coronary artery bypass graft

Caffeine
Influence of propranolol, enalaprilat, verapamil, and caffeine on adenosine A_{2A}-receptor–mediated coronary vasodilation, 1356

Capillaries
Influence of microbubble surface charge on capillary transit and myocardial contrast enhancement, 811

Carcinoid tumor
Metastatic carcinoid tumor to the heart: echocardiographic-pathologic study of 11 patients, 1328

Cardiac allografts
Comparative beneficial effects of simvastatin and pravastatin on cardiac allograft rejection and survival, 1609

Cardiac alternans
Pathophysiological basis and clinical application of T-wave alternans, 207

Cardiac arrest
Reversible myocardial dysfunction in survivors of out-of-hospital cardiac arrest, 2110

Cardiac catheterization
Cardiac catheterization of patients supported by extracorporeal membrane oxygenation, 1681
Impact of plasma levels of C-reactive protein, lipoprotein(a) and homocysteine on the long-term prognosis after successful coronary stenting, 1375
Incidence and clinical outcome of iatrogenic femoral arteriovenous fistulas, 291
Physiologically assessed coronary collateral flow and adverse cardiac ischemic events: a follow-up study in 403 patients with coronary artery disease, 1545
Vascular closure devices in patients treated with anticoagulation and IIb/IIIa receptor inhibitors during percutaneous revascularization, 78

Cardiac resynchronization
Cardiac resynchronization therapy tailored by echocardiographic evaluation of ventricular asynchrony, 1615
Echocardiographic quantification of left ventricular asynchrony predicts an acute hemodynamic benefit of cardiac resynchronization therapy, 536
Tissue Doppler imaging predicts improved systolic performance and reversed left ventricular remodeling during long-term cardiac resynchronization therapy, 723

Cardiac transplantation
See Heart transplantation

Cardiologists
Cardiologist on trial: reflections on credible evidence, 563
Cardioprotective effects of an early invasive strategy for non–ST-segment elevation acute coronary syndromes: are we all becoming "interventional" cardiologists (editorial), 1915
If only cardiologists did properly measure blood pressure—BP recordings in daily practice and clinical trials, 2201
President's page: ACC chapters: a vital link between cardiologists and their college, 832
President's page: women cardiologists: why so few?, 384

Cardiology
International cardiology (editorial), 1701
President's page: cardiology and technology: an enduring and energizing partnership, 1192
33rd Bethesda Conference: preventive cardiology: how can we do it better?, 580

Cardiomyopathy
See Dilated cardiomyopathy; Hypertrophic cardiomyopathy

Cardiopulmonary bypass
Percutaneous coronary intervention versus coronary artery bypass surgery for diabetic patients with unstable angina and risk factors for adverse outcomes with bypass, 1555

Cardiovascular disease
Anemia as a risk factor for cardiovascular disease in the Atherosclerosis Risk in Communities (ARIC) Study, 27
Association of seropositivity to *Helicobacter pylori*, *Chlamydia pneumoniae*, and cytomegalovirus with risk of cardiovascular disease, 1408
Cost of prevention: can we afford it? Can we afford not to do it?, 603
Effect of long-term therapy with ramipril in high-risk women, 693
Getting results: who, where, and how?, 615

Haptoglobin phenotype is an independent risk factor for cardiovascular disease in individuals with diabetes: the Strong Heart study, 1984
Magnitude of the prevention problem: opportunities and challenges, 588
Physician attitudes and practices and patient awareness of the cardiovascular complications of diabetes, 1877
Task Force #4—Adherence issues and behavior changes: achieving a long-term solution, 615
Task Force #5—The role of cardiovascular specialists as leaders in prevention: from training to champion, 641

Cardiovascular reserve
Attenuated cardiovascular reserve during prolonged submaximal cycle exercise in healthy older subjects, 1290

Cardioversion
Early recurrence of atrial fibrillation after ambulatory shock conversion, 93
Embolic complications of direct current cardioversion of atrial arrhythmias: association with low intensity of anticoagulation at the time of cardioversion, 926
High intensity anticoagulation for cardioversion of atrial arrhythmias? The shocking truth (editorial), 934
Repeated physiologic stresses provide persistent cardioversion against ischemia-reperfusion injury in rats, 826
Value of precardioversion transesophageal echocardiography in managing cardioversion of atrial fibrillation (letter), 1889

Cardioverter-defibrillator
See Implantable cardioverter-defibrillators

Carvedilol
Beta-blocker therapy influences the hemodynamic response to inotropic agents in patients with heart failure, 1248

Carotid artery
Feasibility and efficacy of balloon-based neuroprotection during carotid artery stenting in a single-center setting, 890

Carotid artery stenosis
Association between the −514 C→T polymorphism of the hepatic lipase gene promoter and unstable carotid plaque in patients with severe carotid artery stenosis, 1059

−514 C→T polymorphism
Association between the −514 C→T polymorphism of the hepatic lipase gene promoter and unstable carotid plaque in patients with severe carotid artery stenosis, 1059

Carvedilol
Delisting of infants and children from the heart transplantation waiting list after carvedilol treatment, 2035

Catheters
Circular mapping and ablation of the pulmonary vein for treatment of atrial fibrillation, 464

CD14 genotype
CD14 C(-260) T polymorphism, plasma levels of the soluble endotoxin receptor CD14, their association with chronic infections and risk of stable coronary artery disease, 34

CD11/CD18 integrin
Effect of blockade of the CD11/CD18 integrin receptor on infarct size in patients with acute myocardial infarction treated with direct angioplasty: the results of the HALT-MI study, 1199

Cerebrovascular disease
U-curve relationship between orthostatic blood pressure change and silent cerebrovascular disease in elderly hypertensives, 133

Chest pain
See also Angina pectoris
Immediate exercise testing to evaluate low-risk patients presenting to the emergency department with chest pain, 251
N-terminal pro brain natriuretic peptide on admission for early risk stratification of patients with chest pain and no ST-segment elevation, 437

Children
Delisting of infants and children from the heart transplantation waiting list after carvedilol treatment, 2035
Early statin therapy restores endothelial function in children with familial hypercholesterolemia, 2117
Prevalence of male and female patterns of early ventricular repolarization in the normal ECG of males and females from childhood to old age, 1870
Shifting the diagnosis and treatment of atherosclerosis to children and young adults: a new paradigm for the 21st century (editorial), 2122
Simultaneous heart rate and blood pressure variability analysis: insight into mechanisms underlying neurally mediated cardiac syncope in children, 1466
Transthoracic Doppler assessment of coronary flow velocity reserve in children with Kawasaki disease, 1816

Chlamydia pneumoniae
Association of seropositivity to *Helicobacter pylori*, *Chlamydia pneumoniae*, and cytomegalovirus with risk of cardiovascular disease, 1408

Cholesterol
See also Hypercholesterolemia
Association of cholesterol levels, hydroxymethylglutaryl coenzyme-A reductase inhibitor treatment, and progression of aortic stenosis in the community, 1723

Chronic heart failure
See Heart failure

Circadian variations
Circadian variation of blood pressure and endothelial function in patients with essential hypertension: a comparison of dippers and non-dippers, 2039

Class effects
Physicians' interpretation of "class effects", 19

Clinical studies
Anemia as a risk factor for cardiovascular disease in the Atherosclerosis Risk in Communities (ARIC) Study, 27
Association of cholesterol levels, hydroxymethylglutaryl coenzyme-A reductase inhibitor treatment, and progression of aortic stenosis in the community, 1723
Cardiovascular remodeling is greater in isolated systolic hypertension than in diastolic hypertension in older adults: The Insufficienza Cardiaca negli Anzaiani Residenti (ICARE) a Dicomano Study, 1283
Coronary recanalization in anterior myocardial infarction, 1205
Correlates of procedural complications and a simple integer risk score for percutaneous coronary intervention, 387
Demographics and correlates of five-year change in echocardiographic left ventricular mass in young black and white adult men and women: the Coronary Artery Risk Development in Young Adults (CARDIA) study, 529
Effect of additional temporary glycoprotein IIb/IIIa receptor inhibition on troponin release in elective percutaneous coronary interventions after pretreatment with aspirin and clopidogrel (TOPSTAR trial), 662
Effect of blockade of the CD11/CD18 integrin receptor on infarct size in patients with acute myocardial infarction treated with direct angioplasty: the results of the HALT-MI study, 1199
Enhanced extracellular matrix accumulation in restenosis of coronary arteries after stent deployment, 2072
Frequency and correlates of coronary stent thrombosis in the modern era, 1567
Gender-related changes in the practice and outcomes of percutaneous coronary interventions in Northern New England from 1994 to 1999, 2092
Haptoglobin phenotype is an independent risk factor for cardiovascular disease in individuals with diabetes: the Strong Heart study, 1984
Hospital outcomes in patients presenting with congestive heart failure complicating acute myocardial infarction, 1389
Immunosuppressive therapy for the prevention of restenosis after coronary artery stent implantation (IMPRESS study), 1935
Impact of plasma levels of C-reactive protein, lipoprotein(a) and homocysteine on the long-term prognosis after successful coronary stenting, 1375
Increased ubiquitin immunoreactivity in unstable atherosclerotic plaques associated with acute coronary syndromes, 1919
In-stent restenosis in small coronary arteries, 403
Intravascular ultrasound evaluation of coronary plaque regression by low density lipoprotein-apheresis in familial hypercholesterolemia, 220
Long-term benefits of biventricular pacing in congestive heart failure: results from the MUltisite STimulation In Cardiomyopathy (MUSTIC) study, 111
Long-term perspective on the protective effects of an early invasive strategy in unstable coronary artery disease, 1902
Myocardial beta-adrenoceptor density one month after acute myocardial infarction predicts left ventricular volumes at six months, 1216
Patient outcomes after fibrinolytic therapy for acute myocardial infarction at hospitals with and without coronary revascularization capability, 1034
Percutaneous coronary intervention versus coronary artery bypass surgery for diabetic patients with unstable angina and risk factors for adverse outcomes with bypass, 1555
Percutaneous coronary interventions in octogenarians in the American College of Cardiology–National Cardiovascular Data Registry, 387
Physiologically assessed coronary collateral flow and adverse cardiac ischemic events: a follow-up study in 403 patients with coronary artery disease, 1545
Quantitative assessment of electrocardiographic strain predicts increased left ventricular mass: the Strong Heart Study, 1395
Relationship between residual atheroma burden and neointimal growth in patients undergoing stenting, 1573

Statin treatment following coronary artery stenting and one-year survival, 854
Valsartan benefits left ventricular structure and function in heart failure: Val-HeFT Echocardiographic Study, 970
Clinical trials
Clinical restenosis after coronary stenting: perspectives from multicenter clinical trials, 2082
Evaluation of the time saved by prehospital initiation of reteplase for ST-elevation myocardial infarction, 71
If only cardiologists did properly measure blood pressure—BP recordings in daily practice and clinical trials, 2201
Integrating quality into the cycle of therapeutic development, 1895
Is CURE a cure for acute coronary syndromes? Statistical versus clinical significance, 218
Medical treatment of myocardial ischemia in coronary artery disease: effect of drug regime and irregular dosing in the CAPE II trial, 911
Percutaneous coronary intervention versus repeat bypass surgery for patients with medically refractory myocardial ischemia, 1951
Prospective randomized trial comparing stenting with off-pump coronary surgery for high-grade stenosis in the proximal left anterior descending coronary artery: three-year follow-up, 1955
Prospective randomized trial of aspirin-clopidogrel combination therapy and dose-adjusted warfarin on indices of thrombogenesis and platelet activation in atrial fibrillation, 484
Results from late-breaking clinical trial sessions at the American College of Cardiology 51st Annual Scientific Session, 1
Clopidogrel
Effect of additional temporary glycoprotein IIb/IIIa receptor inhibition on troponin release in elective percutaneous coronary interventions after pretreatment with aspirin and clopidogrel (TOPSTAR trial), 662
Effect of clopidogrel in combination with aspirin when given before coronary artery bypass grafting, 231
Is CURE a cure for acute coronary syndromes? Statistical versus clinical significance, 218
Prospective randomized trial of aspirin-clopidogrel combination therapy and dose-adjusted warfarin on indices of thrombogenesis and platelet activation in atrial fibrillation, 484
Cobalamin
Coronary endothelial function in hyperhomocysteinemia: improvement after treatment with folic acid and cobalamin in patients with coronary artery disease, 766
Conductance arteries
Reduced endothelium-dependent and -independent dilation of conductance arteries in African Americans, 754
Congenital heart disease
Left ventricular dysfunction is a risk factor for sudden cardiac death in adults late after repair of Tetralogy of Fallot, 1675
Outcome of the unoperated adult who presents with congenitally corrected transposition of the great arteries, 285
Right ventricular function in adults with repaired tetralogy of Fallot assessed with cardiovascular magnetic resonance imaging: detrimental role of right ventricular outflow aneurysms or akinesia and adverse right-to-left ventricular interaction, 2044
Congestive heart failure
See Heart failure
Contractility
Electromechanical mapping for determination of myocardial contractility and viability, 1067
Contrast agents
Acetylcysteine and contrast agent-associated nephrotoxicity, 298
Acetylcysteine protects against acute renal damage in patients with abnormal renal function undergoing a coronary procedure, 1383
Influence of microbubble surface charge on capillary transit and myocardial contrast enhancement, 811
Contrast echocardiography
Combined assessment of microvascular integrity and contractile reserve improves differentiation of stunning and necrosis after acute anterior wall myocardial infarction, 1079
Contrast-enhanced transthoracic echocardiography
Detection of coronary restenosis after coronary angioplasty by contrast-enhanced transthoracic echocardiographic Doppler assessment of coronary flow velocity reserve, 896
Coronary arteries
Dobutamine versus dipyridamole for inducing reversible perfusion defects in chronic multivessel coronary artery stenosis, 167
Effect of sildenafil on human vascular function, platelet activation, and myocardial ischemia, 1232
Enhanced extracellular matrix accumulation in restenosis of coronary arteries after stent deployment, 2072
Frequency and correlates of coronary stent thrombosis in the modern era, 1567
Immunosuppressive therapy for the prevention of restenosis after coronary artery stent implantation (IMPRESS study), 1935
Influence of propranolol, enalaprilat, verapamil, and caffeine on adenosine A_{2A}-receptor–mediated coronary vasodilation, 1356
In-stent restenosis in small coronary arteries, 403
Manifestation of left main coronary artery stenosis is diffuse ST depression in inferior and precordial leads on ECG (letter), 575
Multicentric inflammation in epicardial coronary arteries of patients dying of acute myocardial infarction, 1579
Predictive factors for early cardiac events and angiographic restenosis after coronary stent placement in small coronary arteries, 882
Prospective randomized trial comparing stenting with off-pump coronary surgery for high-grade stenosis in the proximal left anterior descending coronary artery: three-year follow-up, 1955
Coronary artery bypass grafting
Assessment of coronary artery bypass graft disease using cardiovascular magnetic resonance determination of flow reserve, 1848
Association between CK-MB elevation after percutaneous or surgical revascularization and three-year mortality, 1961
Diabetes mellitus increases short-term mortality and morbidity in patients undergoing coronary artery bypass graft surgery, 418
Effect of clopidogrel in combination with aspirin when given before coronary artery bypass grafting, 231
Impact of diabetic retinopathy on long-term outcome following coronary artery bypass graft surgery, 428
Impact of ethnicity on outcomes following coronary artery bypass graft surgery in the Veterans Health Administration, 1786
Outcomes in diabetics undergoing revascularization (editorial), 424
Outcomes of repeat revascularization in diabetic patients with prior coronary surgery, 1968
Percutaneous coronary intervention versus coronary artery bypass surgery for diabetic patients with unstable angina and risk factors for adverse outcomes with bypass, 1555
Percutaneous coronary intervention versus repeat bypass surgery for patients with medically refractory myocardial ischemia, 1951
Coronary artery disease
See also Atherosclerosis; Coronary heart disease
All allusions to the Great War aside . . . (letter), 573
CD14 C(-260) T polymorphism, plasma levels of the soluble endotoxin receptor CD14, their association with chronic infections and risk of stable coronary artery disease, 34
Contribution of major cardiovascular risk factors to familial premature coronary artery disease, 676
Coronary atherosclerosis in diabetes mellitus, 946
Coronary endothelial function in hyperhomocysteinemia: improvement after treatment with folic acid and cobalamin in patients with coronary artery disease, 766
Effect of estrogen compared to estrogen plus progesterone on the exercise electrocardiogram, 1092
Effect of sildenafil on human vascular function, platelet activation, and myocardial ischemia, 1232
Effect of vardenafil, a potent and highly selective phosphodiesterase-5 inhibitor for the treatment of erectile dysfunction, on the cardiovascular response to exercise in patients with coronary artery disease, 2006
Exaggeration of nonculprit stenosis severity during acute myocardial infarction: implications for immediate multivessel revascularization, 911
Large artery stiffness predicts ischemic threshold in patients with coronary artery disease, 773
Long-term perspective on the protective effects of an early invasive strategy in unstable coronary artery disease, 1902
Medical treatment of myocardial ischemia in coronary artery disease: effect of drug regime and irregular dosing in the CAPE II trial, 911
Noninvasive pacemaker stress echocardiography for diagnosis of coronary artery disease, 1305
Physiologically assessed coronary collateral flow and adverse cardiac ischemic events: a follow-up study in 403 patients with coronary artery disease, 1545
Plasma homocysteine levels and late outcome after coronary angioplasty, 1769
Polymorphisms in the promoter regions of MMP-2, MMP-3, MMP-9, and MMP-12 genes as determinants of aneurysmal coronary artery disease, 43
Relationship between baseline white blood cell count and degree of coronary artery disease and mortality in patients with acute coronary syndromes, 1761
Statin therapy is associated with reduced mortality across all age groups of individuals with significant coronary disease, including very elderly patients, 1777

Statin treatment following coronary artery stenting and one-year survival, 854

Coronary blood flow
Absence of postprandial surge in coronary blood flow distal to significant stenosis: a possible mechanism of postprandial angina, 1976
Angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers synergistically increase coronary blood flow in canine ischemic myocardium, 162
Assessment of coronary artery bypass graft disease using cardiovascular magnetic resonance determination of flow reserve, 1848
Two different coronary blood flow velocity patterns in thrombolysis in myocardial infarction flow grade 2 in acute myocardial infarction, 1755

Coronary collateral flow
Coronary collaterals, stenoses, and stents (editorial), 1551
Physiologically assessed coronary collateral flow and adverse cardiac ischemic events: a follow-up study in 403 patients with coronary artery disease, 1545

Coronary flow reserve
Assessment of coronary artery bypass graft disease using cardiovascular magnetic resonance determination of flow reserve, 1848
Detection of coronary restenosis after coronary angioplasty by contrast-enhanced transthoracic echocardiographic Doppler assessment of coronary flow velocity reserve, 896

Coronary flow velocity reserve
Transthoracic Doppler assessment of coronary flow velocity reserve in children with Kawasaki disease, 1816

Coronary heart disease
See also Coronary artery disease
Big picture on obesity and insulin resistance (editorial), 944
Impact of diabetes mellitus and prior myocardial infarction on mortality from all causes and from coronary heart disease in men, 954
Relationship between obesity, insulin resistance, and coronary heart disease risk, 937

Coronary microvasculature
Combined assessment of microvascular integrity and contractile reserve improves differentiation of stunning and necrosis after acute anterior wall myocardial infarction, 1079
Coronary microvasculature spasm in patients with vasospastic angina (letter), 573
Homocysteine impairs coronary microvascular dilation function in humans, 1051
Simvastatin preserves myocardial perfusion and coronary microvasculature permeability in experimental hypercholesterolemia independent of lipid lowering, 546

Coronary plaque
Coronary plaque regression: role of low density lipoprotein-apheresis (editorial), 228
Increased ubiquitin immunoreactivity in unstable atherosclerotic plaques associated with acute coronary syndromes, 1919
Intravascular ultrasound evaluation of coronary plaque regression by low density lipoprotein-apheresis in familial hypercholesterolemia, 220
Morphologic and angiographic features of coronary plaque rupture detected by intravascular ultrasound, 904

Coronary revascularization
See Revascularization

Coronary spasm
ST-segment elevation and ventricular fibrillation without coronary spasm by intracoronary injection of acetylcholine and/or ergonovine maleate in patients with Brugada syndrome, 1841

C-reactive protein
Impact of plasma levels of C-reactive protein, lipoprotein(a) and homocysteine on the long-term prognosis after successful coronary stenting, 1375
Projected life-expectancy gains with statin therapy for individuals with elevated C-reactive protein levels, 49

Creatine kinase muscle-brain fraction
Association between CK-MB elevation after percutaneous or surgical revascularization and three-year mortality, 1961
Prospective analysis of creatine kinase muscle-brain fraction and comparison with troponin T to predict cardiac risk and benefit of an invasive strategy in patients with non–ST-elevation acute coronary syndromes, 1044

Creatinine clearance
Prognostic value of estimated creatinine clearance alongside functional capacity in ambulatory patients with chronic congestive heart failure, 1106

Cyclooxygenase-2 inhibitors
Cyclooxygenase-2 inhibitors and cardiovascular thromboembolic events (letter), 577

Cytomegalovirus
Association of seropositivity to *Helicobacter pylori*, *Chlamydia pneumoniae*, and cytomegalovirus with risk of cardiovascular disease, 1408

Defibrillation
See also Implantable cardioverter-defibrillators
ACC/AHA/NASPE 2002 guidelines update for implantation of cardiac pacemakers and antiarrhythmia devices—summary article, 1703
Do atrial tachyarrhythmias beget ventricular tachyarrhythmias in defibrillator recipients?, 335
Safety and efficacy of advanced atrial pacing therapies for atrial tachyarrhythmias in patients with a new implantable dual chamber cardioverter-defibrillator, 1653

Defibrillation threshold
Effects of acute and chronic amiodarone on activation patterns and defibrillation threshold during ventricular fibrillation in dogs, 375

Dendroaspis natriuretic peptide
Natriuretic peptide receptors and neutral endopeptidase in mediating the renal actions of a new therapeutic synthetic natriuretic peptide dendroaspis natriuretic peptide, 1186

Deoxyribonucleic acid
Deoxyribonucleic acid damage in human lymphocytes after percutaneous transluminal coronary angioplasty, 862
Deoxyribonucleic acid damage/repair proteins are elevated in the failing human myocardium due to idiopathic dilated cardiomyopathy, 1097

Diabetes mellitus
Coronary atherosclerosis in diabetes mellitus, 946
Diabetes mellitus increases short-term mortality and morbidity in patients undergoing coronary artery bypass graft surgery, 418
Effects of coronary stenting on vessel patency and long-term clinical outcome after percutaneous coronary revascularization in diabetic patients, 410
Haptoglobin phenotype is an independent risk factor for cardiovascular disease in individuals with diabetes: the Strong Heart study, 1984
Impact of diabetes mellitus and prior myocardial infarction on mortality from all causes and from coronary heart disease in men, 954
Impact of diabetic retinopathy on long-term outcome following coronary artery bypass graft surgery, 428
Is blood glucose an independent predictor of mortality in acute myocardial infarction in the thrombolytic era?, 1748
Optimizing the diabetic formulary: beyond aspirin and insulin, 652
Outcomes in diabetics undergoing revascularization (editorial), 424
Outcomes of repeat revascularization in diabetic patients with prior coronary surgery, 1968
Percutaneous coronary intervention versus coronary artery bypass surgery for diabetic patients with unstable angina and risk factors for adverse outcomes with bypass, 1555
Physician attitudes and practices and patient awareness of the cardiovascular complications of diabetes, 1877
Significance of silent ischemia and microalbuminuria in predicting coronary events in asymptomatic patients with type 2 diabetes, 56

Diabetic retinopathy
Impact of diabetic retinopathy on long-term outcome following coronary artery bypass graft surgery, 428

Diastole
Correlation of left ventricular diastolic filling characteristics with right ventricular overload and pulmonary artery pressure in chronic thromboembolic pulmonary hypertension, 318
Mechanisms of diastolic intraventricular regional pressure differences and flow in the inflow and outflow tracts, 983

Diastolic dysfunction
Left ventricular diastolic dysfunction as a predictor of the first diagnosed nonvalvular atrial fibrillation in 840 elderly men and women, 1636

Diet
Oral tolerance with heat shock protein 65 attenuates *Mycobacterium tuberculosis*-induced and high-fat-diet-driven atherosclerotic lesions, 1333

Digoxin
Controlling the effectiveness of digoxin (letter), 836
Interaction of herbal drugs with digoxin (letter), 838

Dilated cardiomyopathy
Altered myocardial fatty acid and glucose metabolism in idiopathic dilated cardiomyopathy, 271
Autoantibodies produced against sarcolemmal Na-K-ATPase: possible upstream targets of arrhythmias and sudden death in patients with dilated cardiomyopathy, 1153
Comprehensive mutation scanning of the dystrophin gene in patients with nonsyndromic X-linked dilated cardiomyopathy, 1120
Deoxyribonucleic acid damage/repair proteins are elevated in the failing human myocardium due to idiopathic dilated cardiomyopathy, 1097
Determinants and prognostic value of left atrial volume in patients with dilated cardiomyopathy, 1425
Extension of borderzone myocardium in postinfarction dilated cardiomyopathy, 1160
Interventricular and intraventricular dyssynchrony in idiopathic dilated cardiomyopathy, 2022

Dilation
Homocysteine impairs coronary microvascular dilation function in humans, 1051
Dipyridamole
Dobutamine versus dipyridamole for inducing reversible perfusion defects in chronic multivessel coronary artery stenosis, 167
Direct current cardioversion
Embolic complications of direct current cardioversion of atrial arrhythmias: association with low intensity of anticoagulation at the time of cardioversion, 926
High intensity anticoagulation for cardioversion of atrial arrhythmias? The shocking truth (editorial), 934
Diurnal variations
Endothelial function fluctuates with diurnal variation in the frequency of ischemic episodes in patients with variant angina, 266
Dobutamine
Beta-blocker therapy influences the hemodynamic response to inotropic agents in patients with heart failure, 1248
Dobutamine versus dipyridamole for inducing reversible perfusion defects in chronic multivessel coronary artery stenosis, 167
Dobutamine echocardiography
Combined assessment of microvascular integrity and contractile reserve improves differentiation of stunning and necrosis after acute anterior wall myocardial infarction, 1079
Influence of wall stress and left ventricular geometry on the accuracy of dobutamine stress echocardiography, 1311
Is the mitral valve area flow-dependent in mitral stenosis?, 1809
Doppler echocardiography
See also Echocardiography
Comparative value of Doppler echocardiography and B-type natriuretic peptide assay in the etiologic diagnosis of acute dyspnea, 1794
New dynamic three-dimensional digital color Doppler method for quantification of pulmonary regurgitation: validation study in an animal model, 1179
Tissue Doppler imaging predicts improved systolic performance and reversed left ventricular remodeling during long-term cardiac resynchronization therapy, 723
Transthoracic Doppler assessment of coronary flow velocity reserve in children with Kawasaki disease, 1816
Dyspnea
Comparative value of Doppler echocardiography and B-type natriuretic peptide assay in the etiologic diagnosis of acute dyspnea, 1794
Selective low-level leg muscle training alleviates dyspnea in patients with heart failure, 1602
Dyssynchrony
Interventricular and intraventricular dyssynchrony in idiopathic dilated cardiomyopathy, 2022
Dystrophin gene
Comprehensive mutation scanning of the dystrophin gene in patients with nonsyndromic X-linked dilated cardiomyopathy, 1120
Early recurrence of atrial fibrillation
Clinical significance of early recurrences of atrial fibrillation after pulmonary vein isolation, 100
Early recurrence of atrial fibrillation after ambulatory shock conversion, 93
Echocardiography
See also Doppler echocardiography; Dobutamine
Cardiac resynchronization therapy tailored by echocardiographic evaluation of ventricular asynchrony, 1615
Combined assessment of microvascular integrity and contractile reserve improves differentiation of stunning and necrosis after acute anterior wall myocardial infarction, 1079
Comparative value of Doppler echocardiography and B-type natriuretic peptide assay in the etiologic diagnosis of acute dyspnea, 1794
Contribution of the ST elevation/T-wave normalization in Q-wave leads during routine, pre-discharge treadmill exercise test to patient management and risk stratification after acute myocardial infarction, 62
Correlation of left ventricular diastolic filling characteristics with right ventricular overload and pulmonary artery pressure in chronic thromboembolic pulmonary hypertension, 318
Demographics and correlates of five-year change in echocardiographic left ventricular mass in young black and white adult men and women: the Coronary Artery Risk Development in Young Adults (CARDIA) study, 529
Detection of coronary restenosis after coronary angioplasty by contrast-enhanced transthoracic echocardiographic Doppler assessment of coronary flow velocity reserve, 896
Echocardiographic quantification of left ventricular asynchrony predicts an acute hemodynamic benefit of cardiac resynchronization therapy, 536
Effect of three-dimensional valve shape on the hemodynamics of aortic stenosis: three-dimensional echocardiographic stereolithography and patient studies, 1479
Electromechanical mapping for determination of myocardial contractility and viability, 1067
Influence of wall stress and left ventricular geometry on the accuracy of dobutamine stress echocardiography, 1311
Interatrial septum pacing guided by three-dimensional intracardiac echocardiography, 2139
Is the mitral valve area flow-dependent in mitral stenosis?, 1809
Left ventricular outflow tract mean systolic acceleration as a surrogate for the slope of the left ventricular end-systolic pressure–volume relationship, 1320
Manifestation of left main coronary artery stenosis is diffuse ST depression in inferior and precordial leads on ECG (letter), 575
Metastatic carcinoid tumor to the heart: echocardiographic-pathologic study of 11 patients, 1328
Mitral valve prolapse in the general population, 1298
Myocardial contraction fraction: a volumetric index of myocardial shortening by freehand three-dimensional echocardiography, 325
Noninvasive pacemaker stress echocardiography for diagnosis of coronary artery disease, 1305
Prognostic significance of the location of wall motion abnormalities during exercise echocardiography, 1623
Tissue Doppler imaging predicts improved systolic performance and reversed left ventricular remodeling during long-term cardiac resynchronization therapy, 723
Valsartan benefits left ventricular structure and function in heart failure: Val-HeFT Echocardiographic Study, 970
Value of precardioversion transesophageal echocardiography in managing cardioversion of atrial fibrillation (letter), 1889
Editorials
Angiotensin receptor blockers in heart failure: a work in progress, 1422
Are we ready for dual-site right atrial pacing?, 1151
Art and science of predicting postrevascularization improvement in left ventricular (LV) function in patients with severely depressed LV function, 1744
Big picture on obesity and insulin resistance, 944
Cardioprotective effects of an early invasive strategy for non–ST-segment elevation acute coronary syndromes: are we all becoming "interventional" cardiologists, 1915
Commercial promotion of medicine, 2060
Coronary collaterals, stenoses, and stents, 1551
Coronary plaque regression: role of low density lipoprotein-apheresis, 228
Death or repair of the myocyte in chronic heart failure, 1104
Editorial board retreat: an interim report, 1364
High intensity anticoagulation for cardioversion of atrial arrhythmias? The shocking truth, 934
Importance of being synchronous: on the prognostic value of ventricular conduction delay in heart failure, 2032
International cardiology, 1701
LDL lowering therapy: an analysis of the options, 2135
Left ventricular electromechanical mapping for determination of myocardial function and viability, 1075
Lone atrial fibrillation ablation, 481
Medical treatment of aortic stenosis, 1731
Non-ischemic infarct extension, 1168
Open perforator hypothesis, 1214
Outcomes in diabetics undergoing revascularization, 424
Parmley prize and other early initiatives, 565
Peer review: better than the alternatives, 1017
Problem, challenge and opportunity of genetic heterogeneity in monogenic diseases predisposing to sudden death, 357
Restenosis: do we need to understand it to treat it?, 2090
Shifting the diagnosis and treatment of atherosclerosis to children and young adults: a new paradigm for the 21st century, 2122
Should all patients with an acute myocardial infarction present to a hospital with revascularization capabilities?, 1041
On the shoulders of giants, 182
Tissue-type plasminogen activator release, 967
Ventricular ectopy in athletes, 453
Elderly
Acute type A aortic dissection in the elderly: clinical characteristics, management, and outcomes in the current era, 685
Attenuated cardiovascular reserve during prolonged submaximal cycle exercise in healthy older subjects, 1290
Cardiovascular remodeling is greater in isolated systolic hypertension than in diastolic hypertension in older adults: The Insufficienza Cardiaca negli Anzaiani Residenti (ICARE) a Dicomano Study, 1283
Left ventricular diastolic dysfunction as a predictor of the first diagnosed nonvalvular atrial fibrillation in 840 elderly men and women, 1636
Percutaneous coronary interventions in octogenarians in the American College of

Cardiology–National Cardiovascular Data Registry, 387
Statin therapy is associated with reduced mortality across all age groups of individuals with significant coronary disease, including very elderly patients, 1777
U-curve relationship between orthostatic blood pressure change and silent cerebrovascular disease in elderly hypertensives, 133

Electrocardiography
Effect of estrogen compared to estrogen plus progesterone on the exercise electrocardiogram, 1092
Electrophysiologic mechanism of ST-segment elevation in Brugada syndrome, 330
Genotype-phenotype relationship in Brugada syndrome: electrocardiographic features differentiate *SCN5A*-relaxed patients from non–*SCN5A*-related patients, 350
Microalbuminuria modifies the mortality risk associated with electrocardiographic ST-T segment changes, 1401
Prevalence of male and female patterns of early ventricular repolarization in the normal ECG of males and females from childhood to old age, 1870
QRST subtraction combined with a pacemap catalogue for the prediction of ectopy source by surface electrocardiogram in patients with paroxysmal atrial fibrillation, 2013
Quantitative assessment of electrocardiographic strain predicts increased left ventricular mass: the Strong Heart Study, 1395
Variable electrocardiographic characteristics of isthmus-dependent atrial flutter, 1125

Electromechanical mapping
Electromechanical mapping for determination of myocardial contractility and viability, 1067

Electrophysiology
Clinical and electrophysiologic characteristics of left septal atrial tachycardia, 1133
Electrophysiological actions of *dl*-sotalol in patients with persistent atrial fibrillation, 2150
Interatrial septum pacing guided by three-dimensional intracardiac echocardiography, 2139
QRST subtraction combined with a pacemap catalogue for the prediction of ectopy source by surface electrocardiogram in patients with paroxysmal atrial fibrillation, 2014
Use of global atrial fibrillation organization to optimize the success of burst pace termination, 1831
Variable electrocardiographic characteristics of isthmus-dependent atrial flutter, 1125

Embolism
See also Thromboembolism; Thrombus
Embolic complications of direct current cardioversion of atrial arrhythmias: association with low intensity of anticoagulation at the time of cardioversion, 926
Normal D-dimer levels in emergency department patients suspected of acute pulmonary embolism, 1475
Thrombolytic therapy of pulmonary embolism, 1660

Emergency department
Normal D-dimer levels in emergency department patients suspected of acute pulmonary embolism, 1475

Enalaprilat
Influence of propranolol, enalaprilat, verapamil, and caffeine on adenosine A_{2A}-receptor–mediated coronary vasodilation, 1356

Endocardial fibroelastosis
Endocardial fibroelastosis associated with maternal anti-rho and anti-la antibodies in the absence of atrioventricular block, 796

Endopeptidase
Natriuretic peptide receptors and neutral endopeptidase in mediating the renal actions of a new therapeutic synthetic natriuretic peptide dendroaspis natriuretic peptide, 1186

Endothelial cells
Glycoxidized low-density lipoprotein downregulates endothelial nitric oxide synthase in human coronary cells, 1515

Endothelial function and dysfunction
Acute effects of vasoactive drug treatment on brachial artery reactivity, 761
Adverse effects of nitroglycerin treatment on endothelial function, vascular nitrotyrosine levels and cGMP-dependent protein kinase activity in hyperlipidemic Watanbe rabbits, 1356
Assessment of endothelial function using peripheral waveform analysis, 521
Association of increased iron stores with impaired endothelial function in patients with hereditary hemochromatosis, 2189
Circadian variation of blood pressure and endothelial function in patients with essential hypertension: a comparison of dippers and non-dippers, 2039
Coronary endothelial function in hyperhomocysteinemia: improvement after treatment with folic acid and cobalamin in patients with coronary artery disease, 766
Early statin therapy restores endothelial function in children with familial hypercholesterolemia, 2117
Effect of sildenafil on human vascular function, platelet activation, and myocardial ischemia, 1232
Endothelial dysfunction of peripheral arteries in patients with immunohistologically confirmed myocardial inflammation correlates with endothelial expression of human leukocyte antigens and adhesion molecules in myocardial biopsies, 515
Endothelial function fluctuates with diurnal variation in the frequency of ischemic episodes in patients with variant angina, 266
Reduced endothelium-dependent and -independent dilation of conductance arteries in African Americans, 754

Endothelin-A receptor
Combination of oral endothelin-A receptor antagonist and oral prostacyclin analogue is superior to each drug alone in ameliorating pulmonary hypertension in rats, 175

Endothelium
Early dysfunction and long-term improvement in endothelium-dependent vasodilation in the infarct-related artery after thrombolysis, 257
Prognostic role of reversible endothelial dysfunction in hypertensive postmenopausal women, 505

Endovascular cooling
Induction of mild systemic hypothermia with endovascular cooling during primary percutaneous coronary intervention for acute myocardial infarction, 1928

Enoxaparin
Enoxaparin after high-risk coronary stenting (letter), 1197
Unique, low dose of intravenous enoxaparin in elective percutaneous coronary intervention, 1943

Enoximone
Beta-blocker therapy influences the hemodynamic response to inotropic agents in patients with heart failure, 1248

Enzyme-linked immunosorbent assay
Normal D-dimer levels in emergency department patients suspected of acute pulmonary embolism, 1475

8-Epi prostaglandin $F_{2\alpha}$
Production of 8-epi prostaglandin $F_{2\alpha}$ in human platelets during administration of organic nitrates, 820

Epoprostenol
Long-term intravenous epoprostenol infusion in primary pulmonary hypertension, 780

Erectile dysfunction
Effect of vardenafil, a potent and highly selective phosphodiesterase-5 inhibitor for the treatment of erectile dysfunction, on the cardiovascular response to exercise in patients with coronary artery disease, 2006

Ergonovine maleate
ST-segment elevation and ventricular fibrillation without coronary spasm by intracoronary injection of acetylcholine and/or ergonovine maleate in patients with Brugada syndrome, 1841

17β-Estradiol
17β-estradiol regulates expression of K_{ATP} channels in heart-derived H9c2 cells, 367

Estrogen
Effect of estrogen compared to estrogen plus progesterone on the exercise electrocardiogram, 1092
17β-estradiol regulates expression of K_{ATP} channels in heart-derived H9c2 cells, 367
Oral conjugated equine estrogen increases plasma von Willebrand factor in postmenopausal women, 1991

Ethnicity
Impact of ethnicity on outcomes following coronary artery bypass graft surgery in the Veterans Health Administration, 1786

Exercise
Attenuated cardiovascular reserve during prolonged submaximal cycle exercise in healthy older subjects, 1290

Exercise echocardiography
Prognostic significance of the location of wall motion abnormalities during exercise echocardiography, 1623

Exercise testing
ACC/AHA 2002 guideline update for exercise testing: summary article, 1531
Assessment of peripheral arterial tonometry (PAT) in the detection of treadmill exercise induced myocardial ischemia, 2195
Brain natriuretic peptide levels predict functional capacity in patients with chronic heart failure, 718
Contribution of the ST elevation/T-wave normalization in Q-wave leads during routine, pre-discharge treadmill exercise test to patient management and risk stratification after acute myocardial infarction, 62
Effect of vardenafil, a potent and highly selective phosphodiesterase-5 inhibitor for the treatment of erectile dysfunction, on the cardiovascular response to exercise in patients with coronary artery disease, 2006
Immediate exercise testing to evaluate low-risk patients presenting to the emergency department with chest pain, 251

Exercise tolerance
Long-term, dose-dependent effects of spironolactone on left ventricular function and exercise tolerance in patients with chronic heart failure, 304
Exertional dyspnea
Selective low-level leg muscle training alleviates dyspnea in patients with heart failure, 1602
Experimental studies
Adverse effects of nitroglycerin treatment on endothelial function, vascular nitrotyrosine levels and cGMP-dependent protein kinase activity in hyperlipidemic Watanbe rabbits, 1356
Amelioration of ischemia- and reperfusion-induced myocardial injury by the selective estrogen receptor modulator, raloxifene, in the canine heart, 998
Angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers synergistically increase coronary blood flow in canine ischemic myocardium, 162
Antiapoptic effect of nicorandil mediated by mitochondrial ATP-sensitive potassium channels in cultured cardiac myocytes, 803
Beneficial hemodynamic, endocrine, and renal effects of urocortin in experimental heart failure: comparison with normal sheep, 1495
Combination of oral endothelin-A receptor antagonist and oral prostacyclin analogue is superior to each drug alone in ameliorating pulmonary hypertension in rats, 175
Differential effects of the angiotensin-converting enzyme inhibitor lisinopril versus the beta-adrenergic receptor blocker atenolol on hemodynamics and left ventricular contractile function in experimental mitral regurgitation, 149
Direct vascular and cardioprotective effects of rosuvastatin, a new HMG-CoA reductase inhibitor, 1172
Effects of abciximab on the acute pathology of blood vessels after arterial stenting in nonhuman primates, 360
Effects of acute and chronic amiodarone on activation patterns and defibrillation threshold during ventricular fibrillation in dogs, 375
Extension of borderzone myocardium in postinfarction dilated cardiomyopathy, 1160
Infarct size limitation by nicorandil: roles of mitochondrial K_{ATP} channels, sarcolemmal K_{ATP} channels, and protein kinase C, 1523
Influence of propranolol, enalaprilat, verapamil, and caffeine on adenosine A_{2A}-receptor–mediated coronary vasodilation, 1356
Left ventricular pressure-volume relationship in a murine model of congestive heart failure due to acute viral myocarditis, 1506
Mechanisms of diastolic intraventricular regional pressure differences and flow in the inflow and outflow tracts, 983
Natriuretic peptide receptors and neutral endopeptidase in mediating the renal actions of a new therapeutic synthetic natriuretic peptide dendroaspis natriuretic peptide, 1186
New dynamic three-dimensional digital color Doppler method for quantification of pulmonary regurgitation: validation study in an animal model, 1179
Opening of the adenosine triphosphate-sensitive potassium channel attenuates cardiac remodeling induced by long-term inhibition of nitric oxide synthesis, 991
Oral tolerance with heat shock protein 65 attenuates *Mycobacterium tuberculosis*-induced and high-fat-diet-driven atherosclerotic lesions, 1333
Pharmacologic inhibition of poly(adenosine diphosphate-ribose) polymerase may represent a novel therapeutic approach in chronic heart failure, 1006
Repeated physiologic stresses provide persistent cardioversion against ischemia-reperfusion injury in rats, 826
Role of serotonin in ischemic cellular damage and the infarct size-reducing effect of sarpogrelate, a 5-hydroxytryptamine-2 receptor blocker, in rabbit hearts, 1347
Simvastatin preserves myocardial perfusion and coronary microvasculature permeability in experimental hypercholesterolemia independent of lipid lowering, 546
Triggers of ventricular tachyarrhythmias and therapeutic effects of nicorandil in canine models of LQT2 and LQT3 syndromes, 555
Urocortin promotes hemodynamic and bioenergetic recovery and improves cell survival in the isolated rat heart exposed to ischemia/reperfusion, 155
Expert witness
Cardiologist on trial: reflections on credible evidence, 563
Extracellular matrix
Enhanced extracellular matrix accumulation in restenosis of coronary arteries after stent deployment, 2072
Extracorporeal membrane oxygenation
Cardiac catheterization of patients supported by extracorporeal membrane oxygenation, 1681
Ezetimibe
Ezetimibe coadministered with simvastatin in patients with primary hypercholesterolemia, 2125
Familial arrhythmogenic right ventricular cardiomyopathy/dysplasia
Prospective evaluation of relatives for familial arrhythmogenic right ventricular cardiomyopathy/dysplasia reveals a need to broaden diagnostic criteria, 1445
Familial coronary artery disease
Contribution of major cardiovascular risk factors to familial premature coronary artery disease, 676
Familial hypercholesterolemia
See also Hypercholesterolemia
Early statin therapy restores endothelial function in children with familial hypercholesterolemia, 2117
Intravascular ultrasound evaluation of coronary plaque regression by low density lipoprotein-apheresis in familial hypercholesterolemia, 220
Plasma asymmetric dimethylarginine and hyperemic myocardial blood flow in young subjects with borderline hypertension or familial hypercholesterolemia, 1241
Fatty acids
Altered myocardial fatty acid and glucose metabolism in idiopathic dilated cardiomyopathy, 271
Fibrillation
See Atrial fibrillation; Ventricular fibrillation
Fibrinolytic therapy
Patient outcomes after fibrinolytic therapy for acute myocardial infarction at hospitals with and without coronary revascularization capability, 1034
Fistula
Incidence and clinical outcome of iatrogenic femoral arteriovenous fistulas, 291
Flow-mediated vasodilation
Prognostic role of reversible endothelial dysfunction in hypertensive postmenopausal women, 505
18-Fluorodeoxyglucose positron emission tomography
Positron emission tomography and recovery following revascularization (PARR-1): the importance of scar and the development of a prediction rule for the degree of recovery of left ventricular function, 1735
Folic acid
Coronary endothelial function in hyperhomocysteinemia: improvement after treatment with folic acid and cobalamin in patients with coronary artery disease, 766
Gender
See also Men; Women
Gender-related changes in the practice and outcomes of percutaneous coronary interventions in Northern New England from 1994 to 1999, 2092
Is glycoprotein IIb/IIIa antagonism as effective in women as in men following percutaneous coronary intervention?, 1085
Plasma brain natriuretic concentration: impact of age and gender, 976
Prevalence of male and female patterns of early ventricular repolarization in the normal ECG of males and females from childhood to old age, 1870
Genetics
Comprehensive mutation scanning of the dystrophin gene in patients with nonsyndromic X-linked dilated cardiomyopathy, 1120
Genotype-phenotype relationship in Brugada syndrome: electrocardiographic features differentiate *SCN5A*-relaxed patients from non–*SCN5A*-related patients, 350
Problem, challenge and opportunity of genetic heterogeneity in monogenic diseases predisposing to sudden death (editorial), 357
Screening for ryanodine receptor type 2 mutations in families with effort-induced polymorphic ventricular arrhythmias and sudden death, 341
Geographical miss
Geographical miss during intracoronary irradiation: impact on restenosis and determination of required safety margin length, 1225
Glucose
Altered myocardial fatty acid and glucose metabolism in idiopathic dilated cardiomyopathy, 271
Is blood glucose an independent predictor of mortality in acute myocardial infarction in the thrombolytic era?, 1748
Gly389Arg polymorphisms
Conservation of the cardiostimulant effects of (−)-norepinephrine across Ser49Gly and Gly389Arg beta1-adrenergic receptor polymorphisms in human right atrium in vitro, 1275
Glycoprotein IIb/IIIa
Effect of additional temporary glycoprotein IIb/IIIa receptor inhibition on troponin release in elective percutaneous coronary interventions after pretreatment with aspirin and clopidogrel (TOPSTAR trial), 662
Is glycoprotein IIb/IIIa antagonism as effective in women as in men following percutaneous coronary intervention?, 1085
Platelet GP IIb/IIIa receptor blockade and coronary resistances in unstable angina, 2102
Vascular closure devices in patients treated with

anticoagulation and IIb/IIIa receptor inhibitors during percutaneous revascularization, 78

Haptoglobin phenotype
Haptoglobin phenotype is an independent risk factor for cardiovascular disease in individuals with diabetes: the Strong Heart study, 1984

H9c2 cells
17β-estradiol regulates expression of K_{ATP} channels in heart-derived H9c2 cells, 367

Health care
Integrating quality into the cycle of therapeutic development, 1895

Heart disease
See Congenital heart disease; Coronary heart disease

Heart failure
Altered myocardial fatty acid and glucose metabolism in idiopathic dilated cardiomyopathy, 271
Anemia and poor prognosis in advanced heart failure (letter), 2204
Angiotensin receptor blockers in heart failure: a work in progress (editorial), 1422
Beneficial hemodynamic, endocrine, and renal effects of urocortin in experimental heart failure: comparison with normal sheep, 1495
Beneficial neurohormonal profile of spironolactone in severe congestive heart failure, 1596
Beta-blocker therapy influences the hemodynamic response to inotropic agents in patients with heart failure, 1248
Brain natriuretic peptide levels predict functional capacity in patients with chronic heart failure, 718
Comparative value of Doppler echocardiography and B-type natriuretic peptide assay in the etiologic diagnosis of acute dyspnea, 1794
Cost/utility ratio in chronic heart failure: comparison between heart failure management program delivered by day-hospital and usual care, 1259
Death or repair of the myocyte in chronic heart failure (editorial), 1104
Deoxyribonucleic acid damage/repair proteins are elevated in the failing human myocardium due to idiopathic dilated cardiomyopathy, 1097
Dose of metoprolol CR/XL and clinical outcomes in patients with heart failure, 491
Down-regulation of cardioprotective bradykinin type-2 receptors in the left ventricle of patients with end-stage heart failure, 119
Dysfunction of mitochondrial respiratory chain complex 1 in human failing myocardium is not due to disturbed mitochondrial gene expression, 2174
Effects of valsartan on morbidity and mortality in patients with heart failure not receiving angiotensin-converting enzyme inhibitors, 1414
Efficacy of angiotensin-converting enzyme inhibition in reducing progression from asymptomatic left ventricular dysfunction to symptomatic heart failure in black and white patients, 311
Exhaled nitric oxide: a marker of pulmonary hemodynamics in heart failure, 1114
Hospital outcomes in patients presenting with congestive heart failure complicating acute myocardial infarction, 1389
Importance of being synchronous: on the prognostic value of ventricular conduction delay in heart failure (editorial), 2031
Interventricular and intraventricular dyssynchrony in idiopathic dilated cardiomyopathy, 2022
Left ventricular pressure-volume relationship in a murine model of congestive heart failure due to acute viral myocarditis, 1506
Long-term, dose-dependent effects of spironolactone on left ventricular function and exercise tolerance in patients with chronic heart failure, 304
Long-term benefits of biventricular pacing in congestive heart failure: results from the MUltisite STimulation In Cardiomyopathy (MUSTIC) study, 111
Marked bradykinin-induced tissue plasminogen activator release in patients with heart failure maintained on long-term angiotensin-converting enzyme inhibitor therapy, 961
Pharmacologic inhibition of poly(adenosine diphosphate-ribose) polymerase may represent a novel therapeutic approach in chronic heart failure, 1006
Predicting death due to progressive heart failure in patients with mild-to-moderate chronic heart failure, 1801
Prognostic value of estimated creatinine clearance alongside functional capacity in ambulatory patients with chronic congestive heart failure, 1106
Selective low-level leg muscle training alleviates dyspnea in patients with heart failure, 1602
Valsartan benefits left ventricular structure and function in heart failure: Val-HeFT Echocardiographic Study, 970

Heart rate
Effects of nitroglycerin treatment on baroreflex sensitivity and short-term heart rate variability in humans, 2000
Simultaneous heart rate and blood pressure variability analysis: insight into mechanisms underlying neurally mediated cardiac syncope in children, 1466

Heart transplantation
Comparative beneficial effects of simvastatin and pravastatin on cardiac allograft rejection and survival, 1609
Delisting of infants and children from the heart transplantation waiting list after carvedilol treatment, 2034

Heat shock protein 65
Oral tolerance with heat shock protein 65 attenuates *Mycobacterium tuberculosis*-induced and high-fat-diet-driven atherosclerotic lesions, 1333

Helicobacter pylori
Association of seropositivity to *Helicobacter pylori*, *Chlamydia pneumoniae*, and cytomegalovirus with risk of cardiovascular disease, 1408

Hemochromatosis
Association of increased iron stores with impaired endothelial function in patients with hereditary hemochromatosis, 2189

Hemodynamics
Attenuated cardiovascular reserve during prolonged submaximal cycle exercise in healthy older subjects, 1290
Beta-blocker therapy influences the hemodynamic response to inotropic agents in patients with heart failure, 1248
Differential effects of the angiotensin-converting enzyme inhibitor lisinopril versus the beta-adrenergic receptor blocker atenolol on hemodynamics and left ventricular contractile function in experimental mitral regurgitation, 149
Echocardiographic quantification of left ventricular asynchrony predicts an acute hemodynamic benefit of cardiac resynchronization therapy, 536
Effect of three-dimensional valve shape on the hemodynamics of aortic stenosis: three-dimensional echocardiographic stereolithography and patient studies, 1479
Exhaled nitric oxide: a marker of pulmonary hemodynamics in heart failure, 1114
Hemodynamic determinants of exercise-induced abnormal blood pressure response in hypertrophic cardiomyopathy, 278
Reversible myocardial dysfunction in survivors of out-of-hospital cardiac arrest, 2110
Urocortin promotes hemodynamic and bioenergetic recovery and improves cell survival in the isolated rat heart exposed to ischemia/reperfusion, 155

Herbal drugs
Interaction of herbal drugs with digoxin (letter), 838

HERG gene
Association between HERG K897T polymorphism and QT interval in middle-aged Finnish women, 511

Hispanic Americans
See also Race
Impact of ethnicity on outcomes following coronary artery bypass graft surgery in the Veterans Health Administration, 1786

HMG-CoA reductase inhibitors
Association of cholesterol levels, hydroxymethylglutaryl coenzyme-A reductase inhibitor treatment, and progression of aortic stenosis in the community, 1723
Comparative beneficial effects of simvastatin and pravastatin on cardiac allograft rejection and survival, 1609
Direct vascular and cardioprotective effects of rosuvastatin, a new HMG-CoA reductase inhibitor, 1172
Impact of hydroxymethylglutaryl coenzyme A reductase inhibition on left ventricular remodeling after acute myocardial infarction, 1695

Homocysteine
Homocysteine impairs coronary microvascular dilation function in humans, 1051
Impact of plasma levels of C-reactive protein, lipoprotein(a) and homocysteine on the long-term prognosis after successful coronary stenting, 1375
Plasma homocysteine levels and late outcome after coronary angioplasty, 1769

Hospitals
Cost/utility ratio in chronic heart failure: comparison between heart failure management program delivered by day-hospital and usual care, 1259
Hospital outcomes in patients presenting with congestive heart failure complicating acute myocardial infarction, 1389
Patient outcomes after fibrinolytic therapy for acute myocardial infarction at hospitals with and without coronary revascularization capability, 1034
Should all patients with an acute myocardial infarction present to a hospital with revascularization capabilities? (editorial), 1041

Human leukocyte antigen
Endothelial dysfunction of peripheral arteries in patients with immunohistologically confirmed myocardial inflammation correlates with endothelial expression of human leukocyte

antigens and adhesion molecules in myocardial biopsies, 515

5-Hydroxytryptamine-2 receptor blocker
Role of serotonin in ischemic cellular damage and the infarct size-reducing effect of sarpogrelate, a 5-hydroxytryptamine-2 receptor blocker, in rabbit hearts, 1347

Hypercholesterolemia
See also Lipoproteins
Early statin therapy restores endothelial function in children with familial hypercholesterolemia, 2117
Ezetimibe coadministered with simvastatin in patients with primary hypercholesterolemia, 2125
Intravascular ultrasound evaluation of coronary plaque regression by low density lipoprotein-apheresis in familial hypercholesterolemia, 220
K_{ATP} channel opening is an endogenous mechanism of protection against the no-reflow phenomenon but its function is compromised by hypercholesterolemia, 1339
LDL lowering therapy: an analysis of the options (editorial), 2135
Plasma asymmetric dimethylarginine and hyperemic myocardial blood flow in young subjects with borderline hypertension or familial hypercholesterolemia, 1241
Simvastatin preserves myocardial perfusion and coronary microvasculature permeability in experimental hypercholesterolemia independent of lipid lowering, 546

Hyperglycemia
Is blood glucose an independent predictor of mortality in acute myocardial infarction in the thrombolytic era?, 1748

Hyperhomocysteinemia
Coronary endothelial function in hyperhomocysteinemia: improvement after treatment with folic acid and cobalamin in patients with coronary artery disease, 766
Homocysteine impairs coronary microvascular dilation function in humans, 1051

Hyperlipidemia
Adverse effects of nitroglycerin treatment on endothelial function, vascular nitrotyrosine levels and cGMP-dependent protein kinase activity in hyperlipidemic Watanbe rabbits, 1356

Hypertension
See also Pulmonary hypertension
Augmentation of myocardial blood flow in hypertensive heart disease by angiotensin antagonists, 703
Cardiovascular remodeling is greater in isolated systolic hypertension than in diastolic hypertension in older adults: The Insufficienza Cardiaca negli Anzaiani Residenti (ICARE) a Dicomano Study, 1283
Circadian variation of blood pressure and endothelial function in patients with essential hypertension: a comparison of dippers and non-dippers, 2039
Evaluation of the extent and duration of the "ABPM effect" in hypertensive patients, 710
Plasma asymmetric dimethylarginine and hyperemic myocardial blood flow in young subjects with borderline hypertension or familial hypercholesterolemia, 1241
Prognostic role of reversible endothelial dysfunction in hypertensive postmenopausal women, 505
Sympathetic neural mechanisms in white-coat hypertension, 126
U-curve relationship between orthostatic blood pressure change and silent cerebrovascular disease in elderly hypertensives, 133

Hypertrophic cardiomyopathy
See also Cardiomyopathy
Hemodynamic determinants of exercise-induced abnormal blood pressure response in hypertrophic cardiomyopathy, 278
Long-term outcome in patients with apical hypertrophic cardiomyopathy (letter), 837
Myocardial scarring in asymptomatic or mildly symptomatic patients with hypertrophic cardiomyopathy, 2156
Physiologic limits of left ventricular hypertrophy in elite junior athletes: relevance to differential diagnosis of athlete's heart and hypertrophic cardiomyopathy, 1431
Release of matrix metalloproteinases following alcohol septal ablation in hypertrophic obstructive cardiomyopathy, 2165
Risk associated with pregnancy in hypertrophic cardiomyopathy, 1864

Hypothermia
Induction of mild systemic hypothermia with endovascular cooling during primary percutaneous coronary intervention for acute myocardial infarction, 1928

Immunosuppression
Immunosuppressive therapy for the prevention of restenosis after coronary artery stent implantation (IMPRESS study), 1935

Implantable cardioverter-defibrillators
See Defibrillators and defibrillation
ACC/AHA/NASPE 2002 guidelines update for implantation of cardiac pacemakers and antiarrhythmia devices—summary article, 1703
Safety and efficacy of advanced atrial pacing therapies for atrial tachyarrhythmias in patients with a new implantable dual chamber cardioverter-defibrillator, 1653

Infarct
Effect of blockade of the CD11/CD18 integrin receptor on infarct size in patients with acute myocardial infarction treated with direct angioplasty: the results of the HALT-MI study, 1199
Infarct size limitation by nicorandil: roles of mitochondrial K_{ATP} channels, sarcolemmal K_{ATP} channels, and protein kinase C, 1523
Non-ischemic infarct extension (editorial), 1168
Role of serotonin in ischemic cellular damage and the infarct size-reducing effect of sarpogrelate, a 5-hydroxytryptamine-2 receptor blocker, in rabbit hearts, 1347

Infarction
See Myocardial infarction

Infarct-related artery
Early dysfunction and long-term improvement in endothelium-dependent vasodilation in the infarct-related artery after thrombolysis, 257

Infection
Association of seropositivity to *Helicobacter pylori*, *Chlamydia pneumoniae*, and cytomegalovirus with risk of cardiovascular disease, 1408
CD14 C(-260) T polymorphism, plasma levels of the soluble endotoxin receptor CD14, their association with chronic infections and risk of stable coronary artery disease, 34

Infiltrative myopathy
Cardiac manifestations of Anderson-Fabry disease in heterozygous females, 1668

Inflammation
CD14 C(-260) T polymorphism, plasma levels of the soluble endotoxin receptor CD14, their association with chronic infections and risk of stable coronary artery disease, 34
Endothelial dysfunction of peripheral arteries in patients with immunohistologically confirmed myocardial inflammation correlates with endothelial expression of human leukocyte antigens and adhesion molecules in myocardial biopsies, 515
Multicentric inflammation in epicardial coronary arteries of patients dying of acute myocardial infarction, 1579

Inotropic agents
Beta-blocker therapy influences the hemodynamic response to inotropic agents in patients with heart failure, 1248

Insulin
Optimizing the diabetic formulary: beyond aspirin and insulin, 652

Insulin resistance
Big picture on obesity and insulin resistance (editorial), 944
Relationship between obesity, insulin resistance, and coronary heart disease risk, 937

Integrins
Effect of blockade of the CD11/CD18 integrin receptor on infarct size in patients with acute myocardial infarction treated with direct angioplasty: the results of the HALT-MI study, 1199

Interatrial septum
Interatrial septum pacing guided by three-dimensional intracardiac echocardiography, 2139

Intercellular adhesion molecule-1
Endothelial dysfunction of peripheral arteries in patients with immunohistologically confirmed myocardial inflammation correlates with endothelial expression of human leukocyte antigens and adhesion molecules in myocardial biopsies, 515

Interventional cardiology
Cardioprotective effects of an early invasive strategy for non–ST-segment elevation acute coronary syndromes: are we all becoming "interventional" cardiologists (editorial), 1915
Enhanced extracellular matrix accumulation in restenosis of coronary arteries after stent deployment, 2072
Gender-related changes in the practice and outcomes of percutaneous coronary interventions in Northern New England from 1994 to 1999, 2092
Geographical miss during intracoronary irradiation: impact on restenosis and determination of required safety margin length, 1225
Induction of mild systemic hypothermia with endovascular cooling during primary percutaneous coronary intervention for acute myocardial infarction, 1928
Results from late-breaking clinical trial sessions at the American College of Cardiology 51st Annual Scientific Session, 1

Intracoronary irradiation
Geographical miss during intracoronary irradiation: impact on restenosis and determination of required safety margin length, 1225

Intravascular ultrasound
Morphologic and angiographic features of coronary plaque rupture detected by intravascular ultrasound, 904
Relationship between residual atheroma burden and neointimal growth in patients undergoing stenting, 1573

Intraventricular pressure
Mechanisms of diastolic intraventricular regional pressure differences and flow in the inflow and outflow tracts, 983
Iron
Association of increased iron stores with impaired endothelial function in patients with hereditary hemochromatosis, 2189
Irradiation
Geographical miss during intracoronary irradiation: impact on restenosis and determination of required safety margin length, 1225
Ischemia
See Myocardial ischemia
Isolated diastolic hypertension
See also Hypertension
Cardiovascular remodeling is greater in isolated systolic hypertension than in diastolic hypertension in older adults: The Insufficienza Cardiaca negli Anzaiani Residenti (ICARE) a Dicomano Study, 1283
Isolated systolic hypertension
See also Hypertension
Cardiovascular remodeling is greater in isolated systolic hypertension than in diastolic hypertension in older adults: the Insufficienza Cardiaca negli Anzaiani Residenti (ICARE) a Dicomano Study, 1283
Isovolumetric relaxation phase
Higher myocardial strain rates during isovolumic relaxation phase than during ejection characterize acutely ischemic myocardium, 1487
Kawasaki disease
Transthoracic Doppler assessment of coronary flow velocity reserve in children with Kawasaki disease, 1816
Kidneys
Acetylcysteine protects against acute renal damage in patients with abnormal renal function undergoing a coronary procedure, 1383
Beneficial hemodynamic, endocrine, and renal effects of urocortin in experimental heart failure: comparison with normal sheep, 1495
Cardiac troponins in patients with renal insufficiency: review and clinical implications, 2065
Natriuretic peptide receptors and neutral endopeptidase in mediating the renal actions of a new therapeutic synthetic natriuretic peptide dendroaspis natriuretic peptide, 1186
K897T polymorphism
Association between HERG K897T polymorphism and QT interval in middle-aged Finnish women, 511
Large artery stiffness
Large artery stiffness predicts ischemic threshold in patients with coronary artery disease, 773
Laser
Percutaneous laser revascularization in patients with chronic total occlusions (letter), 2063
Left anterior descending coronary artery
Coronary recanalization in anterior myocardial infarction, 1205
Prospective randomized trial comparing stenting with off-pump coronary surgery for high-grade stenosis in the proximal left anterior descending coronary artery: three-year follow-up, 1955
Left atrium
Compensatory changes in atrial volumes with normal aging: is atrial enlargement inevitable?, 1630
Determinants and prognostic value of left atrial volume in patients with dilated cardiomyopathy, 1425
Specific linear left atrial lesions in atrial fibrillation, 475
Left main coronary artery
Manifestation of left main coronary artery stenosis is diffuse ST depression in inferior and precordial leads on ECG (letter), 575
Left ventricle
Art and science of predicting postrevascularization improvement in left ventricular (LV) function in patients with severely depressed LV function (editorial), 1744
Athlete's heart, 1856
Augmentation of myocardial blood flow in hypertensive heart disease by angiotensin antagonists, 703
Combined assessment of microvascular integrity and contractile reserve improves differentiation of stunning and necrosis after acute anterior wall myocardial infarction, 1079
Coronary vein balloon angioplasty for left ventricular pacemaker lead, 2144
Correlation of left ventricular diastolic filling characteristics with right ventricular overload and pulmonary artery pressure in chronic thromboembolic pulmonary hypertension, 318
Demographics and correlates of five-year change in echocardiographic left ventricular mass in young black and white adult men and women: the Coronary Artery Risk Development in Young Adults (CARDIA) study, 529
Determinants and prognostic value of left atrial volume in patients with dilated cardiomyopathy, 1425
Differential effects of the angiotensin-converting enzyme inhibitor lisinopril versus the beta-adrenergic receptor blocker atenolol on hemodynamics and left ventricular contractile function in experimental mitral regurgitation, 149
Down-regulation of cardioprotective bradykinin type-2 receptors in the left ventricle of patients with end-stage heart failure, 119
Echocardiographic quantification of left ventricular asynchrony predicts an acute hemodynamic benefit of cardiac resynchronization therapy, 536
Efficacy of angiotensin-converting enzyme inhibition in reducing progression from asymptomatic left ventricular dysfunction to symptomatic heart failure in black and white patients, 311
Hemodynamic determinants of exercise-induced abnormal blood pressure response in hypertrophic cardiomyopathy, 278
Impact of hydroxymethylglutaryl coenzyme A reductase inhibition on left ventricular remodeling after acute myocardial infarction, 1695
Influence of wall stress and left ventricular geometry on the accuracy of dobutamine stress echocardiography, 1311
Late intervention after anterior myocardial infarction: effects on left ventricular size, function, quality of life, and exercise tolerance, 869
Left ventricular diastolic dysfunction as a predictor of the first diagnosed nonvalvular atrial fibrillation in 840 elderly men and women, 1636
Left ventricular dysfunction is a risk factor for sudden cardiac death in adults late after repair of Tetralogy of Fallot, 1675
Left ventricular electromechanical mapping for determination of myocardial function and viability (editorial), 1075
Left ventricular outflow tract mean systolic acceleration as a surrogate for the slope of the left ventricular end-systolic pressure–volume relationship, 1320
Left ventricular pressure-volume relationship in a murine model of congestive heart failure due to acute viral myocarditis, 1506
Long-term, dose-dependent effects of spironolactone on left ventricular function and exercise tolerance in patients with chronic heart failure, 304
Mechanisms of diastolic intraventricular regional pressure differences and flow in the inflow and outflow tracts, 983
Myocardial beta-adrenoceptor density one month after acute myocardial infarction predicts left ventricular volumes at six months, 1216
Positron emission tomography and recovery following revascularization (PARR-1): the importance of scar and the development of a prediction rule for the degree of recovery of left ventricular function, 1735
Tissue Doppler imaging predicts improved systolic performance and reversed left ventricular remodeling during long-term cardiac resynchronization therapy, 723
Valsartan benefits left ventricular structure and function in heart failure: Val-HeFT Echocardiographic Study, 970
Left ventricular hypertrophy
Cardiovascular remodeling is greater in isolated systolic hypertension than in diastolic hypertension in older adults: The Insufficienza Cardiaca negli Anzaiani Residenti (ICARE) a Dicomano Study, 1283
Physiologic limits of left ventricular hypertrophy in elite junior athletes: relevance to differential diagnosis of athlete's heart and hypertrophic cardiomyopathy, 1431
Quantitative assessment of electrocardiographic strain predicts increased left ventricular mass: the Strong Heart Study, 1395
Left ventricular maximal elastance
Left ventricular outflow tract mean systolic acceleration as a surrogate for the slope of the left ventricular end-systolic pressure–volume relationship, 1320
Left ventricular outflow tract mean systolic acceleration
Left ventricular outflow tract mean systolic acceleration as a surrogate for the slope of the left ventricular end-systolic pressure–volume relationship, 1320
Left ventricular pressure-volume relationship
Left ventricular pressure-volume relationship in a murine model of congestive heart failure due to acute viral myocarditis, 1506
Letters to the editor
All allusions to the Great War aside . . . , 573
Anemia and poor prognosis in advanced heart failure, 2204
Controlling the effectiveness of digoxin, 836
Coronary microvasculature spasm in patients with vasospastic angina, 573
Cyclooxygenase-2 inhibitors and cardiovascular thromboembolic events, 577
Enoxaparin after high-risk coronary stenting, 1197
Interaction of herbal drugs with digoxin, 838

Long-term outcome in patients with apical hypertrophic cardiomyopathy, 837
Manifestation of left main coronary artery stenosis is diffuse ST depression in inferior and precordial leads on ECG, 575
Percutaneous laser revascularization in patients with chronic total occlusions, 2063
Reliability of transfer functions in determining central pulse pressure and augmentation index, 1196
Role of lutein in the prevention of atherosclerosis, 835
Therapeutic options for patients with chronic refractory angina pectoris, 1541
Thyroid hormone and arrhythmogenic activity, 574
Use of term "non–Q infarction" is questioned, 2204
Value of precardioversion transesophageal echocardiography in managing cardioversion of atrial fibrillation, 1889

Leukocytes
Effects of abciximab on the acute pathology of blood vessels after arterial stenting in nonhuman primates, 360

Life expectancy
Projected life-expectancy gains with statin therapy for individuals with elevated C-reactive protein levels, 49

Lipase gene
Association between the −514 C→T polymorphism of the hepatic lipase gene promoter and unstable carotid plaque in patients with severe carotid artery stenosis, 1059

Lipoprotein(a)
Impact of plasma levels of C-reactive protein, lipoprotein(a) and homocysteine on the long-term prognosis after successful coronary stenting, 1375

Lisinopril
Augmentation of myocardial blood flow in hypertensive heart disease by angiotensin antagonists, 703
Differential effects of the angiotensin-converting enzyme inhibitor lisinopril versus the beta-adrenergic receptor blocker atenolol on hemodynamics and left ventricular contractile function in experimental mitral regurgitation, 149

Long QT syndromes
Problem, challenge and opportunity of genetic heterogeneity in monogenic diseases predisposing to sudden death (editorial), 357
Triggers of ventricular tachyarrhythmias and therapeutic effects of nicorandil in canine models of LQT2 and LQT3 syndromes, 555

Losartan
Augmentation of myocardial blood flow in hypertensive heart disease by angiotensin antagonists, 703

Loss of consciousness
Historical criteria that distinguish syncope from seizures, 142

Low-density lipoprotein
Coronary plaque regression: role of low density lipoprotein-apheresis (editorial), 228
Glycoxidized low-density lipoprotein downregulates endothelial nitric oxide synthase in human coronary cells, 1515
Intravascular ultrasound evaluation of coronary plaque regression by low density lipoprotein-apheresis in familial hypercholesterolemia, 220
LDL lowering therapy: an analysis of the options (editorial), 2135
Role of lutein in the prevention of atherosclerosis (letter), 835

Lutein
Role of lutein in the prevention of atherosclerosis (letter), 835

Lymphocytes
Deoxyribonucleic acid damage in human lymphocytes after percutaneous transluminal coronary angioplasty, 862

Magnetic resonance imaging
Assessment of coronary artery bypass graft disease using cardiovascular magnetic resonance determination of flow reserve, 1848
Athlete's heart, 1856
Right ventricular function in adults with repaired tetralogy of Fallot assessed with cardiovascular magnetic resonance imaging: detrimental role of right ventricular outflow aneurysms or akinesia and adverse right-to-left ventricular interaction, 2044

Magnetic resonance spectroscopy
Absolute concentrations of high-energy phosphate metabolites in normal, hypertrophied, and failing human myocardium measured noninvasively with ^{31}P-SLOOP magnetic resonance spectroscopy, 1267

Matrix metalloproteinases
Polymorphisms in the promoter regions of MMP-2, MMP-3, MMP-9, and MMP-12 genes as determinants of aneurysmal coronary artery disease, 43
Release of matrix metalloproteinases following alcohol septal ablation in hypertrophic obstructive cardiomyopathy, 2165

Medical products
Commercial promotion of medicine, 2060

Men
Athlete's heart, 1856
Impact of diabetes mellitus and prior myocardial infarction on mortality from all causes and from coronary heart disease in men, 954
Is glycoprotein IIb/IIIa antagonism as effective in women as in men following percutaneous coronary intervention?, 1085
Left ventricular diastolic dysfunction as a predictor of the first diagnosed nonvalvular atrial fibrillation in 840 elderly men and women, 1636
Prevalence of male and female patterns of early ventricular repolarization in the normal ECG of males and females from childhood to old age, 1870

Metastatic carcinoid tumor
Metastatic carcinoid tumor to the heart: echocardiographic-pathologic study of 11 patients, 1328

Metoprolol
Beta-blocker therapy influences the hemodynamic response to inotropic agents in patients with heart failure, 1248
Dose of metoprolol CR/XL and clinical outcomes in patients with heart failure, 491

Microalbuminuria
Microalbuminuria modifies the mortality risk associated with electrocardiographic ST-T segment changes, 1401
Significance of silent ischemia and microalbuminuria in predicting coronary events in asymptomatic patients with type 2 diabetes, 56

Microbubbles
Influence of microbubble surface charge on capillary transit and myocardial contrast enhancement, 811

Mitochondrial gene expression
Dysfunction of mitochondrial respiratory chain complex 1 in human failing myocardium is not due to disturbed mitochondrial gene expression, 2174

Mitochondrial K_{ATP} channels
Infarct size limitation by nicorandil: roles of mitochondrial K_{ATP} channels, sarcolemmal K_{ATP} channels, and protein kinase C, 1523

Mitochondrial respiratory chain complex 1
Dysfunction of mitochondrial respiratory chain complex 1 in human failing myocardium is not due to disturbed mitochondrial gene expression, 2174

Mitral regurgitation
Atrial fibrillation complicating the course of degenerative mitral regurgitation, 84
Determinants and prognostic value of left atrial volume in patients with dilated cardiomyopathy, 1425
Differential effects of the angiotensin-converting enzyme inhibitor lisinopril versus the beta-adrenergic receptor blocker atenolol on hemodynamics and left ventricular contractile function in experimental mitral regurgitation, 149
Mitral valve prolapse in the general population, 1298

Mitral stenosis
Is the mitral valve area flow-dependent in mitral stenosis?, 1809

Mitral valve area
Is the mitral valve area flow-dependent in mitral stenosis?, 1809

Mitral valve prolapse
Mitral valve prolapse in the general population, 1298

Monophasic action potential
Upstream stimulation versus downstream stimulation, 731

Morbidity
Diabetes mellitus increases short-term mortality and morbidity in patients undergoing coronary artery bypass graft surgery, 418
Effects of valsartan on morbidity and mortality in patients with heart failure not receiving angiotensin-converting enzyme inhibitors, 1414
Risk associated with pregnancy in hypertrophic cardiomyopathy, 1864

Mortality
Diabetes mellitus increases short-term mortality and morbidity in patients undergoing coronary artery bypass graft surgery, 418
Effects of valsartan on morbidity and mortality in patients with heart failure not receiving angiotensin-converting enzyme inhibitors, 1414
Impact of diabetes mellitus and prior myocardial infarction on mortality from all causes and from coronary heart disease in men, 954
Is blood glucose an independent predictor of mortality in acute myocardial infarction in the thrombolytic era?, 1748
Microalbuminuria modifies the mortality risk associated with electrocardiographic ST-T segment changes, 1401
Mortality benefit of beta-blockade after successful elective percutaneous coronary intervention, 669
Predicting death due to progressive heart failure in patients with mild-to-moderate chronic heart failure, 1801
Prognostic value of estimated creatinine clearance

alongside functional capacity in ambulatory patients with chronic congestive heart failure, 1106
Relationship between baseline white blood cell count and degree of coronary artery disease and mortality in patients with acute coronary syndromes, 1761
Risk associated with pregnancy in hypertrophic cardiomyopathy, 1864
Statin therapy is associated with reduced mortality across all age groups of individuals with significant coronary disease, including very elderly patients, 1777

Mycobacterium tuberculosis
Oral tolerance with heat shock protein 65 attenuates *Mycobacterium tuberculosis*-induced and high-fat-diet-driven atherosclerotic lesions, 1333

Myocardial blood flow
Augmentation of myocardial blood flow in hypertensive heart disease by angiotensin antagonists, 703
Plasma asymmetric dimethylarginine and hyperemic myocardial blood flow in young subjects with borderline hypertension or familial hypercholesterolemia, 1241

Myocardial blood volume
Dobutamine versus dipyridamole for inducing reversible perfusion defects in chronic multivessel coronary artery stenosis, 167

Myocardial contraction fraction
Myocardial contraction fraction: a volumetric index of myocardial shortening by freehand three-dimensional echocardiography, 325

Myocardial dysfunction
Reversible myocardial dysfunction in survivors of out-of-hospital cardiac arrest, 2110

Myocardial fatty acids
Altered myocardial fatty acid and glucose metabolism in idiopathic dilated cardiomyopathy, 271

Myocardial function
Left ventricular electromechanical mapping for determination of myocardial function and viability (editorial), 1075

Myocardial infarction
ACC/AHA 2002 guideline update for the management of patients with unstable angina and non–ST-segment elevated myocardial infarction—summary article, 1366
Combined assessment of microvascular integrity and contractile reserve improves differentiation of stunning and necrosis after acute anterior wall myocardial infarction, 1079
Contribution of the ST elevation/T-wave normalization in Q-wave leads during routine, pre-discharge treadmill exercise test to patient management and risk stratification after acute myocardial infarction, 62
Coronary recanalization in anterior myocardial infarction, 1205
Coronary vasodilator reserve: a clue to the explanation of ^{201}Tl redistribution patterns early after successful primary stenting for acute myocardial infarction, 877
Early dysfunction and long-term improvement in endothelium-dependent vasodilation in the infarct-related artery after thrombolysis, 257
Effect of blockade of the CD11/CD18 integrin receptor on infarct size in patients with acute myocardial infarction treated with direct angioplasty: the results of the HALT-MI study, 1199
Evaluation of the time saved by prehospital initiation of reteplase for ST-elevation myocardial infarction, 71
Exaggeration of nonculprit stenosis severity during acute myocardial infarction: implications for immediate multivessel revascularization, 911
Extension of borderzone myocardium in postinfarction dilated cardiomyopathy, 1160
Hospital outcomes in patients presenting with congestive heart failure complicating acute myocardial infarction, 1389
Impact of diabetes mellitus and prior myocardial infarction on mortality from all causes and from coronary heart disease in men, 954
Impact of hydroxymethylglutaryl coenzyme A reductase inhibition on left ventricular remodeling after acute myocardial infarction, 1695
Induction of mild systemic hypothermia with endovascular cooling during primary percutaneous coronary intervention for acute myocardial infarction, 1928
Is blood glucose an independent predictor of mortality in acute myocardial infarction in the thrombolytic era?, 1748
Late intervention after anterior myocardial infarction: effects on left ventricular size, function, quality of life, and exercise tolerance, 869
Multicentric inflammation in epicardial coronary arteries of patients dying of acute myocardial infarction, 1579
Myocardial beta-adrenoceptor density one month after acute myocardial infarction predicts left ventricular volumes at six months, 1216
Non-ischemic infarct extension (editorial), 1168
Open perforator hypothesis (editorial), 1214
Outpatient adherence to beta-blocker therapy after acute myocardial infarction, 1589
Patient outcomes after fibrinolytic therapy for acute myocardial infarction at hospitals with and without coronary revascularization capability, 1034
Percutaneous coronary interventions in octogenarians in the American College of Cardiology–National Cardiovascular Data Registry, 387
Prognostic value of serum myoglobin in patients with non–ST-segment elevation acute coronary syndromes, 238
Should all patients with an acute myocardial infarction present to a hospital with revascularization capabilities? (editorial), 1041
Two different coronary blood flow velocity patterns in thrombolysis in myocardial infarction flow grade 2 in acute myocardial infarction, 1755

Myocardial ischemia
Amelioration of ischemia- and reperfusion-induced myocardial injury by the selective estrogen receptor modulator, raloxifene, in the canine heart, 998
Angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers synergistically increase coronary blood flow in canine ischemic myocardium, 162
Antiapoptic effect of nicorandil mediated by mitochondrial ATP-sensitive potassium channels in cultured cardiac myocytes, 803
Assessment of peripheral arterial tonometry (PAT) in the detection of treadmill exercise induced myocardial ischemia, 2195
Effect of sildenafil on human vascular function, platelet activation, and myocardial ischemia, 1232
Endothelial function fluctuates with diurnal variation in the frequency of ischemic episodes in patients with variant angina, 266
Higher myocardial strain rates during isovolumic relaxation phase than during ejection characterize acutely ischemic myocardium, 1487
Large artery stiffness predicts ischemic threshold in patients with coronary artery disease, 773
Medical treatment of myocardial ischemia in coronary artery disease: effect of drug regime and irregular dosing in the CAPE II trial, 911
Pathophysiology and management of right heart ischemia, 841
Percutaneous coronary intervention versus repeat bypass surgery for patients with medically refractory myocardial ischemia, 1951
Physiologically assessed coronary collateral flow and adverse cardiac ischemic events: a follow-up study in 403 patients with coronary artery disease, 1545
Repeated physiologic stresses provide persistent cardioversion against ischemia-reperfusion injury in rats, 826
Role of serotonin in ischemic cellular damage and the infarct size-reducing effect of sarpogrelate, a 5-hydroxytryptamine-2 receptor blocker, in rabbit hearts, 1347
Significance of silent ischemia and microalbuminuria in predicting coronary events in asymptomatic patients with type 2 diabetes, 56
Urocortin promotes hemodynamic and bioenergetic recovery and improves cell survival in the isolated rat heart exposed to ischemia/reperfusion, 155

Myocardial perfusion
Dobutamine versus dipyridamole for inducing reversible perfusion defects in chronic multivessel coronary artery stenosis, 167
Simvastatin preserves myocardial perfusion and coronary microvasculature permeability in experimental hypercholesterolemia independent of lipid lowering, 546

Myocardial perfusion imaging
Effect of estrogen compared to estrogen plus progesterone on the exercise electrocardiogram, 1092

Myocardial scarring
Myocardial scarring in asymptomatic or mildly symptomatic patients with hypertrophic cardiomyopathy, 2156

Myocardial shortening
Myocardial contraction fraction: a volumetric index of myocardial shortening by freehand three-dimensional echocardiography, 325

Myocardial systolic strain
Higher myocardial strain rates during isovolumic relaxation phase than during ejection characterize acutely ischemic myocardium, 1487

Myocardial viability
Electromechanical mapping for determination of myocardial contractility and viability, 1067
Left ventricular electromechanical mapping for determination of myocardial function and viability (editorial), 1075

Myocarditis
Left ventricular pressure-volume relationship in a murine model of congestive heart failure due to acute viral myocarditis, 1506

Myocardium
Absolute concentrations of high-energy phosphate metabolites in normal, hypertrophied, and

failing human myocardium measured noninvasively with ^{31}P-SLOOP magnetic resonance spectroscopy, 1267
Deoxyribonucleic acid damage/repair proteins are elevated in the failing human myocardium due to idiopathic dilated cardiomyopathy, 1097
Dysfunction of mitochondrial respiratory chain complex 1 in human failing myocardium is not due to disturbed mitochondrial gene expression, 2174
Endothelial dysfunction of peripheral arteries in patients with immunohistologically confirmed myocardial inflammation correlates with endothelial expression of human leukocyte antigens and adhesion molecules in myocardial biopsies, 515
Extension of borderzone myocardium in postinfarction dilated cardiomyopathy, 1160

Myocytes
Antiapoptic effect of nicorandil mediated by mitochondrial ATP-sensitive potassium channels in cultured cardiac myocytes, 803
Death or repair of the myocyte in chronic heart failure (editorial), 1104

Myoglobin
Prognostic value of serum myoglobin in patients with non–ST-segment elevation acute coronary syndromes, 238

Myotonic dystrophy
Long-term follow-up of arrhythmias in patients with myotonic dystrophy treated by pacing, 1645

Nadolol
Vasovagal syncope: a prospective, randomized, crossover evaluation of the effect of propranolol, nadolol and placebo on syncope recurrence and patients' well-being, 499

Natriuretic peptides
Natriuretic peptide receptors and neutral endopeptidase in mediating the renal actions of a new therapeutic synthetic natriuretic peptide dendroaspis natriuretic peptide, 1186

Necrosis
Combined assessment of microvascular integrity and contractile reserve improves differentiation of stunning and necrosis after acute anterior wall myocardial infarction, 1079

Neointima
Relationship between residual atheroma burden and neointimal growth in patients undergoing stenting, 1573

Nephrotoxicity
Acetylcysteine and contrast agent-associated nephrotoxicity, 298
Acetylcysteine protects against acute renal damage in patients with abnormal renal function undergoing a coronary procedure, 1383

Neurohormonal profile
Beneficial neurohormonal profile of spironolactone in severe congestive heart failure, 1596

Neuronal noradrenaline reuptake transporter (uptake$_1$)
Age-dependent changes of cardiac neuronal noradrenaline reuptake transporter (uptake$_1$) in the human heart, 1459

Neutral endopeptidase
Natriuretic peptide receptors and neutral endopeptidase in mediating the renal actions of a new therapeutic synthetic natriuretic peptide dendroaspis natriuretic peptide, 1186

Nicorandil
Antiapoptic effect of nicorandil mediated by mitochondrial ATP-sensitive potassium channels in cultured cardiac myocytes, 803
Infarct size limitation by nicorandil: roles of mitochondrial K_{ATP} channels, sarcolemmal K_{ATP} channels, and protein kinase C, 1523
Opening of the adenosine triphosphate-sensitive potassium channel attenuates cardiac remodeling induced by long-term inhibition of nitric oxide synthesis, 991
Triggers of ventricular tachyarrhythmias and therapeutic effects of nicorandil in canine models of LQT2 and LQT3 syndromes, 555

Nitrates
Production of 8-epi prostaglandin $F_{2\alpha}$ in human platelets during administration of organic nitrates, 820

Nitric oxide
Amelioration of ischemia- and reperfusion-induced myocardial injury by the selective estrogen receptor modulator, raloxifene, in the canine heart, 998
Circadian variation of blood pressure and endothelial function in patients with essential hypertension: a comparison of dippers and non-dippers, 2040
Deoxyribonucleic acid damage/repair proteins are elevated in the failing human myocardium due to idiopathic dilated cardiomyopathy, 1097
Direct vascular and cardioprotective effects of rosuvastatin, a new HMG-CoA reductase inhibitor, 1172
Effects of nitroglycerin treatment on baroreflex sensitivity and short-term heart rate variability in humans, 2000
Exhaled nitric oxide: a marker of pulmonary hemodynamics in heart failure, 1114
K_{ATP} channel opening is an endogenous mechanism of protection against the no-reflow phenomenon but its function is compromised by hypercholesterolemia, 1339
Opening of the adenosine triphosphate-sensitive potassium channel attenuates cardiac remodeling induced by long-term inhibition of nitric oxide synthesis, 991
Plasma asymmetric dimethylarginine and hyperemic myocardial blood flow in young subjects with borderline hypertension or familial hypercholesterolemia, 1241
Reduced endothelium-dependent and -independent dilation of conductance arteries in African Americans, 754

Nitric oxide synthase
Glycoxidized low-density lipoprotein downregulates endothelial nitric oxide synthase in human coronary cells, 1515

Nitroglycerin
Adverse effects of nitroglycerin treatment on endothelial function, vascular nitrotyrosine levels and cGMP-dependent protein kinase activity in hyperlipidemic Watanbe rabbits, 1356
Effects of nitroglycerin treatment on baroreflex sensitivity and short-term heart rate variability in humans, 2000
Production of 8-epi prostaglandin $F_{2\alpha}$ in human platelets during administration of organic nitrates, 820

Nitrotyrosine
Adverse effects of nitroglycerin treatment on endothelial function, vascular nitrotyrosine levels and cGMP-dependent protein kinase activity in hyperlipidemic Watanbe rabbits, 1356

Noninvasive pacemaker stress echocardiography
Noninvasive pacemaker stress echocardiography for diagnosis of coronary artery disease, 1305

Non–Q-wave myocardial infarction
Use of term "non–Q infarction" is questioned (letter), 2204

Non–ST-segment elevated myocardial infarction
ACC/AHA 2002 guideline update for the management of patients with unstable angina and non–ST-segment elevated myocardial infarction—summary article, 1366

Non–ST-segment elevation acute coronary syndromes
Cardioprotective effects of an early invasive strategy for non–ST-segment elevation acute coronary syndromes: are we all becoming "interventional" cardiologists (editorial), 1915
N-terminal pro brain natriuretic peptide on admission for early risk stratification of patients with chest pain and no ST-segment elevation, 437
Prognostic value of serum myoglobin in patients with non–ST-segment elevation acute coronary syndromes, 238
Prospective analysis of creatine kinase muscle-brain fraction and comparison with troponin T to predict cardiac risk and benefit of an invasive strategy in patients with non–ST-elevation acute coronary syndromes, 1044
Women do have an improved long-term outcome after non–ST-segment elevation acute coronary syndromes treated very early and predominantly with percutaneous coronary intervention, 245

No-reflow phenomenon
K_{ATP} channel opening is an endogenous mechanism of protection against the no-reflow phenomenon but its function is compromised by hypercholesterolemia, 1339

Norepinephrine
Conservation of the cardiostimulant effects of (−)-norepinephrine across Ser49Gly and Gly389Arg beta$_1$-adrenergic receptor polymorphisms in human right atrium in vitro, 1275

N-terminal pro brain natriuretic peptide
N-terminal pro brain natriuretic peptide on admission for early risk stratification of patients with chest pain and no ST-segment elevation, 437

Obesity
Big picture on obesity and insulin resistance (editorial), 944
Relationship between obesity, insulin resistance, and coronary heart disease risk, 937

Occlusions
Percutaneous laser revascularization in patients with chronic total occlusions (letter), 2063

Outcomes
Dose of metoprolol CR/XL and clinical outcomes in patients with heart failure, 491
Effects of coronary stenting on vessel patency and long-term clinical outcome after percutaneous coronary revascularization in diabetic patients, 410
Gender-related changes in the practice and outcomes of percutaneous coronary interventions in Northern New England from 1994 to 1999, 2092
Hospital outcomes in patients presenting with congestive heart failure complicating acute myocardial infarction, 1389
Impact of diabetic retinopathy on long-term outcome following coronary artery bypass graft surgery, 428
Impact of ethnicity on outcomes following coronary

artery bypass graft surgery in the Veterans Health Administration, 1786
Incidence and clinical outcome of iatrogenic femoral arteriovenous fistulas, 291
Long-term outcome in patients with apical hypertrophic cardiomyopathy (letter), 837
Outcome of the unoperated adult who presents with congenitally corrected transposition of the great arteries, 285
Outcomes in diabetics undergoing revascularization (editorial), 424
Outcomes of repeat revascularization in diabetic patients with prior coronary surgery, 1968
Patient outcomes after fibrinolytic therapy for acute myocardial infarction at hospitals with and without coronary revascularization capability, 1034
Plasma homocysteine levels and late outcome after coronary angioplasty, 1769
Women do have an improved long-term outcome after non–ST-segment elevation acute coronary syndromes treated very early and predominantly with percutaneous coronary intervention, 245

Oxidative stress
Deoxyribonucleic acid damage in human lymphocytes after percutaneous transluminal coronary angioplasty, 862

Oxidized low-density lipoprotein
Glycoxidized low-density lipoprotein downregulates endothelial nitric oxide synthase in human coronary cells, 1515

P-wave
QRST subtraction combined with a pacemap catalogue for the prediction of ectopy source by surface electrocardiogram in patients with paroxysmal atrial fibrillation, 2014

Pacemaker
ACC/AHA/NASPE 2002 guidelines update for implantation of cardiac pacemakers and antiarrhythmia devices—summary article, 1703
Coronary vein balloon angioplasty for left ventricular pacemaker lead, 2144
Noninvasive pacemaker stress echocardiography for diagnosis of coronary artery disease, 1305

Pacing
Are we ready for dual-site right atrial pacing? (editorial), 1151
Biatrial pacing for paroxysmal atrial fibrillation, 457
Echocardiographic quantification of left ventricular asynchrony predicts an acute hemodynamic benefit of cardiac resynchronization therapy, 536
Functional abnormalities in patients with permanent right ventricular pacing, 1451
Improved suppression of recurrent atrial fibrillation with dual-site right atrial pacing and antiarrhythmic drug therapy, 1140
Interatrial septum pacing guided by three-dimensional intracardiac echocardiography, 2139
Long-term benefits of biventricular pacing in congestive heart failure: results from the MUltisite STimulation In Cardiomyopathy (MUSTIC) study, 111
Long-term follow-up of arrhythmias in patients with myotonic dystrophy treated by pacing, 1645
Safety and efficacy of advanced atrial pacing therapies for atrial tachyarrhythmias in patients with a new implantable dual chamber cardioverter-defibrillator, 1653
Sudden death after radiofrequency ablation of the atrioventricular node in patients with atrial fibrillation, 105
Use of global atrial fibrillation organization to optimize the success of burst pace termination, 1831

Paroxysmal atrial fibrillation
Biatrial pacing for paroxysmal atrial fibrillation, 457
QRST subtraction combined with a pacemap catalogue for the prediction of ectopy source by surface electrocardiogram in patients with paroxysmal atrial fibrillation, 2013

Peer review
Peer review: better than the alternatives, 1017

Percutaneous coronary interventions
Association between CK-MB elevation after percutaneous or surgical revascularization and three-year mortality, 1961
Correlates of procedural complications and a simple integer risk score for percutaneous coronary intervention, 387
Distal filter protection during saphenous vein graft stenting: technical and clinical correlates of efficacy, 1882
Effect of additional temporary glycoprotein IIb/IIIa receptor inhibition on troponin release in elective percutaneous coronary interventions after pretreatment with aspirin and clopidogrel (TOPSTAR trial), 662
Exaggeration of nonculprit stenosis severity during acute myocardial infarction: implications for immediate multivessel revascularization, 911
Feasibility and efficacy of balloon-based neuroprotection during carotid artery stenting in a single-center setting, 890
Gender-related changes in the practice and outcomes of percutaneous coronary interventions in Northern New England from 1994 to 1999, 2092
Induction of mild systemic hypothermia with endovascular cooling during primary percutaneous coronary intervention for acute myocardial infarction, 1928
Is glycoprotein IIb/IIIa antagonism as effective in women as in men following percutaneous coronary intervention?, 1085
Mortality benefit of beta-blockade after successful elective percutaneous coronary intervention, 669
Percutaneous coronary intervention versus coronary artery bypass surgery for diabetic patients with unstable angina and risk factors for adverse outcomes with bypass, 1555
Percutaneous coronary intervention versus repeat bypass surgery for patients with medically refractory myocardial ischemia, 1951
Percutaneous coronary interventions in octogenarians in the American College of Cardiology–National Cardiovascular Data Registry, 387
Plasma homocysteine levels and late outcome after coronary angioplasty, 1769
Predictive factors for early cardiac events and angiographic restenosis after coronary stent placement in small coronary arteries, 882
Statin treatment following coronary artery stenting and one-year survival, 854
Two different coronary blood flow velocity patterns in thrombolysis in myocardial infarction flow grade 2 in acute myocardial infarction, 1755
Unique, low dose of intravenous enoxaparin in elective percutaneous coronary intervention, 1943
Vascular closure devices in patients treated with anticoagulation and IIb/IIIa receptor inhibitors during percutaneous revascularization, 78
Women do have an improved long-term outcome after non–ST-segment elevation acute coronary syndromes treated very early and predominantly with percutaneous coronary intervention, 245

Percutaneous transluminal coronary angioplasty
Deoxyribonucleic acid damage in human lymphocytes after percutaneous transluminal coronary angioplasty, 862
Detection of coronary restenosis after coronary angioplasty by contrast-enhanced transthoracic echocardiographic Doppler assessment of coronary flow velocity reserve, 896
Outcomes in diabetics undergoing revascularization (editorial), 424
Predictive factors for early cardiac events and angiographic restenosis after coronary stent placement in small coronary arteries, 882

Perfusion
Dobutamine versus dipyridamole for inducing reversible perfusion defects in chronic multivessel coronary artery stenosis, 167
Simvastatin preserves myocardial perfusion and coronary microvasculature permeability in experimental hypercholesterolemia independent of lipid lowering, 546

Peripheral arterial tonometry
Assessment of peripheral arterial tonometry (PAT) in the detection of treadmill exercise induced myocardial ischemia, 2195

Peripheral waveform analysis
Assessment of endothelial function using peripheral waveform analysis, 521

Pharmacologic agents
Physicians' interpretation of "class effects", 19

Phosphocreatine
Absolute concentrations of high-energy phosphate metabolites in normal, hypertrophied, and failing human myocardium measured noninvasively with ^{31}P-SLOOP magnetic resonance spectroscopy, 1267

Phosphodiesterase-5 inhibitor
Effect of vardenafil, a potent and highly selective phosphodiesterase-5 inhibitor for the treatment of erectile dysfunction, on the cardiovascular response to exercise in patients with coronary artery disease, 2006

Phosphorus-31
Absolute concentrations of high-energy phosphate metabolites in normal, hypertrophied, and failing human myocardium measured noninvasively with ^{31}P-SLOOP magnetic resonance spectroscopy, 1267

Physicians
Physician attitudes and practices and patient awareness of the cardiovascular complications of diabetes, 1877
Physicians' interpretation of "class effects", 19

Plaque
Association between the −514 C→T polymorphism of the hepatic lipase gene promoter and unstable carotid plaque in patients with severe carotid artery stenosis, 1059
Coronary plaque regression: role of low density lipoprotein-apheresis (editorial), 228
Increased ubiquitin immunoreactivity in unstable atherosclerotic plaques associated with acute coronary syndromes, 1919
Intravascular ultrasound evaluation of coronary plaque regression by low density lipoprotein-apheresis in familial hypercholesterolemia, 220
Morphologic and angiographic features of coronary

plaque rupture detected by intravascular ultrasound, 904

Platelets
Effect of sildenafil on human vascular function, platelet activation, and myocardial ischemia, 1232
Platelet GP IIb/IIIa receptor blockade and coronary resistances in unstable angina, 2102
Production of 8-epi prostaglandin $F_{2\alpha}$ in human platelets during administration of organic nitrates, 820
Prospective randomized trial of aspirin-clopidogrel combination therapy and dose-adjusted warfarin on indices of thrombogenesis and platelet activation in atrial fibrillation, 484

Poly(adenosine diphosphate-ribose) polymerase
Pharmacologic inhibition of poly(adenosine diphosphate-ribose) polymerase may represent a novel therapeutic approach in chronic heart failure, 1006

Polyethyleneglycol
Influence of microbubble surface charge on capillary transit and myocardial contrast enhancement, 811

Polymorphisms
Association between HERG K897T polymorphism and QT interval in middle-aged Finnish women, 511
Association between the −514 C→T polymorphism of the hepatic lipase gene promoter and unstable carotid plaque in patients with severe carotid artery stenosis, 1059
Conservation of the cardiostimulant effects of (−)-norepinephrine across Ser49Gly and Gly389Arg beta$_1$-adrenergic receptor polymorphisms in human right atrium in vitro, 1275
Polymorphisms in the promoter regions of MMP-2, MMP-3, MMP-9, and MMP-12 genes as determinants of aneurysmal coronary artery disease, 43

Positron emission tomography
Electromechanical mapping for determination of myocardial contractility and viability, 1067
Positron emission tomography and recovery following revascularization (PARR-1): the importance of scar and the development of a prediction rule for the degree of recovery of left ventricular function, 1735

Postmenopausal women
See also Women
Oral conjugated equine estrogen increases plasma von Willebrand factor in postmenopausal women, 1991
Prognostic role of reversible endothelial dysfunction in hypertensive postmenopausal women, 505

Postprandial angina
Absence of postprandial surge in coronary blood flow distal to significant stenosis: a possible mechanism of postprandial angina, 1976

Postsystolic shortening
Higher myocardial strain rates during isovolumic relaxation phase than during ejection characterize acutely ischemic myocardium, 1487

Potassium channels
Antiapoptic effect of nicorandil mediated by mitochondrial ATP-sensitive potassium channels in cultured cardiac myocytes, 803
17β-estradiol regulates expression of K_{ATP} channels in heart-derived H9c2 cells, 367
Infarct size limitation by nicorandil: roles of mitochondrial K_{ATP} channels, sarcolemmal K_{ATP} channels, and protein kinase C, 1523
K_{ATP} channel opening is an endogenous mechanism of protection against the no-reflow phenomenon but its function is compromised by hypercholesterolemia, 1339
Opening of the adenosine triphosphate-sensitive potassium channel attenuates cardiac remodeling induced by long-term inhibition of nitric oxide synthesis, 991

Pravastatin
Comparative beneficial effects of simvastatin and pravastatin on cardiac allograft rejection and survival, 1609

Prednisone
Immunosuppressive therapy for the prevention of restenosis after coronary artery stent implantation (IMPRESS study), 1935

Pregnancy
Risk associated with pregnancy in hypertrophic cardiomyopathy, 1864

Preventive cardiology
33rd Bethesda Conference: preventive cardiology: how can we do it better?, 580
Task Force #1—Magnitude of the prevention problem: opportunities and challenges, 588
Task Force #2—Cost of prevention: can we afford it? Can we afford not to do it?, 603
Task Force #3—Getting results: who, where, and how?, 615
Task Force #4—Adherence issues and behavior changes: achieving a long-term solution, 630
Task Force #5—The role of cardiovascular specialists as leaders in prevention: from training to champion, 641

Primary pulmonary hypertension
See Pulmonary hypertension

Progesterone
Effect of estrogen compared to estrogen plus progesterone on the exercise electrocardiogram, 1092

Prophylaxis
Cost-effectiveness of targeting patients undergoing cardiac surgery for therapy with intravenous amiodarone to prevent atrial fibrillation, 737

Propranolol
Influence of propranolol, enalaprilat, verapamil, and caffeine on adenosine A_{2A}-receptor–mediated coronary vasodilation, 1356
Vasovagal syncope: a prospective, randomized, crossover evaluation of the effect of propranolol, nadolol and placebo on syncope recurrence and patients' well-being, 499

Prostacyclin
Combination of oral endothelin-A receptor antagonist and oral prostacyclin analogue is superior to each drug alone in ameliorating pulmonary hypertension in rats, 175

Prostaglandin $F_{2\alpha}$
Production of 8-epi prostaglandin $F_{2\alpha}$ in human platelets during administration of organic nitrates, 820

Protein kinase
Adverse effects of nitroglycerin treatment on endothelial function, vascular nitrotyrosine levels and cGMP-dependent protein kinase activity in hyperlipidemic Watanbe rabbits, 1356

Protein kinase C
Infarct size limitation by nicorandil: roles of mitochondrial K_{ATP} channels, sarcolemmal K_{ATP} channels, and protein kinase C, 1523

Pulmonary artery pressure
Correlation of left ventricular diastolic filling characteristics with right ventricular overload and pulmonary artery pressure in chronic thromboembolic pulmonary hypertension, 318

Pulmonary embolism
Normal D-dimer levels in emergency department patients suspected of acute pulmonary embolism, 1475
Thrombolytic therapy of pulmonary embolism, 1660

Pulmonary hypertension
Combination of oral endothelin-A receptor antagonist and oral prostacyclin analogue is superior to each drug alone in ameliorating pulmonary hypertension in rats, 175
Correlation of left ventricular diastolic filling characteristics with right ventricular overload and pulmonary artery pressure in chronic thromboembolic pulmonary hypertension, 318
Long-term intravenous epoprostenol infusion in primary pulmonary hypertension, 780
Severe pulmonary hypertension in patients with severe aortic valve stenosis: clinical profile and prognostic implications, 789

Pulmonary regurgitation
New dynamic three-dimensional digital color Doppler method for quantification of pulmonary regurgitation: validation study in an animal model, 1179

Pulmonary veins
Circular mapping and ablation of the pulmonary vein for treatment of atrial fibrillation, 464
Clinical significance of early recurrences of atrial fibrillation after pulmonary vein isolation, 100

Pulse pressure
Reliability of transfer functions in determining central pulse pressure and augmentation index (letter), 1196

Q-wave
Contribution of the ST elevation/T-wave normalization in Q-wave leads during routine, pre-discharge treadmill exercise test to patient management and risk stratification after acute myocardial infarction, 62

QRS complex
Importance of being synchronous: on the prognostic value of ventricular conduction delay in heart failure (editorial), 2032

QRST subtraction
QRST subtraction combined with a pacemap catalogue for the prediction of ectopy source by surface electrocardiogram in patients with paroxysmal atrial fibrillation, 2013

QT interval
Association between HERG K897T polymorphism and QT interval in middle-aged Finnish women, 511

Race
See also African Americans; Hispanic Americans
Demographics and correlates of five-year change in echocardiographic left ventricular mass in young black and white adult men and women: the Coronary Artery Risk Development in Young Adults (CARDIA) study, 529
Efficacy of angiotensin-converting enzyme inhibition in reducing progression from asymptomatic left ventricular dysfunction to symptomatic heart failure in black and white patients, 311
Reduced endothelium-dependent and -independent dilation of conductance arteries in African Americans, 754

Radiofrequency ablation
See also Ablation
Sudden death after radiofrequency ablation of the

atrioventricular node in patients with atrial fibrillation, 105

Raloxifene
Amelioration of ischemia- and reperfusion-induced myocardial injury by the selective estrogen receptor modulator, raloxifene, in the canine heart, 998

Ramipril
Effect of long-term therapy with ramipril in high-risk women, 693

Re-entry
Noncontact three-dimensional mapping and ablation of upper loop re-entry originating in the right atrium, 746

Remodeling
Cardiovascular remodeling is greater in isolated systolic hypertension than in diastolic hypertension in older adults: The Insufficienza Cardiaca negli Anzaiani Residenti (ICARE) a Dicomano Study, 1283
Impact of hydroxymethylglutaryl coenzyme A reductase inhibition on left ventricular remodeling after acute myocardial infarction, 1695
Left ventricular remodeling early after aortic valve replacement: differential effects on diastolic function in aortic valve stenosis and aortic regurgitation, 2182
Opening of the adenosine triphosphate-sensitive potassium channel attenuates cardiac remodeling induced by long-term inhibition of nitric oxide synthesis, 991
Valsartan benefits left ventricular structure and function in heart failure: Val-HeFT Echocardiographic Study, 970

Renal insufficiency
Cardiac troponins in patients with renal insufficiency: review and clinical implications, 2065

Reperfusion
Amelioration of ischemia- and reperfusion-induced myocardial injury by the selective estrogen receptor modulator, raloxifene, in the canine heart, 998
Coronary recanalization in anterior myocardial infarction, 1205
Late intervention after anterior myocardial infarction: effects on left ventricular size, function, quality of life, and exercise tolerance, 869
Open perforator hypothesis (editorial), 1214
Repeated physiologic stresses provide persistent cardioversion against ischemia-reperfusion injury in rats, 826
Urocortin promotes hemodynamic and bioenergetic recovery and improves cell survival in the isolated rat heart exposed to ischemia/reperfusion, 155

Repolarization
Prevalence of male and female patterns of early ventricular repolarization in the normal ECG of males and females from childhood to old age, 1870

Restenosis
See also Stenosis
Clinical restenosis after coronary stenting: perspectives from multicenter clinical trials, 2082
Detection of coronary restenosis after coronary angioplasty by contrast-enhanced transthoracic echocardiographic Doppler assessment of coronary flow velocity reserve, 896
Enhanced extracellular matrix accumulation in restenosis of coronary arteries after stent deployment, 2072
Geographical miss during intracoronary irradiation: impact on restenosis and determination of required safety margin length, 1225
Immunosuppressive therapy for the prevention of restenosis after coronary artery stent implantation (IMPRESS study), 1935
Impact of plasma levels of C-reactive protein, lipoprotein(a) and homocysteine on the long-term prognosis after successful coronary stenting, 1375
In-stent restenosis in small coronary arteries, 403
Predictive factors for early cardiac events and angiographic restenosis after coronary stent placement in small coronary arteries, 882
Restenosis: do we need to understand it to treat it? (editorial), 2090

Resynchronization
Cardiac resynchronization therapy tailored by echocardiographic evaluation of ventricular asynchrony, 1615
Echocardiographic quantification of left ventricular asynchrony predicts an acute hemodynamic benefit of cardiac resynchronization therapy, 536

Reteplase
Evaluation of the time saved by prehospital initiation of reteplase for ST-elevation myocardial infarction, 71

Revascularization
Art and science of predicting postrevascularization improvement in left ventricular (LV) function in patients with severely depressed LV function (editorial), 1744
Association between CK-MB elevation after percutaneous or surgical revascularization and three-year mortality, 1961
Correlates of procedural complications and a simple integer risk score for percutaneous coronary intervention, 387
Effects of coronary stenting on vessel patency and long-term clinical outcome after percutaneous coronary revascularization in diabetic patients, 410
Exaggeration of nonculprit stenosis severity during acute myocardial infarction: implications for immediate multivessel revascularization, 911
Late intervention after anterior myocardial infarction: effects on left ventricular size, function, quality of life, and exercise tolerance, 869
Long-term perspective on the protective effects of an early invasive strategy in unstable coronary artery disease, 1902
Outcomes in diabetics undergoing revascularization (editorial), 424
Outcomes of repeat revascularization in diabetic patients with prior coronary surgery, 1968
Patient outcomes after fibrinolytic therapy for acute myocardial infarction at hospitals with and without coronary revascularization capability, 1034
Percutaneous laser revascularization in patients with chronic total occlusions (letter), 2063
Positron emission tomography and recovery following revascularization (PARR-1): the importance of scar and the development of a prediction rule for the degree of recovery of left ventricular function, 1735
Should all patients with an acute myocardial infarction present to a hospital with revascularization capabilities? (editorial), 1041
Vascular closure devices in patients treated with anticoagulation and IIb/IIIa receptor inhibitors during percutaneous revascularization, 78
Women do have an improved long-term outcome after non–ST-segment elevation acute coronary syndromes treated very early and predominantly with percutaneous coronary intervention, 245

Right atrium
Are we ready for dual-site right atrial pacing? (editorial), 1151
Conservation of the cardiostimulant effects of (–)-norepinephrine across Ser49Gly and Gly389Arg beta$_1$-adrenergic receptor polymorphisms in human right atrium in vitro, 1275
Improved suppression of recurrent atrial fibrillation with dual-site right atrial pacing and antiarrhythmic drug therapy, 1140
Noncontact three-dimensional mapping and ablation of upper loop re-entry originating in the right atrium, 746

Right ventricle
Athlete's heart, 1856
Correlation of left ventricular diastolic filling characteristics with right ventricular overload and pulmonary artery pressure in chronic thromboembolic pulmonary hypertension, 318
Functional abnormalities in patients with permanent right ventricular pacing, 1451
Pathophysiology and management of right heart ischemia, 841
Prospective evaluation of relatives for familial arrhythmogenic right ventricular cardiomyopathy/dysplasia reveals a need to broaden diagnostic criteria, 1445
Right ventricular function in adults with repaired tetralogy of Fallot assessed with cardiovascular magnetic resonance imaging: detrimental role of right ventricular outflow aneurysms or akinesia and adverse right-to-left ventricular interaction, 2045

Right ventricular outflow tract
Functional abnormalities in patients with permanent right ventricular pacing, 1451

Risk factors
Anemia as a risk factor for cardiovascular disease in the Atherosclerosis Risk in Communities (ARIC) Study, 27
Contribution of major cardiovascular risk factors to familial premature coronary artery disease, 676
Correlates of procedural complications and a simple integer risk score for percutaneous coronary intervention, 387
Haptoglobin phenotype is an independent risk factor for cardiovascular disease in individuals with diabetes: the Strong Heart study, 1984
Left ventricular dysfunction is a risk factor for sudden cardiac death in adults late after repair of Tetralogy of Fallot, 1675
Percutaneous coronary intervention versus coronary artery bypass surgery for diabetic patients with unstable angina and risk factors for adverse outcomes with bypass, 1555
Predictive factors for early cardiac events and angiographic restenosis after coronary stent placement in small coronary arteries, 882

Risk stratification
Contribution of the ST elevation/T-wave normalization in Q-wave leads during routine, pre-discharge treadmill exercise test to patient management and risk stratification after acute myocardial infarction, 62
N-terminal pro brain natriuretic peptide on admission for early risk stratification of patients with chest pain and no ST-segment elevation, 437

Prospective analysis of creatine kinase muscle-brain fraction and comparison with troponin T to predict cardiac risk and benefit of an invasive strategy in patients with non–ST-elevation acute coronary syndromes, 1044

Rosuvastatin
Direct vascular and cardioprotective effects of rosuvastatin, a new HMG-CoA reductase inhibitor, 1172

Ryanodine receptor type 2
Screening for ryanodine receptor type 2 mutations in families with effort-induced polymorphic ventricular arrhythmias and sudden death, 341

Saphenous vein grafts
Distal filter protection during saphenous vein graft stenting: technical and clinical correlates of efficacy, 1882

Sarcolemmal K_{ATP} channels
Infarct size limitation by nicorandil: roles of mitochondrial K_{ATP} channels, sarcolemmal K_{ATP} channels, and protein kinase C, 1523

Sarcolemmal Na-K-ATPase
Autoantibodies produced against sarcolemmal Na-K-ATPase: possible upstream targets of arrhythmias and sudden death in patients with dilated cardiomyopathy, 1153

Sarpogrelate
Role of serotonin in ischemic cellular damage and the infarct size-reducing effect of sarpogrelate, a 5-hydroxytryptamine-2 receptor blocker, in rabbit hearts, 1347

SCN5A
Genotype-phenotype relationship in Brugada syndrome: electrocardiographic features differentiate *SCN5A*-relaxed patients from non–*SCN5A*-related patients, 350

Seizures
Historical criteria that distinguish syncope from seizures, 142

Ser49Gly polymorphisms
Conservation of the cardiostimulant effects of (–)-norepinephrine across Ser49Gly and Gly389Arg beta$_1$-adrenergic receptor polymorphisms in human right atrium in vitro, 1275

Serotonin
Role of serotonin in ischemic cellular damage and the infarct size-reducing effect of sarpogrelate, a 5-hydroxytryptamine-2 receptor blocker, in rabbit hearts, 1347

Shock
Early recurrence of atrial fibrillation after ambulatory shock conversion, 93

Sildenafil citrate
Effect of sildenafil on human vascular function, platelet activation, and myocardial ischemia, 1232

Silent ischemia
Significance of silent ischemia and microalbuminuria in predicting coronary events in asymptomatic patients with type 2 diabetes, 56

Simvastatin
Comparative beneficial effects of simvastatin and pravastatin on cardiac allograft rejection and survival, 1609
Ezetimibe coadministered with simvastatin in patients with primary hypercholesterolemia, 2125
Simvastatin preserves myocardial perfusion and coronary microvasculature permeability in experimental hypercholesterolemia independent of lipid lowering, 546

Single-photon emission computed tomography
Electromechanical mapping for determination of myocardial contractility and viability, 1067

Sotalol
Electrophysiological actions of *dl*-sotalol in patients with persistent atrial fibrillation, 2150

Spironolactone
Beneficial neurohormonal profile of spironolactone in severe congestive heart failure, 1596
Long-term, dose-dependent effects of spironolactone on left ventricular function and exercise tolerance in patients with chronic heart failure, 304

ST-segment
Contribution of the ST elevation/T-wave normalization in Q-wave leads during routine, pre-discharge treadmill exercise test to patient management and risk stratification after acute myocardial infarction, 62
Electrophysiologic mechanism of ST-segment elevation in Brugada syndrome, 330
Evaluation of the time saved by prehospital initiation of reteplase for ST-elevation myocardial infarction, 71
Manifestation of left main coronary artery stenosis is diffuse ST depression in inferior and precordial leads on ECG (letter), 575
Microalbuminuria modifies the mortality risk associated with electrocardiographic ST-T segment changes, 1401
Quantitative assessment of electrocardiographic strain predicts increased left ventricular mass: the Strong Heart Study, 1395
ST-segment ëlevation and ventricular fibrillation without coronary spasm by intracoronary injection of acetylcholine and/or ergonovine maleate in patients with Brugada syndrome, 1841

Statins
See also specific statin
ACC/AHA/NHLBI clinical advisory on the use and safety of statins, 567
Comparative beneficial effects of simvastatin and pravastatin on cardiac allograft rejection and survival, 1609
Early statin therapy restores endothelial function in children with familial hypercholesterolemia, 2117
Impact of hydroxymethylglutaryl coenzyme A reductase inhibition on left ventricular remodeling after acute myocardial infarction, 1695
Projected life-expectancy gains with statin therapy for individuals with elevated C-reactive protein levels, 49
Statin therapy is associated with reduced mortality across all age groups of individuals with significant coronary disease, including very elderly patients, 1777
Statin treatment following coronary artery stenting and one-year survival, 854

Stenosis
See also Restenosis
Association between the −514 C→T polymorphism of the hepatic lipase gene promoter and unstable carotid plaque in patients with severe carotid artery stenosis, 1059
Coronary collaterals, stenoses, and stents (editorial), 1551
Dobutamine versus dipyridamole for inducing reversible perfusion defects in chronic multivessel coronary artery stenosis, 167
Exaggeration of nonculprit stenosis severity during acute myocardial infarction: implications for immediate multivessel revascularization, 911
Manifestation of left main coronary artery stenosis is diffuse ST depression in inferior and precordial leads on ECG (letter), 575
Prospective randomized trial comparing stenting with off-pump coronary surgery for high-grade stenosis in the proximal left anterior descending coronary artery: three-year follow-up, 1955
Severe pulmonary hypertension in patients with severe aortic valve stenosis: clinical profile and prognostic implications, 789

Stents and stenting
Clinical restenosis after coronary stenting: perspectives from multicenter clinical trials, 2082
Coronary collaterals, stenoses, and stents (editorial), 1551
Coronary vasodilator reserve: a clue to the explanation of ^{201}Tl redistribution patterns early after successful primary stenting for acute myocardial infarction, 877
Distal filter protection during saphenous vein graft stenting: technical and clinical correlates of efficacy, 1882
Effects of abciximab on the acute pathology of blood vessels after arterial stenting in nonhuman primates, 360
Effects of coronary stenting on vessel patency and long-term clinical outcome after percutaneous coronary revascularization in diabetic patients, 410
Enhanced extracellular matrix accumulation in restenosis of coronary arteries after stent deployment, 2072
Enoxaparin after high-risk coronary stenting (letter), 1197
Feasibility and efficacy of balloon-based neuroprotection during carotid artery stenting in a single-center setting, 890
Frequency and correlates of coronary stent thrombosis in the modern era, 1567
Immunosuppressive therapy for the prevention of restenosis after coronary artery stent implantation (IMPRESS study), 1935
Impact of plasma levels of C-reactive protein, lipoprotein(a) and homocysteine on the long-term prognosis after successful coronary stenting, 1375
In-stent restenosis in small coronary arteries, 403
Predictive factors for early cardiac events and angiographic restenosis after coronary stent placement in small coronary arteries, 882
Prospective randomized trial comparing stenting with off-pump coronary surgery for high-grade stenosis in the proximal left anterior descending coronary artery: three-year follow-up, 1955
Relationship between residual atheroma burden and neointimal growth in patients undergoing stenting, 1573
Selection of coronary stents, 1021
Statin treatment following coronary artery stenting and one-year survival, 854

Stereolithography
Effect of three-dimensional valve shape on the hemodynamics of aortic stenosis: three-dimensional echocardiographic stereolithography and patient studies, 1479

Stress
Repeated physiologic stresses provide persistent cardioversion against ischemia-reperfusion injury in rats, 826

Stress testing
See Exercise testing
Stunning
Combined assessment of microvascular integrity and contractile reserve improves differentiation of stunning and necrosis after acute anterior wall myocardial infarction, 1079
Electromechanical mapping for determination of myocardial contractility and viability, 1067
Sudden death
Autoantibodies produced against sarcolemmal Na-K-ATPase: possible upstream targets of arrhythmias and sudden death in patients with dilated cardiomyopathy, 1153
Left ventricular dysfunction is a risk factor for sudden cardiac death in adults late after repair of Tetralogy of Fallot, 1675
Pathophysiological basis and clinical application of T-wave alternans, 207
Problem, challenge and opportunity of genetic heterogeneity in monogenic diseases predisposing to sudden death (editorial), 357
Screening for ryanodine receptor type 2 mutations in families with effort-induced polymorphic ventricular arrhythmias and sudden death, 341
Sudden death after radiofrequency ablation of the atrioventricular node in patients with atrial fibrillation, 105
Surgery
See also Ablation; Coronary artery bypass grafting
Cost-effectiveness of targeting patients undergoing cardiac surgery for therapy with intravenous amiodarone to prevent atrial fibrillation, 737
Diabetes mellitus increases short-term mortality and morbidity in patients undergoing coronary artery bypass graft surgery, 418
Impact of diabetic retinopathy on long-term outcome following coronary artery bypass graft surgery, 428
Sympathetic hyperactivity
Sympathetic neural mechanisms in white-coat hypertension, 126
Syncope
Historical criteria that distinguish syncope from seizures, 142
Isometric arm counter-pressure maneuvers to abort impending vasovagal syncope, 2054
Simultaneous heart rate and blood pressure variability analysis: insight into mechanisms underlying neurally mediated cardiac syncope in children, 1466
Vasovagal syncope: a prospective, randomized, crossover evaluation of the effect of propranolol, nadolol and placebo on syncope recurrence and patients' well-being, 499
T-wave
Contribution of the ST elevation/T-wave normalization in Q-wave leads during routine, pre-discharge treadmill exercise test to patient management and risk stratification after acute myocardial infarction, 62
Tachyarrhythmias
Long-term clinical significance of frequent and complex ventricular tachyarrhythmias in trained athletes, 446
Safety and efficacy of advanced atrial pacing therapies for atrial tachyarrhythmias in patients with a new implantable dual chamber cardioverter-defibrillator, 1653
Triggers of ventricular tachyarrhythmias and therapeutic effects of nicorandil in canine models of LQT2 and LQT3 syndromes, 555
Tachycardia
See also Supraventricular tachycardia; Ventricular tachycardia
Clinical and electrophysiologic characteristics of left septal atrial tachycardia, 1133
Do atrial tachyarrhythmias beget ventricular tachyarrhythmias in defibrillator recipients?, 335
Tetralogy of Fallot
Left ventricular dysfunction is a risk factor for sudden cardiac death in adults late after repair of Tetralogy of Fallot, 1675
Right ventricular function in adults with repaired tetralogy of Fallot assessed with cardiovascular magnetic resonance imaging: detrimental role of right ventricular outflow aneurysms or akinesia and adverse right-to-left ventricular interaction, 2045
Thromboembolism
Correlation of left ventricular diastolic filling characteristics with right ventricular overload and pulmonary artery pressure in chronic thromboembolic pulmonary hypertension, 318
Cyclooxygenase-2 inhibitors and cardiovascular thromboembolic events (letter), 577
Thrombogenesis
Prospective randomized trial of aspirin-clopidogrel combination therapy and dose-adjusted warfarin on indices of thrombogenesis and platelet activation in atrial fibrillation, 484
Thrombolysis
Early dysfunction and long-term improvement in endothelium-dependent vasodilation in the infarct-related artery after thrombolysis, 257
Evaluation of the time saved by prehospital initiation of reteplase for ST-elevation myocardial infarction, 71
Thrombolytic therapy of pulmonary embolism, 1660
Thrombosis
Frequency and correlates of coronary stent thrombosis in the modern era, 1567
Predictive factors for early cardiac events and angiographic restenosis after coronary stent placement in small coronary arteries, 882
Thyroid hormone
Thyroid hormone and arrhythmogenic activity (letter), 574
Tissue Doppler imaging
Tissue Doppler imaging predicts improved systolic performance and reversed left ventricular remodeling during long-term cardiac resynchronization therapy, 723
Tissue inhibitors of matrix metalloproteinases
Release of matrix metalloproteinases following alcohol septal ablation in hypertrophic obstructive cardiomyopathy, 2165
Tissue plasminogen activator
Marked bradykinin-induced tissue plasminogen activator release in patients with heart failure maintained on long-term angiotensin-converting enzyme inhibitor therapy, 961
Tissue-type plasminogen activator release (editorial), 967
^{201}Tl
Coronary vasodilator reserve: a clue to the explanation of ^{201}Tl redistribution patterns early after successful primary stenting for acute myocardial infarction, 877
Tomography
See Positron emission tomography; Single-photon emission computed tomography
Transesophageal echocardiography
See also Echocardiography
Value of precardioversion transesophageal echocardiography in managing cardioversion of atrial fibrillation (letter), 1889
Transplantation
See Heart transplantation
Transposition of the great arteries
Outcome of the unoperated adult who presents with congenitally corrected transposition of the great arteries, 285
Transthoracic echocardiography
Detection of coronary restenosis after coronary angioplasty by contrast-enhanced transthoracic echocardiographic Doppler assessment of coronary flow velocity reserve, 896
Transthoracic Doppler assessment of coronary flow velocity reserve in children with Kawasaki disease, 1816
Trial
Cardiologist on trial: reflections on credible evidence, 563
Troponin
Cardiac troponins in patients with renal insufficiency: review and clinical implications, 2065
Effect of additional temporary glycoprotein IIb/IIIa receptor inhibition on troponin release in elective percutaneous coronary interventions after pretreatment with aspirin and clopidogrel (TOPSTAR trial), 662
Troponin T
Prospective analysis of creatine kinase muscle-brain fraction and comparison with troponin T to predict cardiac risk and benefit of an invasive strategy in patients with non–ST-elevation acute coronary syndromes, 1044
Tumors
Metastatic carcinoid tumor to the heart: echocardiographic-pathologic study of 11 patients, 1328
T-wave alternans
Pathophysiological basis and clinical application of T-wave alternans, 207
Ubiquitin
Increased ubiquitin immunoreactivity in unstable atherosclerotic plaques associated with acute coronary syndromes, 1919
Ultrasound
Detection of coronary restenosis after coronary angioplasty by contrast-enhanced transthoracic echocardiographic Doppler assessment of coronary flow velocity reserve, 896
Intravascular ultrasound evaluation of coronary plaque regression by low density lipoprotein-apheresis in familial hypercholesterolemia, 220
Is the mitral valve area flow-dependent in mitral stenosis?, 1809
Morphologic and angiographic features of coronary plaque rupture detected by intravascular ultrasound, 904
Morphologic rather than functional or mechanical sonographic parameters of the brachial artery are related to angiographically evident coronary atherosclerosis, 1825
Relationship between residual atheroma burden and neointimal growth in patients undergoing stenting, 1573
Unstable angina pectoris
See Angina pectoris
Urocortin
Beneficial hemodynamic, endocrine, and renal effects of urocortin in experimental heart failure: comparison with normal sheep, 1495
Urocortin promotes hemodynamic and bioenergetic recovery and improves cell survival in the

isolated rat heart exposed to ischemia/reperfusion, 155

Valsartan
Effects of valsartan on morbidity and mortality in patients with heart failure not receiving angiotensin-converting enzyme inhibitors, 1414
Valsartan benefits left ventricular structure and function in heart failure: Val-HeFT Echocardiographic Study, 970

Vardenafil
Effect of vardenafil, a potent and highly selective phosphodiesterase-5 inhibitor for the treatment of erectile dysfunction, on the cardiovascular response to exercise in patients with coronary artery disease, 2006

Variant angina
Endothelial function fluctuates with diurnal variation in the frequency of ischemic episodes in patients with variant angina, 266

Vascular function
Effect of sildenafil on human vascular function, platelet activation, and myocardial ischemia, 1232

Vasoactive drugs
Acute effects of vasoactive drug treatment on brachial artery reactivity, 761

Vasodilation
Early dysfunction and long-term improvement in endothelium-dependent vasodilation in the infarct-related artery after thrombolysis, 257
Influence of propranolol, enalaprilat, verapamil, and caffeine on adenosine A_{2A}-receptor–mediated coronary vasodilation, 1356
Prognostic role of reversible endothelial dysfunction in hypertensive postmenopausal women, 505

Vasodilators
Coronary vasodilator reserve: a clue to the explanation of ^{201}Tl redistribution patterns early after successful primary stenting for acute myocardial infarction, 877

Vasospastic angina
Coronary microvasculature spasm in patients with vasospastic angina (letter), 573

Vasovagal syncope
Isometric arm counter-pressure maneuvers to abort impending vasovagal syncope, 2054
Vasovagal syncope: a prospective, randomized, crossover evaluation of the effect of propranolol, nadolol and placebo on syncope recurrence and patients' well-being, 499

Ventricles
See Left ventricle; Right ventricle

Ventricular arrhythmias
Screening for ryanodine receptor type 2 mutations in families with effort-induced polymorphic ventricular arrhythmias and sudden death, 341

Ventricular asynchrony
Cardiac resynchronization therapy tailored by echocardiographic evaluation of ventricular asynchrony, 1615

Ventricular ectopy
Ventricular ectopy in athletes (editorial), 453

Ventricular effective refractory period
Effects of acute and chronic amiodarone on activation patterns and defibrillation threshold during ventricular fibrillation in dogs, 375

Ventricular fibrillation
Do atrial tachyarrhythmias beget ventricular tachyarrhythmias in defibrillator recipients?, 335
Effects of acute and chronic amiodarone on activation patterns and defibrillation threshold during ventricular fibrillation in dogs, 375
Pathophysiological basis and clinical application of T-wave alternans, 207
ST-segment elevation and ventricular fibrillation without coronary spasm by intracoronary injection of acetylcholine and/or ergonovine maleate in patients with Brugada syndrome, 1841

Ventricular tachyarrhythmias
Long-term clinical significance of frequent and complex ventricular tachyarrhythmias in trained athletes, 446
Triggers of ventricular tachyarrhythmias and therapeutic effects of nicorandil in canine models of LQT2 and LQT3 syndromes, 555

Ventricular tachycardia
Do atrial tachyarrhythmias beget ventricular tachyarrhythmias in defibrillator recipients?, 335
Pathophysiological basis and clinical application of T-wave alternans, 207
Upstream stimulation versus downstream stimulation, 731

Verapamil
Influence of propranolol, enalaprilat, verapamil, and caffeine on adenosine A_{2A}-receptor–mediated coronary vasodilation, 1356

Viral myocarditis
Left ventricular pressure-volume relationship in a murine model of congestive heart failure due to acute viral myocarditis, 1506

von Willebrand factor
Oral conjugated equine estrogen increases plasma von Willebrand factor in postmenopausal women, 1991

Wall motion abnormalities
Prognostic significance of the location of wall motion abnormalities during exercise echocardiography, 1623

Wall stress
Influence of wall stress and left ventricular geometry on the accuracy of dobutamine stress echocardiography, 1311

Warfarin
Prospective randomized trial of aspirin-clopidogrel combination therapy and dose-adjusted warfarin on indices of thrombogenesis and platelet activation in atrial fibrillation, 484

Waveform analysis
Assessment of endothelial function using peripheral waveform analysis, 521

White blood cell count
Relationship between baseline white blood cell count and degree of coronary artery disease and mortality in patients with acute coronary syndromes, 1761

White-coat hypertension
Sympathetic neural mechanisms in white-coat hypertension, 126

Women
See also Gender; Postmenopausal women
Association between HERG K897T polymorphism and QT interval in middle-aged Finnish women, 511
Cardiac manifestations of Anderson-Fabry disease in heterozygous females, 1668
Demographics and correlates of five-year change in echocardiographic left ventricular mass in young black and white adult men and women: the Coronary Artery Risk Development in Young Adults (CARDIA) study, 529
Effect of long-term therapy with ramipril in high-risk women, 693
Is glycoprotein IIb/IIIa antagonism as effective in women as in men following percutaneous coronary intervention?, 1085
Left ventricular diastolic dysfunction as a predictor of the first diagnosed nonvalvular atrial fibrillation in 840 elderly men and women, 1636
Oral conjugated equine estrogen increases plasma von Willebrand factor in postmenopausal women, 1991
President's page: women cardiologists: why so few?, 384
Prevalence of male and female patterns of early ventricular repolarization in the normal ECG of males and females from childhood to old age, 1870
Prognostic role of reversible endothelial dysfunction in hypertensive postmenopausal women, 505
Women do have an improved long-term outcome after non–ST-segment elevation acute coronary syndromes treated very early and predominantly with percutaneous coronary intervention, 245

X-linked dilated cardiomyopathy
Comprehensive mutation scanning of the dystrophin gene in patients with nonsyndromic X-linked dilated cardiomyopathy, 1120